













































































































Stabilis



|  |  |  |  |  |  |  |  |
|---|---|---|---|--|---|--|---|
| 5 aminosalicilic acid | mg |  | | 2-8 °C |  | 90  | 2496 |
| 5 aminosalicilic acid | mg |  | | 25°C |  | 90  | 2496 |
| Adenosin | 3 mg/ml |  |  | -15°C |  | 28  | 816 |
| Adenosin | 3 mg/ml |  |  | 25°C |  | 7  | 816 |
| Adenosin | 3 mg/ml |  |  | 5°C |  | 14  | 816 |
| Aldesleukin | 18 MUI/ml |  |  | 2-8°C |  | 48  | 3635 |
| Aldesleukin | 18 MUI/ml |  |  | 30°C |  | 48  | 3635 |
| Alpha-tocopherol acetate | mg |  | | 25°C |  | 60  | 2988 |
| Alpha-tocopherol acetate | mg |  | | 8°C |  | 60  | 2988 |
| Alprostadil | 25 µg/ml |  |  | 4°C |  | 82  | 2003 |
| Amifostine | 50 mg/ml |  |  | 2-8°C |  | 24  | 3598 |
| Amifostine | 50 mg/ml |  |  | 25°C |  | 6  | 3598 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  |  | -15°C |  | 30  | 561 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  |  | 25°C |  | 24  | 561 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  |  | 4°C |  | 60  | 561 |
| Amikacin sulfate | 4 mg/ml |  |  | 25°C |  | 48  | 565 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  | RL | -15°C |  | 30  | 561 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  | RL | 25°C |  | 24  | 561 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  | RL | 4°C |  | 60  | 561 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  |  | -15°C |  | 30  | 561 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  |  | 25°C |  | 24  | 561 |
| Amikacin sulfate | 0,25 & 5 mg/ml |  |  | 4°C |  | 60  | 561 |
| Amiodarone hydrochloride | 2 mg/ml |  |  | 25°C |  | 32  | 647 |
| Amiodarone hydrochloride | 2 mg/ml |  |  | 5°C |  | 32  | 647 |
| Amiodarone hydrochloride | 0,84 mg/ml |  |  | 25°C |  | 6  | 1733 |
| Amiodarone hydrochloride | 0,6 mg/ml |  |  | 22°C-24°C |  | 5  | 379 |
| Amiodarone hydrochloride | mg/ml |  | | 21-25°C |  | 90  | 4696 |

| | | | | | | | | |
|--|------------|--|--|---------|--|-----|--|------|
| Amiodarone hydrochloride | mg/ml | | | 25°C | | 42 | | 2541 |
| Amiodarone hydrochloride | mg | | | 25°C | | 365 | | 3300 |
| Amiodarone hydrochloride | mg | | | 25°C | | 365 | | 3300 |
| Amiodarone hydrochloride | mg | | | 25°C | | 365 | | 3300 |
| Amiodarone hydrochloride | mg/ml | | | 25°C | | 42 | | 3792 |
| Amiodarone hydrochloride | mg/ml | | | 4°C | | 91 | | 2541 |
| Amiodarone hydrochloride | mg/ml | | | 4°C | | 91 | | 2541 |
| Amiodarone hydrochloride | mg/ml | | | 4°C | | 91 | | 3792 |
| Amitriptyline hydrochloride | ? mg/ml | | | 25°C | | 4 | | 54 |
| Amitriptyline hydrochloride | mg/ml | | | 25°C | | 37 | | 2877 |
| Amlodipine besylate | mg/ml | | | 23-27°C | | 60 | | 3893 |
| Amlodipine besylate | mg/ml | | | 23-27°C | | 60 | | 3893 |
| Amlodipine besylate | mg/ml | | | 3-7°C | | 90 | | 3893 |
| Amlodipine besylate | mg/ml | | | 3-7°C | | 90 | | 3893 |
| Amlodipine besylate | mg/ml | | | 4°C | | 365 | | 3886 |
| Amphotericin B | mg/ml | | | -20°C | | 60 | | 3848 |
| Amphotericin B | mg | | | 19-23°C | | 3 | | 2820 |
| Amphotericin B | mg/ml | | | 20-25°C | | 30 | | 3069 |
| Amphotericin B | mg/ml | | | 4-8°C | | 30 | | 3069 |
| Amphotericin B cholesteryl sulfate complex | 5 mg/ml | | | 23°C | | 7 | | 1407 |
| Amphotericin B cholesteryl sulfate complex | 5 mg/ml | | | 4°C | | 7 | | 1407 |
| Amphotericin B liposomale | 4 mg/ml | | | 23-27°C | | 24 | | 3398 |
| Amphotericin B liposomale | 4 mg/ml | | | 4°C | | 7 | | 3398 |
| Amphotericin B liposomale | mg | | | 2-8°C | | 180 | | 2654 |
| Amphotericin B liposomale | mg | | | 25°C | | 180 | | 2654 |
| Amsacrine | 1,5 mg/ml | | | 25°C | | 5 | | 3576 |
| Anidulafungin | 3.33 mg/ml | | | 25°C | | 24 | | 3567 |
| Aprepitant | mg/ml | | | 23°C | | 85 | | 2773 |
| Aprepitant | mg/ml | | | 4°C | | 90 | | 2773 |
| Argatroban | 0,2 mg/ml | | | 25°C | | 180 | | 3235 |
| Argatroban | 0,5 mg/ml | | | 25°C | | 180 | | 3235 |
| Artesunate | mg | | | 22°C | | 3 | | 2655 |
| Asparaginase | 4000 UI/ml | | | 2-8°C | | 24 | | 3686 |

| | | | | | | | | |
|----------------------------|---------------|--|----|---------|--|------|--|------|
| Asparaginase | U/ml | | | 4°C | | 7 | | 2148 |
| Atorvastatine | mg/mL | | | 2-8°C | | 30 | | 3983 |
| Atorvastatine | mg/mL | | | 2-8°C | | 30 | | 3983 |
| Atorvastatine | mg/mL | | | 25°C | | 30 | | 3983 |
| Atorvastatine | mg/mL | | | 25°C | | 30 | | 3983 |
| Avelumab | 3.2 mg/mL | | | 2-8°C | | 96 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 20-25°C | | 72 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 2-8°C | | 24 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 20-25°C | | 24 | | 4474 |
| Azacitidine | 10 & 25 mg/ml | | | 25°C | | 2 | | 4227 |
| Azacitidine | 25 mg/ml | | | 2-8°C | | 8 | | 3236 |
| Azacitidine | 25 mg/ml | | | 25°C | | 0.75 | | 3236 |
| Azacitidine | 0.2 mg/ml | | | 25°C | | 1.9 | | 1039 |
| Azacitidine | 2 mg/ml | | | 25°C | | 2.4 | | 1039 |
| Azacitidine | 0.2 mg/ml | | RL | 25°C | | 1.9 | | 1039 |
| Azacitidine | 2 mg/ml | | RL | 25°C | | 2.8 | | 1039 |
| Azacitidine | 10 & 25 mg/ml | | | -20°C | | 21 | | 4227 |
| Azacitidine | 10 & 25 mg/ml | | | 25°C | | 4 | | 4227 |
| Azacitidine | 10 & 25 mg/ml | | | 4°C | | 24 | | 4227 |
| Azacitidine | 25 mg/ml | | | 2-8°C | | 22 | | 3236 |
| Aztreonam | 60 mg/ml | | | -20°C | | 28 | | 1064 |
| Aztreonam | 60 mg/ml | | | 4°C | | 8 | | 1064 |
| Aztreonam | 20 mg/ml | | | 25°C | | 48 | | 432 |
| Baclofen | 1 mg/ml | | | 37°C | | 70 | | 1601 |
| Baclofen | mg/ml | | | 4°C | | 35 | | 2478 |
| Baclofen | mg/ml | | | 4°C | | 35 | | 2478 |
| Belimumab | 80 mg/ml | | | 15-25°C | | 8 | | 3936 |
| Belimumab | 80 mg/ml | | | 2-8°C | | 8 | | 3936 |
| Belinostat | 50 mg/ml | | | 15-25°C | | 12 | | 3721 |
| Bendamustine hydrochloride | 2.5 mg/ml | | | 4°C | | 8 | | 3342 |
| Bendamustine hydrochloride | 5 mg/ml | | | 25°C | | 0.5 | | 2288 |
| Betaxolol | mg | | | 20°C | | 14 | | 3449 |
| Betaxolol | mg | | | 20°C | | 14 | | 3449 |

| | | | | | | | | |
|---------------------|---------------|--|--|-----------|--|----|--|------|
| Betaxolol | mg | | | 20°C | | 14 | | 3449 |
| Betaxolol | mg | | | 4°C | | 14 | | 3449 |
| Betaxolol | mg | | | 4°C | | 14 | | 3449 |
| Betaxolol | mg | | | 4°C | | 14 | | 3449 |
| Bevacizumab | 25 mg/ml | | | 20-25°C | | 15 | | 4714 |
| Bevacizumab | 25 mg/ml | | | 22-28°C | | 15 | | 4745 |
| Bevacizumab | 25 mg/ml | | | 28-32°C | | 30 | | 4525 |
| Bivalirudin | 50 mg/ml | | | 2-8°C | | 24 | | 3539 |
| Bleomycin sulfate | 0,3 & 3 mg/ml | | | 22°C-25°C | | 24 | | 252 |
| Bleomycin sulfate | 3 mg/ml | | | 2-8°C | | 24 | | 3646 |
| Blinatumomab | 12,5 µg/ml | | | 2-8°C | | 24 | | 3774 |
| Blinatumomab | 12,5 µg/ml | | | 23-27°C | | 4 | | 3774 |
| Bortezomib | 1 mg/ml | | | 2-6°C | | 10 | | 3337 |
| Bortezomib | 1 mg/ml | | | 2-8°C | | 28 | | 4137 |
| Bortezomib | 1 mg/ml | | | 23°C | | 42 | | 2232 |
| Bortezomib | 1 mg/ml | | | 25°C | | 7 | | 4137 |
| Bortezomib | 1 mg/ml | | | 28°C | | 8 | | 3337 |
| Bortezomib | 1 mg/ml | | | 4°C | | 28 | | 2011 |
| Bortezomib | 1 mg/ml | | | 4°C | | 42 | | 2232 |
| Bortezomib | 1 mg/ml | | | 4°C | | 7 | | 3190 |
| Bortezomib | 1 mg/ml | | | 5°C | | 5 | | 2010 |
| Bortezomib | 1 & 2.5 mg/ml | | | 25°C | | 8 | | 1911 |
| Bortezomib | 1 & 2.5 mg/ml | | | 25°C | | 25 | | 4485 |
| Bortezomib | 1 & 2.5 mg/ml | | | 4°C | | 35 | | 4485 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 28 | | 4137 |
| Bortezomib | 2,5 mg/ml | | | 23°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 25°C | | 33 | | 3418 |
| Bortezomib | 2,5 mg/ml | | | 25°C | | 7 | | 4137 |
| Bortezomib | 2,5 mg/ml | | | 4°C | | 30 | | 3349 |
| Bortezomib | 2.5 mg/ml | | | 2-8°C | | 14 | | 3537 |
| Brentuximab vedotin | 5 mg/ml | | | 2-8°C | | 24 | | 3495 |
| Bretylum tosilate | 10 mg/ml | | | 25°C | | 48 | | 743 |

| | | | | | | | | |
|-----------------------------|------------|--|----|---------|---|-----|--|------|
| Bretylium tosilate | 10 mg/ml | | | 40°C | | 48 | | 743 |
| Bretylium tosilate | 10 mg/ml | | | 4°C | | 7 | | 743 |
| Bretylium tosilate | 1 mg/ml | | | 25°C | | 30 | | 1193 |
| Bretylium tosilate | 1 mg/ml | | | 25°C | | 48 | | 1193 |
| Bretylium tosilate | 1 mg/ml | | RL | 25°C | | 30 | | 1193 |
| Bretylium tosilate | 10 mg/ml | | RL | 25°C | | 48 | | 743 |
| Bretylium tosilate | 10 mg/ml | | RL | 40°C | | 48 | | 743 |
| Bretylium tosilate | 10 mg/ml | | RL | 4°C | | 7 | | 743 |
| Brompheniramine maleate | mg | | | 25°C | | 202 | | 3180 |
| Budesonide | mg/mL | | | 24°C | | 90 | | 4101 |
| Budesonide | mg | | | 4°C | | 56 | | 665 |
| Bupivacaine hydrochloride | 24 mg/ml | | ? | 37°C | | 90 | | 2305 |
| Buprenorphine hydrochloride | 0,03 mg/ml | | | 1-9°C | | 180 | | 4314 |
| Buprenorphine hydrochloride | 0,03 mg/ml | | | 18-24°C | | 180 | | 4314 |
| Busulfan | 0.5 mg/ml | | | 13-15°C | | 36 | | 2188 |
| Busulfan | 0.5 mg/ml | | | 2-8°C | | 48 | | 2188 |
| Cabazitaxel | 10 mg/ml | | ∅ | 4°C | | 28 | | 3804 |
| Cabazitaxel | 10 mg/ml | | | -20°C | ? | 49 | | 4800 |
| Caffeine | 5 mg/ml | | | 21°C | | 24 | | 698 |
| Caffeine | 10 mg/ml | | ∅ | 25°C | ? | 60 | | 990 |
| Caffeine | 10 mg/ml | | ∅ | 4°C | ? | 60 | | 990 |
| Caffeine | 5 mg/ml | | | 21°C | | 24 | | 698 |
| Caffeine citrate | 10 mg/ml | | | 22°C | | 342 | | 318 |
| Caffeine citrate | 10 mg/ml | | | 4°C | | 342 | | 318 |
| Caffeine citrate | 5 mg/ml | | | 27°C | | 24 | | 691 |
| Caffeine citrate | 5 mg/ml | | | 27°C | | 24 | | 691 |
| Caffeine citrate | mg/ml | | | 25°C | | 365 | | 2705 |
| Caffeine citrate | mg/ml | | | 5°C | | 365 | | 2705 |
| Calcium gluconate | mg | | | 25°C | ? | 180 | | 3017 |
| Captopril | mg/ml | | | 2-8°C | | 730 | | 2984 |
| Captopril | mg/ml | | | 2-8°C | | 50 | | 4097 |
| Captopril | mg/ml | | | 20-26°C | | 28 | | 2570 |
| Captopril | mg/ml | | | 20-26°C | | 28 | | 2570 |

| | | | | | | | | |
|-------------|-----------------|--|--|---------|--|-----|--|------|
| Captopril | mg/ml | | | 21-23°C | | 365 | | 2827 |
| Captopril | mg/ml | | | 21-23°C | | 365 | | 2827 |
| Captopril | mg/ml | | | 21-23°C | | 14 | | 2522 |
| Captopril | mg/ml | | | 21-23°C | | 28 | | 2522 |
| Captopril | mg/ml | | | 23-27°C | | 30 | | 4097 |
| Captopril | mg/ml | | | 25°C | | 730 | | 2984 |
| Captopril | mg/ml | | | 38-42°C | | 30 | | 4097 |
| Captopril | mg/ml | | | 4°C | | 56 | | 2522 |
| Captopril | mg/ml | | | 4°C | | 56 | | 2522 |
| Captopril | mg/ml | | | 5°C | | 30 | | 2432 |
| Captopril | mg/ml | | | 5°C | | 30 | | 4689 |
| Captopril | mg/ml | | | 5°C | | 30 | | 4689 |
| Carbimazole | mg/mL | | | 25°C | | 2 | | 4499 |
| Carbimazole | mg/mL | | | 4°C | | 14 | | 4499 |
| Carboplatin | 3.2 mg/ml | | | 25°C | | 30 | | 2244 |
| Carfilzomib | 2 mg/ml | | | 15-30°C | | 4 | | 3348 |
| Carfilzomib | 2 mg/ml | | | 2-8°C | | 24 | | 3348 |
| Carfilzomib | 2 mg/ml | | | 2-8°C | | 28 | | 3986 |
| Carfilzomib | 2 mg/ml | | | 2-8°C | | 28 | | 4047 |
| Carmustine | 0,96 mg/ml | | | 22°C | | 3 | | 146 |
| Carmustine | 0,96 mg/ml | | | 4°C | | 48 | | 146 |
| Carmustine | 0,1 & 0,5 mg/ml | | | 4°C | | 12 | | 1622 |
| Carmustine | 0,1 > 1 mg/ml | | | 25°C | | 2 | | 1622 |
| Carmustine | 0,2 mg/ml | | | 23°C | | 5.5 | | 1501 |
| Carmustine | 0,2 mg/ml | | | 4°C | | 48 | | 1501 |
| Carmustine | 0,96 mg/ml | | | 4°C | | 24 | | 146 |
| Carmustine | 0.2 mg/ml | | | 25°C | | 8 | | 3314 |
| Carmustine | 1 mg/ml | | | 4°C | | 48 | | 1622 |
| Carmustine | 3,3 mg/ml | | | 2-8°C | | 24 | | 4762 |
| Carvedilol | mg | | | 25°C | | 56 | | 3167 |
| Carvedilol | mg | | | 25°C | | 56 | | 3167 |
| Carvedilol | mg | | | 40°C | | 56 | | 3167 |
| Carvedilol | mg | | | 40°C | | 56 | | 3167 |

| | | | | | | | | |
|------------------------------|--------------------|--|----|-------|--|-----|--|------|
| Carvedilol | mg | | | 4°C | | 28 | | 3167 |
| Carvedilol | mg | | | 4°C | | 56 | | 3167 |
| Caspofungin acetate | 5-7 mg/ml | | | 25°C | | 24 | | 1519 |
| Caspofungin acetate | 0.14 >> 0.47 mg/ml | | | 2-8°C | | 48 | | 1519 |
| Caspofungin acetate | 0.14 >> 0.47 mg/ml | | | 25°C | | 24 | | 1519 |
| Caspofungin acetate | 0.14 >> 0.47 mg/ml | | RL | 2-8°C | | 48 | | 1519 |
| Caspofungin acetate | 0.14 >> 0.47 mg/ml | | RL | 25°C | | 24 | | 1519 |
| Caspofungin acetate | 0.14 >> 0.47 mg/ml | | | 2-8°C | | 48 | | 1519 |
| Caspofungin acetate | 0.14 >> 0.47 mg/ml | | | 25°C | | 24 | | 1519 |
| Cefalotin sodium | 100 & 230 mg/ml | | | -20°C | | 42 | | 580 |
| Cefamandole nafate | 250 mg/ml | | | 4°C | | 96 | | 3546 |
| Cefamandole nafate | 10 mg/ml | | | 25°C | | 48 | | 418 |
| Cefamandole nafate | 2 & 20 mg/ml | | | 25°C | | 72 | | 612 |
| Cefamandole nafate | 2 & 20 mg/ml | | | 5°C | | 7 | | 612 |
| Cefamandole nafate | 285 mg/ml | | | 25°C | | 72 | | 612 |
| Cefamandole nafate | 285 mg/ml | | | 5°C | | 10 | | 612 |
| Cefamandole nafate | 285 mg/ml | | | 25°C | | 72 | | 612 |
| Cefamandole nafate | 285 mg/ml | | | 5°C | | 10 | | 612 |
| Cefamandole nafate | 285 mg/ml | | | 25°C | | 72 | | 612 |
| Cefamandole nafate | 285 mg/ml | | | 5°C | | 10 | | 612 |
| Cefazolin sodium | 400 mg/ml | | | -20°C | | 182 | | 581 |
| Cefazolin sodium | 10 mg/ml | | | 25°C | | 48 | | 418 |
| Cefazolin sodium | 400 mg/ml | | | -20°C | | 182 | | 581 |
| Cefazolin sodium | 10 mg/ml | | | 2-8°C | | 28 | | 1452 |
| Cefazolin sodium | 10 mg/ml | | | 25°C | | 7 | | 1452 |
| Cefazolin sodium | 5 mg/ml | | | -20°C | | 182 | | 581 |
| Cefazolin sodium | mg/ml | | | 4°C | | 7 | | 2505 |
| Cefazolin sodium | mg/ml | | | 4°C | | 7 | | 2505 |
| Cefazolin sodium | mg/ml | | | 4°C | | 7 | | 2505 |
| Cefazolin sodium | mg/ml | | | 4°C | | 30 | | 2707 |
| Cefazolin sodium | mg/ml | | | 4°C | | 30 | | 2707 |
| Cefiderocol sulfate tosylate | 89 mg/mL | | | 25°C | | 1 | | 2093 |
| Cefonicid sodium | 224 & 340 mg/ml | | | -15°C | | 56 | | 420 |

| | | | | | | | | |
|---------------------|-------------------|--|----|-----------|--|----|--|------|
| Cefonicid sodium | 10 mg/ml | | | -15°C | | 56 | | 420 |
| Cefonicid sodium | 10 mg/ml | | | 25°C | | 48 | | 644 |
| Cefonicid sodium | 5 & 20 & 40 mg/ml | | | 25°C | | 24 | | 420 |
| Cefonicid sodium | 5 & 20 & 40 mg/ml | | | 5°C | | 96 | | 420 |
| Cefonicid sodium | 20 mg/ml | | RL | 25°C | | 24 | | 420 |
| Cefonicid sodium | 20 mg/ml | | RL | 5°C | | 96 | | 420 |
| Cefonicid sodium | 20 mg/ml | | | 25°C | | 24 | | 420 |
| Cefonicid sodium | 20 mg/ml | | | 5°C | | 96 | | 420 |
| Cefoperazone sodium | 100 >> 300 mg/ml | | | 2-8°C | | 5 | | 3544 |
| Cefoperazone sodium | 100 >>300 mg/ml | | | 15-25°C | | 24 | | 3544 |
| Cefoperazone sodium | 300 mg/ml | | | -20°C | | 35 | | 3544 |
| Cefoperazone sodium | 20 mg/ml | | | 25°C | | 48 | | 644 |
| Cefoperazone sodium | 40 mg/ml | | | -10°C | | 96 | | 585 |
| Cefoperazone sodium | 40 mg/ml | | | 25°C | | 8 | | 585 |
| Cefoperazone sodium | 40 mg/ml | | | 5°C | | 80 | | 585 |
| Cefoperazone sodium | 2 >> 50 mg/ml | | | 15-25°C | | 24 | | 3544 |
| Cefoperazone sodium | 2 >> 50 mg/ml | | | 2-8°C | | 5 | | 3544 |
| Cefoperazone sodium | 50 mg/ml | | | -20°C | | 21 | | 3544 |
| Cefotaxime sodium | 20 mg/ml | | | 24°C | | 24 | | 421 |
| Cefotaxime sodium | 20 mg/ml | | | 2-8°C | | 24 | | 1452 |
| Cefotaxime sodium | 20 mg/ml | | | 25°C | | 24 | | 1452 |
| Cefoxitin sodium | 20 mg/ml | | | 25°C | | 48 | | 418 |
| Ceftazidime | 100 & 200 mg/ml | | | -20°C | | 91 | | 445 |
| Ceftazidime | 100 & 200 mg/ml | | | 21°C-23°C | | 8 | | 445 |
| Ceftazidime | 100 & 200 mg/ml | | | 4°C | | 96 | | 445 |
| Ceftazidime | 270 mg/ml | | | 20°C | | 18 | | 1857 |
| Ceftazidime | 270 mg/ml | | | 4°C | | 7 | | 1857 |
| Ceftazidime | 20 mg/ml | | | 25°C | | 48 | | 432 |
| Ceftazidime | 40 mg/ml | | | 20°C | | 20 | | 1651 |
| Ceftazidime | 40 mg/ml | | | 35°C | | 20 | | 1651 |
| Ceftazidime | 20 mg/ml | | | 2-8°C | | 10 | | 1452 |
| Ceftazidime | 20 mg/ml | | | 25°C | | 2 | | 1452 |
| Ceftazidime | mg/ml | | | -20°C | | 75 | | 4197 |

| | | | | | | | | |
|-------------------------------|-------------------|--|----|-----------|--|-----|--|------|
| Ceftazidime | mg/ml | | | 4°C | | 24 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 21 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 27 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 15 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 18 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 18 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 15 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 12 | | 3289 |
| Ceftazidime | mg/ml | | | 4°C | | 7 | | 4197 |
| Ceftazidime | mg/ml | | | 7°C | | 7 | | 2717 |
| Ceftazidime | mg/ml | | | 7°C | | 5 | | 2708 |
| Ceftizoxime sodium | 20 mg/ml | | | 25°C | | 48 | | 418 |
| Ceftobiprole medocaril sodium | 50 mg/ml | | | 2-8°C | | 24 | | 4650 |
| Ceftobiprole medocaril sodium | 50 mg/ml | | | 25°C | | 1 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | | 2-8°C | | 4 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | | 25°C | | 24 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | | 25°C | | 8 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | | 2-8°C | | 4 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | | 25°C | | 12 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | | 25°C | | 8 | | 4650 |
| Ceftobiprole medocaril sodium | 50 mg/ml | | | 2-8°C | | 24 | | 4650 |
| Ceftobiprole medocaril sodium | 50 mg/ml | | | 25°C | | 1 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | RL | 25°C | | 24 | | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml | | RL | 25°C | | 8 | | 4650 |
| Ceftolozane / tazobactam | 87.7 / 43.8 mg/ml | | | 2-8°C | | 4 | | 3803 |
| Ceftolozane / tazobactam | 87.7 / 43.8 mg/ml | | | 2-8°C | | 4 | | 3803 |
| Ceftriaxone disodium | 10 & 50 mg/ml | | | -20°C | | 182 | | 589 |
| Ceftriaxone disodium | 10 mg/ml | | | 5°C | | 21 | | 589 |
| Ceftriaxone disodium | 10 & 50 mg/ml | | | 15°C-32°C | | 7 | | 589 |
| Ceftriaxone disodium | 20 mg/ml | | | 2-8°C | | 28 | | 1452 |
| Ceftriaxone disodium | 20 mg/ml | | | 25°C | | 24 | | 432 |
| Ceftriaxone disodium | 20 mg/ml | | | 25°C | | 5 | | 1452 |
| Ceftriaxone disodium | 50 mg/ml | | | 5°C | | 35 | | 589 |

| | | | | | | | | |
|----------------------------|--------------|--|--|-----------|--|------|--|------|
| Ceftriaxone disodium | 10 mg/ml | | | 15°C-32°C | | 7 | | 589 |
| Ceftriaxone disodium | 10 mg/ml | | | 5°C | | 84 | | 589 |
| Ceftriaxone disodium | 20 mg/ml | | | 25°C | | 48 | | 432 |
| Ceftriaxone disodium | 50 mg/ml | | | 15°C-32°C | | 24 | | 589 |
| Ceftriaxone disodium | 50 mg/ml | | | 5°C | | 56 | | 589 |
| Cefuroxime sodium | 15 mg/ml | | | 25°C | | 48 | | 644 |
| Cefuroxime sodium | 5 & 10 mg/ml | | | -10°C | | 30 | | 636 |
| Cefuroxime sodium | 5 & 10 mg/ml | | | 25°C | | 24 | | 636 |
| Cefuroxime sodium | 5 & 10 mg/ml | | | 5°C | | 30 | | 636 |
| Cefuroxime sodium | 7,5 mg/ml | | | 2-8°C | | 7 | | 1452 |
| Cefuroxime sodium | 7,5 mg/ml | | | 25°C | | 24 | | 1452 |
| Cefuroxime sodium | mg/ml | | | -30°C | | 365 | | 2682 |
| Cefuroxime sodium | mg/ml | | | 25°C | | 24 | | 2683 |
| Cefuroxime sodium | mg/ml | | | 25°C | | 24 | | 2683 |
| Cefuroxime sodium | mg/ml | | | 25°C | | 24 | | 2682 |
| Cefuroxime sodium | mg/ml | | | 2°C | | 28 | | 2682 |
| Cefuroxime sodium | mg/ml | | | 4°C | | 14 | | 2683 |
| Cefuroxime sodium | mg/ml | | | 4°C | | 28 | | 2683 |
| Cefuroxime sodium | mg/ml | | | 25°C | | 24 | | 2683 |
| Cefuroxime sodium | mg/ml | | | 25°C | | 24 | | 2683 |
| Cefuroxime sodium | mg/ml | | | 4°C | | 28 | | 2683 |
| Cefuroxime sodium | mg/ml | | | 4°C | | 28 | | 2683 |
| Celecoxib | mg/ml | | | 25°C | | 90 | | 4198 |
| Celecoxib | mg/ml | | | 4°C | | 90 | | 4198 |
| Cetuximab | 5 mg/ml | | | -20°C | | 72 | | 2220 |
| Cetuximab | 5 mg/ml | | | 2-8°C | | 1461 | | 2220 |
| Cetuximab | 5 mg/ml | | | 25°C | | 72 | | 2220 |
| Chloral hydrate | mg | | | 19-21°C | | 180 | | 3383 |
| Chloral hydrate | mg | | | 25°C | | 60 | | 4198 |
| Chloral hydrate | mg | | | 3-7°C | | 180 | | 3383 |
| Chloral hydrate | mg | | | 4°C | | 60 | | 4198 |
| Chlormethine hydrochloride | 1 mg/ml | | | 21°C-23°C | | 6 | | 558 |
| Chlormethine hydrochloride | 1 mg/ml | | | 4°C | | 6 | | 558 |

| | | | | | | | | |
|-----------------------------|---------------|--|----|-----------|--|-----|--|------|
| Chlormethine hydrochloride | 1 mg/ml | | | 21°C-23°C | | 6 | | 558 |
| Chlormethine hydrochloride | 1 mg/ml | | | 4°C | | 6 | | 558 |
| Chlormethine hydrochloride | mg/ml | | | 23°C | | 56 | | 3074 |
| Chlormethine hydrochloride | mg/ml | | | 23°C | | 288 | | 3074 |
| Chlormethine hydrochloride | mg/ml | | | 23°C | | 14 | | 3074 |
| Chlormethine hydrochloride | mg/ml | | | 23°C | | 29 | | 3074 |
| Chlormethine hydrochloride | mg/ml | | | 23°C | | 22 | | 3074 |
| Chlormethine hydrochloride | mg/ml | | | 23°C | | 56 | | 3074 |
| Chlormethine hydrochloride | mg/ml | | | 37°C | | 40 | | 168 |
| Chlormethine hydrochloride | mg/ml | | | 4°C | | 84 | | 168 |
| Chloroquine sulfate | 0,48 mg/ml | | | 21°C | | 24 | | 350 |
| Cholecalciferol | mg | | | 25°C | | 60 | | 2988 |
| Cholecalciferol | mg | | | 30 °C | | 30 | | 3363 |
| Cholecalciferol | mg | | | 30 °C | | 30 | | 3363 |
| Cholecalciferol | mg | | | 30 °C | | 30 | | 3363 |
| Cholecalciferol | mg | | | 8°C | | 60 | | 2988 |
| Ciclosporin | 2 mg/ml | | | 24°C | | 12 | | 454 |
| Ciclosporin | 2 mg/ml | | | 24°C | | 48 | | 471 |
| Ciclosporin | 2 mg/ml | | | 24°C | | 24 | | 454 |
| Ciclosporin | 2 mg/ml | | | 6°C | | 48 | | 471 |
| Ciclosporin | mg/ml | | | 25°C | | 90 | | 4198 |
| Ciclosporin | mg/ml | | | 4°C | | 90 | | 4198 |
| Cilazapril | mg | | | 25 °C | | 28 | | 3722 |
| Cimetidine hydrochloride | 15 mg/ml | | | 22°C | | 14 | | 80 |
| Cimetidine hydrochloride | 15 mg/ml | | | 4°C | | 42 | | 80 |
| Cimetidine hydrochloride | 1,2 & 5 mg/ml | | | 25°C | | 7 | | 747 |
| Cimetidine hydrochloride | 1,2 & 5 mg/ml | | | 25°C | | 7 | | 747 |
| Cimetidine hydrochloride | 1,2 & 5 mg/ml | | RL | 25°C | | 7 | | 747 |
| Cimetidine hydrochloride | 1,2 & 5 mg/ml | | | 25°C | | 7 | | 747 |
| Ciprofloxacin hydrochloride | mg/ml | | | 25°C | | 90 | | 4198 |
| Ciprofloxacin hydrochloride | mg/ml | | | 4°C | | 90 | | 4198 |
| Cisatracurium besylate | 10 mg/ml | | | 2-8°C | | 450 | | 4769 |
| Cisatracurium besylate | 2 & 10 mg/ml | | | 23°C | | 45 | | 533 |

| | | | | | | | | |
|----------------------------|------------------|--|--|---------|--|-----|--|------|
| Cisatracurium besylate | 2 & 10 mg/ml | | | 4°C | | 90 | | 533 |
| Cisplatin | 0,166 mg/ml | | | 30°C | | 14 | | 147 |
| Clindamycin phosphate | 15 mg/ml | | | 22°C | | 91 | | 80 |
| Clindamycin phosphate | 15 mg/ml | | | 4°C | | 91 | | 80 |
| Clindamycin phosphate | 6 , 9 & 12 mg/ml | | | -10°C | | 56 | | 566 |
| Clindamycin phosphate | 6 , 9 & 12 mg/ml | | | 25°C | | 16 | | 566 |
| Clindamycin phosphate | 6 , 9 & 12 mg/ml | | | 4°C | | 32 | | 566 |
| Clindamycin phosphate | 9 mg/ml | | | 24°C | | 24 | | 421 |
| Clindamycin phosphate | 9 mg/ml | | | 25°C | | 48 | | 418 |
| Clindamycin phosphate | 9 mg/ml | | | 25°C | | 48 | | 565 |
| Clindamycin phosphate | 9 & 12 mg/ml | | | 25°C | | 48 | | 432 |
| Clobazam | mg | | | 25°C | | 56 | | 3407 |
| Clobazam | mg | | | 25°C | | 56 | | 3407 |
| Clobazam | mg | | | 4°C | | 56 | | 3407 |
| Clobazam | mg | | | 4°C | | 56 | | 3407 |
| Clomipramine hydrochloride | ? mg/ml | | | 25°C | | 4 | | 54 |
| Clonidine hydrochloride | 0,15 mg/ml | | | 23°C | | 730 | | 650 |
| Clonidine hydrochloride | 0,15 mg/ml | | | 4°C | | 730 | | 650 |
| Clonidine hydrochloride | 0,15 & 0,5 mg/ml | | | 37°C | | 90 | | 650 |
| Clonidine hydrochloride | 0,2 mg/ml | | | 37°C | | 70 | | 1601 |
| Clonidine hydrochloride | 0,5 mg/ml | | | 23°C | | 545 | | 650 |
| Clonidine hydrochloride | 0,5 mg/ml | | | 4°C | | 545 | | 650 |
| Clonidine hydrochloride | 2 mg/ml | | | 40°C | | 180 | | 2317 |
| Clonidine hydrochloride | 2 mg/ml | | | 37°C | | 90 | | 2305 |
| Clonidine hydrochloride | mg | | | 2-8°C | | 90 | | 4052 |
| Clonidine hydrochloride | mg | | | 2-8°C | | 90 | | 4272 |
| Clonidine hydrochloride | mg | | | 2-8°C | | 90 | | 4272 |
| Clonidine hydrochloride | mg | | | 23-27°C | | 90 | | 4272 |
| Clonidine hydrochloride | mg | | | 25°C | | 91 | | 3714 |
| Clonidine hydrochloride | mg | | | 25°C | | 91 | | 3714 |
| Clonidine hydrochloride | mg | | | 25°C | | 30 | | 4052 |
| Clonidine hydrochloride | mg | | | 35°C | | 24 | | 4353 |
| Clonidine hydrochloride | mg | | | 35°C | | 24 | | 4353 |

| | | | | | | | | |
|--------------------------|-------------------|--|----|-----------|--|----|--|------|
| Clonidine hydrochloride | mg | | | 35°C | | 24 | | 4353 |
| Clonidine hydrochloride | mg | | | 35°C | | 24 | | 4353 |
| Clonidine hydrochloride | mg | | | 35°C | | 24 | | 4353 |
| Clonidine hydrochloride | mg | | | 35°C | | 24 | | 4353 |
| Clonidine hydrochloride | mg | | | 4°C | | 28 | | 2502 |
| Clonidine hydrochloride | mg | | | 4°C | | 28 | | 2502 |
| Clonidine hydrochloride | mg | | | 4°C | | 91 | | 3714 |
| Clonidine hydrochloride | mg | | | 4°C | | 91 | | 3714 |
| Clonidine hydrochloride | mg | | | 4°C | | 7 | | 4353 |
| Clonidine hydrochloride | mg | | | 4°C | | 7 | | 4353 |
| Clonidine hydrochloride | mg | | | 4°C | | 7 | | 4353 |
| Clonidine hydrochloride | mg | | | 4°C | | 7 | | 4353 |
| Clonidine hydrochloride | mg | | | 4°C | | 7 | | 4353 |
| Clonidine hydrochloride | mg | | | 4°C | | 7 | | 4353 |
| Clonidine hydrochloride | mg | | | 4°C | | 7 | | 4353 |
| Clopidogrel bisulfate | mg | | | 25°C | | 14 | | 3326 |
| Clopidogrel bisulfate | mg | | | 4°C | | 30 | | 3326 |
| Clorazepate di potassium | 0,2 mg/ml | | | 4°C | | 72 | | 896 |
| Cloxacillin sodium | 250 mg/ml | | | 25°C | | 1 | | 4244 |
| Cloxacillin sodium | 250 mg/ml | | | 4°C | | 14 | | 4244 |
| Cloxacilline | mg/mL | | | 2-8°C | | 5 | | 4424 |
| Co-trimoxazole | 0,64 / 3,2 mg/ml | | | 23°C-25°C | | 48 | | 442 |
| Co-trimoxazole | 1,6 / 8 mg/ml | | | 23°C-25°C | | 1 | | 442 |
| Co-trimoxazole | 0,6/3,2 mg/ml | | | 23-25°C | | 24 | | 1197 |
| Co-trimoxazole | 0,8 / 4 mg/ml | | | 23°C-25°C | | 14 | | 442 |
| Co-trimoxazole | 1,07 / 5,33 mg/ml | | | 23°C-25°C | | 2 | | 442 |
| Co-trimoxazole | 1,6/8 mg/ml | | | 23-25°C | | 24 | | 1197 |
| Co-trimoxazole | 0,6/3,2 mg/ml | | | 23-25°C | | 24 | | 1197 |
| Co-trimoxazole | 0,8 / 4 mg/ml | | | 23°C-25°C | | 24 | | 442 |
| Co-trimoxazole | 1,07 / 5,33 mg/ml | | | 23°C-25°C | | 4 | | 442 |
| Co-trimoxazole | 1,6/8 mg/ml | | | 23-25°C | | 24 | | 1197 |
| Co-trimoxazole | 0,6/3,2 mg/ml | | RL | 23-25°C | | 12 | | 1197 |
| Co-trimoxazole | 1,6/8 mg/ml | | RL | 23-25°C | | 24 | | 1197 |
| Co-trimoxazole | 0,6/3,2 mg/ml | | | 23-25°C | | 24 | | 1197 |

| | | | | | | | | |
|--------------------------|-----------------|--|------|---------|--|----|--|------|
| Co-trimoxazole | 1,6/8 mg/ml | | | 23-25°C | | 24 | | 1197 |
| Cocaine hydrochloride | mg/ml | | | 2-8°C | | 14 | | 2808 |
| Cocaine hydrochloride | mg/ml | | | 25°C | | 48 | | 2808 |
| Colistin mesilate sodium | 200 mg/ml | | | 25°C | | 7 | | 2285 |
| Colistin mesilate sodium | 200 mg/ml | | | 4°C | | 7 | | 2285 |
| Colistin mesilate sodium | 75 mg/ml | | | -20°C | | 24 | | 3360 |
| Colistin mesilate sodium | 75 mg/ml | | | 21°C | | 24 | | 3360 |
| Colistin mesilate sodium | 75 mg/ml | | | 4°C | | 24 | | 3360 |
| Crisantaspase | 5000 & 10000 UI | | | <25°C | | 8 | | 4480 |
| Cromoglycate sodium | mg/ml | | | 4°C | | 56 | | 665 |
| Cyclophosphamide | 20 mg/ml | | | 24-27°C | | 4 | | 1728 |
| Cyclophosphamide | 20 mg/ml | | | 4°C | | 7 | | 172 |
| Cyclophosphamide | 20 mg/ml | | | 5°C | | 14 | | 1728 |
| Cyclophosphamide | 1 mg/ml | | | 25°C | | 7 | | 172 |
| Cyclophosphamide | 1 mg/ml | | | 4°C | | 7 | | 172 |
| Cyclophosphamide | 0,4 mg/ml | | | 2-8°C | | 14 | | 1728 |
| Cyclophosphamide | 0,4 mg/ml | | | 21-25°C | | 6 | | 1728 |
| Cytarabine | 0,1 & 20 mg/ml | | | 2-8°C | | 28 | | 2255 |
| Cytarabine | 0,144 mg/ml | | | 23°C | | 72 | | 1501 |
| Cytarabine | 0,144 mg/ml | | | 4°C | | 72 | | 1501 |
| Cytarabine | 20 mg/ml | | | 20-25°C | | 28 | | 2255 |
| Cytarabine | 0,1 mg/ml | | | 20-25°C | | 28 | | 2255 |
| Cytarabine | 1 mg/ml | | | 2-8°C | | 28 | | 4455 |
| Cytarabine | 1 mg/ml | | | 25°C | | 14 | | 4455 |
| Cytarabine | 10 mg/ml | | | 2-8°C | | 28 | | 4455 |
| Cytarabine | 10 mg/ml | | | 25°C | | 5 | | 4455 |
| Cytarabine | 5 mg/ml | | | 2-8°C | | 28 | | 4455 |
| Cytarabine | 5 mg/ml | | | 25°C | | 7 | | 739 |
| Cytarabine | 5 mg/ml | | | 25°C | | 8 | | 4455 |
| Cytarabine | 0,1 mg/ml | | | 20-25°C | | 14 | | 2255 |
| Cytarabine | 5 mg/ml | | RL | 25°C | | 7 | | 739 |
| Cytarabine | 3 mg/ml | | EI B | 23°C | | 48 | | 31 |
| Cytarabine | 3 mg/ml | | EI B | 4°C | | 48 | | 31 |

| | | | | | | | | |
|------------------------------------|---------------|--|------|---------|--|-----|--|------|
| Cytarabine | 5 mg/ml | | EI B | 25°C | | 7 | | 739 |
| Dacarbazine | 10 mg/ml | | | 25°C | | 15 | | 3266 |
| Dacarbazine | 10 mg/ml | | | 6-8°C | | 14 | | 3266 |
| Dacarbazine | 11 mg/ml | | | 2-6°C | | 7 | | 1635 |
| Dacarbazine | 11 mg/ml | | | 20-25°C | | 96 | | 1635 |
| Dacarbazine | 0,64 mg/ml | | | 23°C | | 48 | | 1501 |
| Dacarbazine | 0,64 mg/ml | | | 4°C | | 48 | | 1501 |
| Dactinomycin | 10 µg/ml | | | 20-25°C | | 10 | | 4153 |
| Dactinomycin | 10 µg/ml | | | 20-25°C | | 10 | | 4153 |
| Dactinomycin | 9.8 µg/ml | | | 25°C | | 24 | | 1178 |
| Dantrolene sodium | 0,33 mg/ml | | | 25°C | | 6 | | 1509 |
| Daptomycin | 50 mg/ml | | | 2-8°C | | 48 | | 2271 |
| Daptomycin | 50 mg/ml | | | 25°C | | 12 | | 2271 |
| Daptomycin | 50 mg/ml | | | 2-8°C | | 48 | | 2271 |
| Daptomycin | 50 mg/ml | | | 2-8°C | | 7 | | 4074 |
| Daptomycin | 50 mg/ml | | | 25°C | | 12 | | 2271 |
| Daptomycin | 50 mg/ml | | | 25°C | | 2 | | 4074 |
| Daptomycin | 100 mg/ml | | | 25°C | | 6 | | 3218 |
| Daptomycin | 100 mg/ml | | | 37°C | | 6 | | 3218 |
| Daptomycin | 100 mg/ml | | | 4°C | | 24 | | 3218 |
| Daunorubicin/cytarabine liposomale | 2.2 / 5 mg/mL | | | 2-8°C | | 4 | | 4355 |
| Daunorubicin/cytarabine liposomale | 2.2 / 5 mg/mL | | | 2-8°C | | 4 | | 4355 |
| Decitabine | 5 mg/ml | | | 2-8°C | | 12 | | 4043 |
| Deferoxamine mesylate | 100 mg/ml | | | 25°C | | 24 | | 3671 |
| Desonide | mg | | | 25°C | | 130 | | 1372 |
| Dexamethasone | mg | | | 2-8 °C | | 91 | | 3713 |
| Dexamethasone | mg | | | 2-8 °C | | 91 | | 3713 |
| Dexamethasone | mg | | | 2-8°C | | 182 | | 2560 |
| Dexamethasone | mg | | | 25°C | | 182 | | 2560 |
| Dexamethasone | mg | | | 25°C | | 91 | | 3713 |
| Dexamethasone | mg | | | 25°C | | 91 | | 3713 |
| Dexamethasone | mg | | | 25°C | | 91 | | 3851 |
| Dexamethasone | mg | | | 25°C | | 91 | | 3851 |

| | | | | | | | | |
|--------------------------------|------------------|--|--|-----------|--|-----|--|------|
| Dexamethasone | mg | | | 4°C | | 91 | | 3851 |
| Dexamethasone | mg | | | 4°C | | 91 | | 3851 |
| Dexamethasone acetate | mg | | | 18-26°C | | 60 | | 4256 |
| Dexamethasone acetate | mg | | | 19-24°C | | 60 | | 4050 |
| Dexamethasone acetate | mg | | | 2-8°C | | 60 | | 4050 |
| Dexamethasone acetate | mg | | | 2-8°C | | 60 | | 4256 |
| Dexamethasone sodium phosphate | 10 mg/ml | | | 23°C | | 91 | | 28 |
| Dexamethasone sodium phosphate | 10 mg/ml | | | 4°C | | 91 | | 28 |
| Dexrazoxane hydrochloride | 10 mg/ml | | | 25°C | | 8 | | 3611 |
| Dexrazoxane hydrochloride | 20 mg/ml | | | 2-8°C | | 4 | | 3581 |
| Dexrazoxane hydrochloride | 20 mg/ml | | | 25°C | | 4 | | 3581 |
| Dexrazoxane hydrochloride | 1 mg/ml | | | 4°C | | 24 | | 381 |
| Dexrazoxane hydrochloride | 1 & 10 mg/ml | | | 22°C | | 6 | | 381 |
| Dexrazoxane hydrochloride | 10 mg/ml | | | 4°C | | 6 | | 381 |
| Dezocine | 0,3 >> 0,6 mg/ml | | | 25°C | | 72 | | 4430 |
| Dezocine | 0,3 >> 0,6 mg/ml | | | 4°C | | 14 | | 4430 |
| Diamorphine hydrochloride | 1 mg/ml | | | 23°C-25°C | | 7 | | 339 |
| Diamorphine hydrochloride | 20 mg/ml | | | 23-25°C | | 12 | | 339 |
| Diamorphine hydrochloride | 20 mg/ml | | | 4°C | | 15 | | 339 |
| Diazepam | 0,04 mg/ml | | | 25°C | | 48 | | 55 |
| Diazepam | 0,2 mg/ml | | | 25°C | | 24 | | 621 |
| Diazepam | 0,038 mg/ml | | | 21°C | | 24 | | 350 |
| Diazepam | 0,1 mg/ml | | | 21°C | | 24 | | 1472 |
| Diazepam | 5 mg/ml | | | 30°C | | 90 | | 1199 |
| Diazepam | 5 mg/ml | | | 4°C | | 90 | | 1199 |
| Diazepam | 5 mg/ml | | | 4°C-10°C | | 210 | | 1424 |
| Diazepam | mg | | | 22°C | | 60 | | 2476 |
| Diazepam | mg | | | 25°C | | 90 | | 4533 |
| Diazepam | mg | | | 5°C | | 60 | | 2476 |
| Dichloroacetate sodium | mg/mL | | | 25°C | | 90 | | 4283 |
| Dichloroacetate sodium | mg/mL | | | 4°C | | 90 | | 4283 |
| Digoxin | 2,5 µg/ml | | | 23-26°C | | 48 | | 618 |
| Digoxin | 2,5 µg/ml | | | 4°C | | 48 | | 618 |

| | | | | | | | | |
|---------------------------|-----------------|--|----|-----------|--|-----|--|------|
| Digoxin | 50 µg/ml | | | 23-27°C | | 180 | | 4690 |
| Digoxin | 50 µg/ml | | | 3-7°C | | 180 | | 4690 |
| Digoxin | 2,5 µg/ml | | RL | 23°C-26°C | | 6 | | 618 |
| Dipyridamol | mg/ml | | | 25°C | | 30 | | 2998 |
| Dipyridamol | mg/ml | | | 4°C | | 30 | | 2998 |
| Disopyramide phosphate | mg | | | 25°C | | 28 | | 2471 |
| Disopyramide phosphate | mg | | | 25°C | | 28 | | 2471 |
| Disopyramide phosphate | mg | | | 30°C | | 28 | | 2471 |
| Disopyramide phosphate | mg | | | 30°C | | 28 | | 2471 |
| Disopyramide phosphate | mg | | | 5°C | | 28 | | 2471 |
| Disopyramide phosphate | mg | | | 5°C | | 28 | | 2471 |
| Dobutamine hydrochloride | 0,25 mg/ml | | | 5°C | | 7 | | 1045 |
| Dobutamine hydrochloride | 1 mg/ml | | | 25°C | | 48 | | 1058 |
| Docetaxel | 0,3 & 0,9 mg/ml | | | 25°C | | 28 | | 1660 |
| Docetaxel | 10 mg/ml | | | 23°C | | 21 | | 2210 |
| Docetaxel | 10 mg/ml | | | 4°C | | 21 | | 2210 |
| Docetaxel | 10 mg/ml | | | 2-8°C | | 28 | | 1660 |
| Docetaxel | 10 mg/ml | | | 25°C | | 28 | | 1660 |
| Domperidone | mg/ml | | | 25°C | | 75 | | 4142 |
| Domperidone | mg/ml | | | 4°C | | 91 | | 4142 |
| Dopamine hydrochloride | 0,8 mg/ml | | | 23-25°C | | 48 | | 732 |
| Dopamine hydrochloride | 0,8 mg/ml | | | 5°C | | 7 | | 732 |
| Dopamine hydrochloride | 1 mg/ml | | | 25°C | | 36 | | 1249 |
| Dopamine hydrochloride | 0,8 mg/ml | | RL | 23-25°C | | 48 | | 732 |
| Doripenem | 10 mg/ml | | | 25°C | | 24 | | 3112 |
| Doripenem | 10 mg/ml | | | 37°C | | 12 | | 3112 |
| Doripenem | 50 mg/ml | | | 25°C | | 1 | | 2332 |
| Doripenem | 50 mg/ml | | | 25°C | | 1 | | 2332 |
| Doxorubicin hydrochloride | 2 mg/ml | | | -20°C | | 30 | | 740 |
| Doxorubicin hydrochloride | 2 mg/ml | | | 4°C | | 180 | | 740 |
| Doxorubicin hydrochloride | 0,1 mg/ml | | | 20-25°C | | 4 | | 2256 |
| Doxorubicin hydrochloride | 0,1 & 1 mg/ml | | | 2-8°C | | 28 | | 2256 |
| Doxorubicin hydrochloride | 1 mg/ml | | | 20-25°C | | 28 | | 2256 |













































































































| | | | | | | | | |
|------------------------------------|-------------|--|----|-----------|--|-----|--|------|
| Doxorubicin hydrochloride | 2 mg/ml | | | 23°C | | 124 | | 681 |
| Doxorubicin hydrochloride | 2 mg/ml | | | 4°C | | 124 | | 681 |
| Doxorubicin hydrochloride | 0.015 mg/ml | | | 49°C | | 2 | | 3706 |
| Doxorubicin hydrochloride | 15 mg/ml | | | 2-8°C | | 14 | | 3402 |
| Doxorubicin hydrochloride liposome | 2 mg/ml | | | 2-8°C | | 5 | | 3143 |
| Doxorubicin hydrochloride liposome | 2 mg/ml | | | 25°C | | 8 | | 3143 |
| Doxycycline hyclate | 10 mg/ml | | | -20°C | | 56 | | 563 |
| Doxycycline hyclate | 1 mg/ml | | | -20°C | | 56 | | 563 |
| Droperidol | 0,02 mg/ml | | | 27°C | | 10 | | 1187 |
| Droperidol | 0,02 mg/ml | | RL | 27°C | | 7 | | 1187 |
| Eculizumab | 5 mg/ml | | | 2-8°C | | 90 | | 4782 |
| Eculizumab | 5 mg/ml | | | 28-32°C | | 72 | | 4782 |
| Eculizumab | 5 mg/ml | | | 2-8°C | | 90 | | 4782 |
| Eculizumab | 5 mg/ml | | | 28-32°C | | 72 | | 4782 |
| Enalapril maleate | mg/ml | | | 2-8°C | | 50 | | 4097 |
| Enalapril maleate | mg/ml | | | 23-27°C | | 90 | | 3921 |
| Enalapril maleate | mg/ml | | | 23-27°C | | 90 | | 3921 |
| Enalapril maleate | mg/ml | | | 23-27°C | | 50 | | 4097 |
| Enalapril maleate | mg/ml | | | 3-7°C | | 90 | | 3921 |
| Enalapril maleate | mg/ml | | | 3-7°C | | 90 | | 3921 |
| Enoxaparin sodium | 20 mg/ml | | | 22°C-26°C | | 28 | | 1893 |
| Epigallocatechin gallate | mg/mL | | | 2-8°C | | 730 | | 4675 |
| Epigallocatechin gallate | mg/mL | | | 25°C | | 730 | | 4675 |
| Epinephrine hydrochloride | 100 µg/ml | | | 25°C | | 7 | | 659 |
| Epinephrine hydrochloride | 100 µg/ml | | | 25°C | | 7 | | 659 |
| Epinephrine hydrochloride | 700 µg/ml | | | 25°C | | 56 | | 659 |
| Epinephrine hydrochloride | 700 µg/ml | | | 25°C | | 56 | | 659 |
| Epirubicin hydrochloride | 0.1 mg/ml | | | 2-8°C | | 28 | | 2257 |
| Epirubicin hydrochloride | 0.1 mg/ml | | | 25°C | | 4 | | 2257 |
| Epirubicin hydrochloride | 0,05 mg/ml | | | 4°C | | 25 | | 525 |
| Epirubicin hydrochloride | 0.4 mg/ml | | | 2-8°C | | 4 | | 2257 |
| Epirubicin hydrochloride | 0.4 mg/ml | | | 25°C | | 4 | | 2257 |
| Epirubicin hydrochloride | 1 & 2 mg/ml | | | 23°C | | 150 | | 683 |

| | | | | | | | | |
|---------------------------|---------------|--|----|-----------|--|-----|--|------|
| Epirubicin hydrochloride | 1 & 2 mg/ml | | | 4°C | | 150 | | 683 |
| Epirubicin hydrochloride | 0,05 mg/ml | | | 4°C | | 30 | | 525 |
| Epirubicin hydrochloride | 1.6 mg/ml | | | 2-8°C | | 4 | | 2257 |
| Eravacycline | 10 mg/ml | | | 25°C | | 1 | | 4709 |
| Eravacycline | 10 mg/ml | | | 25°C | | 1 | | 4709 |
| Ertapenem | 100 mg/ml | | | 23°C | | 5 | | 3891 |
| Ertapenem | 100 mg/ml | | | 4°C | | 48 | | 3891 |
| Erythromycin lactobionate | 50 mg/ml | | | 2-8°C | | 24 | | 3674 |
| Esmolol hydrochloride | 10 mg/ml | | | 23°C-27°C | | 7 | | 204 |
| Esmolol hydrochloride | 10 mg/ml | | | 5°C | | 7 | | 204 |
| Esmolol hydrochloride | 10 mg/ml | | RL | 23°C-27°C | | 7 | | 204 |
| Esmolol hydrochloride | 10 mg/ml | | RL | 5°C | | 7 | | 204 |
| Esmolol hydrochloride | 10 mg/ml | | | 23°C-27°C | | 7 | | 204 |
| Esmolol hydrochloride | 10 mg/ml | | | 5°C | | 7 | | 204 |
| Esomeprazole sodium | 4 & 8 mg/ml | | | < 30°C | | 12 | | 2284 |
| Etoposide | 0,2 mg/ml | | | ? | | 7 | | 504 |
| Etoposide | 0,4 mg/ml | | | 20°C-22°C | | 4 | | 482 |
| Etoposide | 0,2 mg/ml | | | 24°C | | 22 | | 1613 |
| Etoposide | 0,2 mg/ml | | | 4°C | | 14 | | 1613 |
| Etoposide | 0,3 mg/ml | | | 24°C | | 2 | | 1613 |
| Etoposide | 0,3 mg/ml | | | 4°C | | 7 | | 1613 |
| Etoposide | 0,4 mg/ml | | | 24°C | | 24 | | 161 |
| Etoposide | 0,4 mg/ml | | | 24°C | | 24 | | 1613 |
| Etoposide | 0,4 mg/ml | | | 4°C | | 24 | | 161 |
| Etoposide | 0,4 mg/ml | | | 4°C | | 2 | | 1613 |
| Etoposide | 10 mg/ml | | | 24°C | | 5 | | 1613 |
| Etoposide | 10 mg/ml | | | 4°C | | 7 | | 1613 |
| Etoposide | 12 mg/ml | | | 24°C | | 7 | | 1613 |
| Etoposide | 12 mg/ml | | | 4°C | | 14 | | 1613 |
| Etoposide | 0,4 mg/ml | | RL | 20°C-22°C | | 4 | | 482 |
| Etoposide phosphate | 10 & 20 mg/ml | | | 2-8°C | | 7 | | 3655 |
| Etoposide phosphate | 10 & 20 mg/ml | | | 25°C | | 96 | | 3655 |
| Etoposide phosphate | 10 & 20 mg/ml | | | 37°C | | 48 | | 3655 |

| | | | | | | | | |
|-----------------------|------------------|--|----|---------|--|----|--|------|
| Etoposide phosphate | > 0,1 mg/ml | | | 2-8°C | | 7 | | 3655 |
| Etoposide phosphate | > 0,1 mg/ml | | | 25°C | | 96 | | 3655 |
| Etoposide phosphate | > 0,1 mg/ml | | | 37°C | | 48 | | 3655 |
| Etoposide phosphate | 10 & 20 mg/ml | | | 2-8°C | | 7 | | 3655 |
| Etoposide phosphate | 10 & 20 mg/ml | | | 25°C | | 96 | | 3655 |
| Etoposide phosphate | 10 & 20 mg/ml | | | 37°C | | 48 | | 3655 |
| Famotidine | mg/ml | | | 24°C | | 15 | | 2516 |
| Famotidine | mg/ml | | | 4°C | | 20 | | 2516 |
| Fentanyl citrate | 4,55 µg/ml | | | 22°C | | 48 | | 223 |
| Flecainide acetate | mg/ml | | | 25°C | | 90 | | 4198 |
| Flecainide acetate | mg/ml | | | 4°C | | 90 | | 4198 |
| Fluconazole | 1 mg/ml | | | 25°C | | 24 | | 257 |
| Fluconazole | 1 mg/ml | | RL | 25°C | | 24 | | 257 |
| Fluconazole | | | | 23°C | | 15 | | 2527 |
| Fluconazole | | | | 45°C | | 15 | | 2527 |
| Fluconazole | | | | 4°C | | 15 | | 2527 |
| Flucytosine | mg/ml | | | 25°C | | 7 | | 2440 |
| Flucytosine | mg/ml | | | 4°C | | 70 | | 2440 |
| Fludarabine phosphate | 25 mg/ml | | | 25°C | | 16 | | 492 |
| Fludarabine phosphate | 0,5 mg/ml | | | 2-8°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,5 mg/ml | | | 20-25°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,4 mg/ml | | | 2-8°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,4 mg/ml | | | 20-25°C | | 28 | | 2344 |
| Fludrocortisone | mg/ml | | | 4°C | | 60 | | 2621 |
| Fludrocortisone | mg/ml | | | 4°C | | 19 | | 2621 |
| Fluorouracil | 1,44 mg/ml | | | 23°C | | 72 | | 1501 |
| Fluorouracil | 1,44 mg/ml | | | 4°C | | 72 | | 1501 |
| Fluorouracil | 1,5 mg/ml | | | 25°C | | 56 | | 840 |
| Fluorouracil | 5 mg/ml | | | 2-8°C | | 91 | | 110 |
| Fosphenytoin sodium | 1 & 8 & 20 mg/ml | | | 25°C | | 30 | | 800 |
| Fosphenytoin sodium | 1 & 8 & 20 mg/ml | | | 4°C | | 30 | | 800 |
| Furosemide | | | | 2-8°C | | 30 | | 4044 |
| Furosemide | | | | 2-8°C | | 30 | | 4044 |

| | | | | | | | | |
|---------------------------|---------------------------------|--|--|--------------|--|-----|--|------|
| Furosemide | | | | 2-8°C | | 30 | | 4044 |
| Furosemide | | | | 21-25°C | | 30 | | 4044 |
| Furosemide | | | | 21-25°C | | 30 | | 4044 |
| Furosemide | | | | 21-25°C | | 30 | | 4044 |
| Furosemide | | | | 22-28°C | | 270 | | 4060 |
| Furosemide | | | | 22-28°C | | 270 | | 4060 |
| Furosemide | | | | 40 +/- 0,5°C | | 270 | | 4060 |
| Furosemide | | | | 40 +/- 0,5°C | | 30 | | 4060 |
| Ganciclovir sodium | 20 mg/ml | | | -8°C | | 24 | | 3796 |
| Ganciclovir sodium | 20 mg/ml | | | 25°C | | 24 | | 3796 |
| Ganciclovir sodium | 20 mg/ml | | | 5°C | | 24 | | 3796 |
| Gemcitabine hydrochloride | 38 mg/ml | | | 23°C | | 35 | | 1422 |
| Gemcitabine hydrochloride | 0,1 & 25 mg/ml | | | 2-8°C | | 35 | | 2344 |
| Gemcitabine hydrochloride | 0,1 & 25 (Ebegemcit® Lyo) mg/ml | | | 20-25°C | | 14 | | 2344 |
| Gemcitabine hydrochloride | 38 mg/ml | | | 23°C | | 35 | | 1422 |
| Gemcitabine hydrochloride | 40 mg/ml | | | 25°C | | 27 | | 1663 |
| Gemcitabine hydrochloride | 5,12 mg/ml | | | 23°C | | 48 | | 1501 |
| Gemcitabine hydrochloride | 7,5 & 25 mg/ml | | | 25°C | | 27 | | 1663 |
| Gemcitabine hydrochloride | 0,1 & 25 mg/ml | | | 2-8°C | | 35 | | 2344 |
| Gemcitabine hydrochloride | 0,1 & 25 (Ebegemcit® Lyo) mg/ml | | | 20-25°C | | 14 | | 2344 |
| Gemtuzumab ozogamicin | 1 mg/ml | | | 2-8°C | | 16 | | 1913 |
| Gemtuzumab ozogamicin | 1 mg/ml | | | <30°C | | 3 | | 1913 |
| Gentamicin sulfate | 10 mg/ml | | | 4°C | | 84 | | 1486 |
| Gentamicin sulfate | mg/ml | | | 2-8°C | | 42 | | 2547 |
| Gentamicin sulfate | mg/ml | | | 2-8°C | | 42 | | 2547 |
| Gentamicin sulfate | mg/ml | | | 26°C | | 7 | | 2547 |
| Gentamicin sulfate | mg/ml | | | 26°C | | 7 | | 2547 |
| Glibenclamide | mg/ml | | | 25°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 25°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 25°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 25°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 40°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 40°C | | 90 | | 3875 |

| | | | | | | | | |
|---------------------------------|-----------|--|------|---------|--|-----|--|------|
| Glibenclamide | mg/ml | | | 40°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 40°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 4°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 4°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 4°C | | 90 | | 3875 |
| Glibenclamide | mg/ml | | | 4°C | | 90 | | 3875 |
| Glycopyrronium bromide | mg/ml | | | 24-26°C | | 25 | | 2833 |
| Glycopyrronium bromide | mg/ml | | | 25°C | | 90 | | 4198 |
| Glycopyrronium bromide | mg/ml | | | 4°C | | 90 | | 4198 |
| Haloperidol lactate | 0.1 mg/ml | | | 24°C | | 38 | | 605 |
| Heparin sodium | 1 UI/ml | | | 25°C | | 365 | | 4166 |
| Hydralazine hydrochloride | mg/ml | | | 5°C | | 30 | | 2836 |
| Hydralazine hydrochloride | mg/ml | | | 5°C | | 30 | | 2836 |
| Hydrochlorothiazide | mg/ml | | | 18-26°C | | 60 | | 4256 |
| Hydrochlorothiazide | mg/ml | | | 2-8°C | | 60 | | 4256 |
| Hydrochlorothiazide | mg/ml | | | 25°C | | 180 | | 3399 |
| Hydrochlorothiazide | mg/ml | | | 5°C | | 21 | | 3361 |
| Hydrocortisone | mg | | | 2 - 8°C | | 28 | | 3755 |
| Hydrocortisone | mg | | | 25°C | | 60 | | 2835 |
| Hydrocortisone | mg | | | 25°C | | 28 | | 3755 |
| Hydrocortisone | mg | | | 25°C | | 90 | | 4198 |
| Hydrocortisone | mg | | | 4°C | | 90 | | 4198 |
| Hydrocortisone sodium succinate | 1 mg/ml | | | 25°C | | 3 | | 739 |
| Hydrocortisone sodium succinate | 1 mg/ml | | RL | 25°C | | 3 | | 739 |
| Hydrocortisone sodium succinate | 1 mg/ml | | EI B | 25°C | | 24 | | 739 |
| Hydrocortisone sodium succinate | 2 mg/ml | | EI B | 23°C | | 24 | | 31 |
| Hydrocortisone sodium succinate | 2 mg/ml | | EI B | 4°C | | 48 | | 31 |
| Hydrocortisone sodium succinate | mg/mL | | | 3-7°C | | 21 | | 4416 |
| Hydrocortisone sodium succinate | mg/mL | | | 3-7°C | | 21 | | 4416 |
| Hydrocortisone sodium succinate | mg/mL | | | 3-7°C | | 14 | | 4416 |
| Hydromorphone hydrochloride | 50 mg/ml | | | 37°C | | 90 | | 2305 |
| Hydroxocobalamin | 25 mg/ml | | | 2-8°C | | 6 | | 3932 |
| Hydroxocobalamin | 25 mg/ml | | | 25°C | | 6 | | 3932 |

| | | | | | | | | |
|------------------------------|---------------|---|---|---------|---|-----|---|------|
| Hydroxychloroquine sulfate | mg/ml |  | | 2-8°C |  | 60 |  | 4492 |
| Hydroxychloroquine sulfate | mg/ml |  | | 2-8°C |  | 90 |  | 4561 |
| Hydroxychloroquine sulfate | mg/ml |  | | 2-8°C |  | 90 |  | 4561 |
| Hydroxychloroquine sulfate | mg/ml |  | | 28-32°C |  | 60 |  | 4561 |
| Hydroxychloroquine sulfate | mg/ml |  | | 28-32°C |  | 90 |  | 4561 |
| Hydroxyurea | mg/ml |  | | 22-25°C |  | 120 |  | 3963 |
| Hydroxyurea | mg/ml |  | | 22-25°C |  | 120 |  | 3963 |
| Hydroxyurea | mg/ml |  | | 22-25°C |  | 120 |  | 3963 |
| Hydroxyurea | mg/ml |  | | 22-25°C |  | 120 |  | 3963 |
| Hydroxyurea | mg/ml |  | | 4-8°C |  | 120 |  | 3963 |
| Hydroxyurea | mg/ml |  | | 4-8°C |  | 120 |  | 3963 |
| Hydroxyurea | mg/ml |  | | 4-8°C |  | 120 |  | 3963 |
| Hydroxyurea | mg/ml |  | | 4-8°C |  | 120 |  | 3963 |
| Idebenone | mg/ml |  | | 22-28°C |  | 90 |  | 4092 |
| Idebenone | mg/ml |  | | 22-28°C |  | 21 |  | 4092 |
| Idebenone | mg/ml |  | | 22-28°C |  | 37 |  | 4092 |
| Idebenone | mg/ml |  | | 22-28°C |  | 14 |  | 4092 |
| Idebenone | mg/ml |  | | 22-28°C |  | 21 |  | 4092 |
| Idebenone | mg/ml |  | | 3-7°C |  | 90 |  | 4092 |
| Idebenone | mg/ml |  | | 3-7°C |  | 30 |  | 4092 |
| Idebenone | mg/ml |  | | 3-7°C |  | 37 |  | 4092 |
| Idebenone | mg/ml |  | | 3-7°C |  | 14 |  | 4092 |
| Idebenone | mg/ml |  | | 3-7°C |  | 21 |  | 4092 |
| Imatinib | mg/mL |  | | 2-8°C |  | 30 |  | 4636 |
| Imipenem - cilastatin sodium | 2.5 mg/ml |  |  | 4°C |  | 72 |  | 21 |
| Imipenem - cilastatin sodium | 2.5 & 5 mg/ml |  |  | 25°C |  | 9 |  | 21 |
| Imipenem - cilastatin sodium | 5 mg/ml |  |  | 4°C |  | 48 |  | 21 |
| Imipenem - cilastatin sodium | 2.5 mg/ml |  |  | 4°C |  | 72 |  | 21 |
| Imipenem - cilastatin sodium | 2.5 & 5 mg/ml |  |  | 25°C |  | 9 |  | 21 |
| Imipenem - cilastatin sodium | 5 mg/ml |  |  | 4°C |  | 48 |  | 21 |
| Imipenem - cilastatin sodium | 2.5 mg/ml |  |  | 25°C |  | 6 |  | 21 |
| Imipenem - cilastatin sodium | 2.5 & 5 mg/ml |  |  | 4°C |  | 24 |  | 21 |
| Imipenem - cilastatin sodium | 5 mg/ml |  |  | 25°C |  | 3 |  | 21 |

| | | | | | | | | |
|--------------------------------|---------------|--|----|-----------|--|----|--|------|
| Imipenem - cilastatin sodium | 2.5 mg/ml | | RL | 25°C | | 6 | | 21 |
| Imipenem - cilastatin sodium | 2.5 & 5 mg/ml | | RL | 4°C | | 24 | | 21 |
| Imipenem - cilastatin sodium | 5 mg/ml | | RL | 25°C | | 3 | | 21 |
| Imipenem - cilastatin sodium | 2.5 & 5 mg/ml | | | 25°C | | 3 | | 21 |
| Imipenem - cilastatin sodium | 2.5 & 5 mg/ml | | | 4°C | | 24 | | 21 |
| Indocyanine green | 0,025 mg/ml | | | 4°C | | 24 | | 4289 |
| Indomethacin sodium trihydrate | 0,5 mg/ml | | | 2-6°C | | 14 | | 303 |
| Indomethacin sodium trihydrate | 0,5 mg/ml | | | 21°C-25°C | | 12 | | 303 |
| Infliximab | 10 mg/ml | | | 2-8°C | | 28 | | 754 |
| Infliximab | 10 mg/ml | | | 2-8°C | | 14 | | 4279 |
| Infliximab | 10 mg/ml | | | 2-8°C | | 14 | | 4279 |
| Infliximab | 10 mg/ml | | | 2-8°C | | 30 | | 4292 |
| Infliximab | 10 mg/ml | | | 23-27°C | | 14 | | 4292 |
| Infliximab | 10 mg/ml | | | 25°C | | 7 | | 4003 |
| Infliximab | 10 mg/ml | | | 25°C | | 7 | | 4049 |
| Infliximab | 10 mg/ml | | | 4°C | | 35 | | 3137 |
| Infliximab | 10 mg/ml | | | 5°C | | 60 | | 4003 |
| Infliximab | 10 mg/ml | | | 5°C | | 14 | | 4049 |
| Infliximab | 50 mg/ml | | | 4°C | | 35 | | 3137 |
| Ioxitalamate sodium | 0,12 mg l/ml | | | 25°C | | 90 | | 1809 |
| Ipilimumab | 1 >> 4 mg/ml | | | 2-8°C | | 24 | | 3352 |
| Ipilimumab | 1 >> 4 mg/ml | | | 25°C | | 24 | | 3352 |
| Ipratropium bromide | mg/ml | | | 4°C | | 56 | | 665 |
| Irinotecan | 0,02 mg/ml | | | 25°C | | 1 | | 1617 |
| Irinotecan | 0,02 mg/ml | | | 25°C | | 24 | | 1617 |
| Irinotecan | 14,3 mg/ml | | | 25°C | | 28 | | 2671 |
| Isavuconazonium sulfate | 10 mg/ml | | | 25°C | | 1 | | 2864 |
| Isavuconazonium sulfate | 20 mg/ml | | | 25°C | | 1 | | 2864 |
| Isoniazid | mg/ml | | | 25°C | | 42 | | 2837 |
| Isosorbide dinitrate | 0,095 mg/ml | | | 21°C | | 24 | | 350 |
| Isradipine | mg | | | 4°C | | 35 | | 2523 |
| Itraconazole | mg/ml | | | 2-6°C | | 35 | | 2442 |
| Itraconazole | mg/ml | | | 25°C | | 90 | | 4198 |

| | | | | | | | | |
|-------------------------|------------|--|----|---------|--|-----|--|------|
| Itraconazole | mg/ml | | | 4°C | | 90 | | 4198 |
| Ketamine hydrochloride | 10 mg/ml | | | 25°C | | 182 | | 3435 |
| Ketoprofene | 0,96 mg/ml | | | 20-24°C | | 24 | | 3075 |
| Ketorolac tromethamine | 0,6 mg/ml | | | 25°C | | 48 | | 469 |
| L-Methionine | mg/mL | | | 2-6°C | | 45 | | 4747 |
| L-Methionine | mg/mL | | | 21-25°C | | 45 | | 4747 |
| Labetalol hydrochloride | 2,5 mg/ml | | | 25°C | | 72 | | 1194 |
| Labetalol hydrochloride | 2,5 mg/ml | | | 4°C | | 72 | | 1194 |
| Labetalol hydrochloride | 2,5 mg/ml | | RL | 25°C | | 72 | | 1194 |
| Labetalol hydrochloride | 2,5 mg/ml | | RL | 4°C | | 72 | | 1194 |
| Labetalol hydrochloride | mg | | | 23°C | | 28 | | 3793 |
| Labetalol hydrochloride | mg | | | 23°C | | 28 | | 3793 |
| Labetalol hydrochloride | mg | | | 23°C | | 28 | | 3793 |
| Labetalol hydrochloride | mg | | | 23°C | | 28 | | 3793 |
| Labetalol hydrochloride | mg | | | 23°C | | 28 | | 3793 |
| Labetalol hydrochloride | mg | | | 23°C | | 28 | | 3793 |
| Labetalol hydrochloride | mg | | | 25°C | | 90 | | 4198 |
| Labetalol hydrochloride | mg | | | 4°C | | 90 | | 4198 |
| Lansoprazole | mg/ml | | | 25°C | | 91 | | 2594 |
| Lansoprazole | mg/ml | | | 25°C | | 91 | | 2594 |
| Lansoprazole | mg/ml | | | 4°C | | 91 | | 2594 |
| Lansoprazole | mg/ml | | | 4°C | | 91 | | 2594 |
| Levamisol | mg/ml | | | 2-8°C | | 90 | | 2970 |
| Levamisol | mg/ml | | | 2-8°C | | 90 | | 2970 |
| Levamisol | mg/ml | | | 25°C | | 15 | | 2970 |
| Levamisol | mg/ml | | | 25°C | | 90 | | 2970 |
| Levetiracetam | mg | | | 25°C | | 95 | | 677 |
| Levetiracetam | mg | | | 4°C | | 95 | | 677 |
| Levofolinate disodium | 1,8 mg/ml | | | 20-25°C | | 72 | | 3369 |
| Levofolinate disodium | 3,6 mg/ml | | | 20-25°C | | 72 | | 3369 |
| Levothyroxine | 1 µg/ml | | | 19-25°C | | 24 | | 3228 |
| Lidocaine hydrochloride | 0.45 mg/ml | | | 22°C | | 21 | | 1126 |
| Lidocaine hydrochloride | 0.45 mg/ml | | | 4°C | | 21 | | 1126 |
| Lidocaine hydrochloride | 2 mg/ml | | | 25°C | | 14 | | 619 |

| | | | | | | | | |
|-------------------------|-------------|--|----|-------------|--|-----|--|------|
| Lidocaine hydrochloride | 2 mg/ml | | RL | 25°C | | 14 | | 619 |
| Lincomycin | 0,6 mg/ml | | | 25°C | | 31 | | 4118 |
| Lincomycin | 0,6 mg/ml | | | 25°C | | 31 | | 4118 |
| Lorazepam | 0,038 mg/ml | | | 21°C | | 24 | | 350 |
| Lorazepam | 0,167 mg/ml | | | 2-8°C | | 1 | | 4248 |
| Lorazepam | 0,167 mg/ml | | | 20-25°C | | 1 | | 4248 |
| Lorazepam | 1 & 2 mg/ml | | | 22°C | | 28 | | 765 |
| Lorazepam | 2 mg/ml | | | 4°C-10°C | | 210 | | 1424 |
| Lorazepam | mg/ml | | | 21,5-22,5°C | | 91 | | 4418 |
| Lorazepam | mg/ml | | | 21,5-22,5°C | | 42 | | 4418 |
| Lorazepam | mg/ml | | | 3-5°C | | 91 | | 4418 |
| Lorazepam | mg/ml | | | 3-5°C | | 91 | | 4418 |
| Lurbinectedin | 500 µg/ml | | | 2-8°C | | 14 | | 4600 |
| Lurbinectedin | 15 µg/ml | | | 2-8°C | | 14 | | 4600 |
| Lurbinectedin | 70 µg/ml | | | 2-8°C | | 14 | | 4600 |
| Magnesium sulfate | 40 mg/ml | | | 19-24°C | | 90 | | 2356 |
| Magnesium sulfate | 40 mg/ml | | RL | 19-24°C | | 90 | | 2356 |
| Maprotiline | ? mg/ml | | | 25°C | | 4 | | 54 |
| Melatonine | mg/ml | | | 24-26°C | | 90 | | 2872 |
| Melatonine | mg | | | 24-26°C | | 90 | | 2872 |
| Melatonine | mg/ml | | | 25°C | | 126 | | 761 |
| Melatonine | mg/ml | | | 25°C | | 90 | | 4198 |
| Melatonine | mg/ml | | | 3-5°C | | 90 | | 2872 |
| Melatonine | mg | | | 39-41°C | | 90 | | 2872 |
| Melatonine | mg/ml | | | 4°C | | 126 | | 761 |
| Melatonine | mg/ml | | | 4°C | | 90 | | 4198 |
| Melphalan | 0,06 mg/ml | | | 23°C | | 1 | | 1501 |
| Melphalan | 0,06 mg/ml | | | 4°C | | 24 | | 1501 |
| Melphalan | 5 mg/ml | | | 23°C | | 6 | | 4189 |
| Melphalan captisol | 5 mg/ml | | | 23°C | | 24 | | 4189 |
| Melphalan captisol | 5 mg/ml | | | 4°C | | 24 | | 4189 |
| Memantine | mg/ml | | | 25°C | | 7 | | 2842 |
| Memantine | mg/ml | | | 2°C | | 28 | | 2842 |

| | | | | | | | | |
|-----------------------|----------------|--|--|-----------|--|-----|--|------|
| Menadione | mg | | | 25°C | | 60 | | 2988 |
| Menadione | mg | | | 8°C | | 60 | | 2988 |
| Mercaptopurine | mg | | | 19-23°C | | 35 | | 2396 |
| Mercaptopurine | mg | | | 19-23°C | | 77 | | 2396 |
| Mercaptopurine | mg | | | 19-23°C | | 28 | | 2396 |
| Mercaptopurine | mg | | | 19-23°C | | 63 | | 2396 |
| Mercaptopurine | mg | | | 25°C | | 90 | | 3843 |
| Mercaptopurine | mg | | | 25°C | | 90 | | 3843 |
| Mercaptopurine | mg | | | 25°C | | 90 | | 3843 |
| Mercaptopurine | mg | | | 25°C | | 90 | | 3843 |
| Mercaptopurine | mg | | | 25°C | | 122 | | 3244 |
| Mercaptopurine | mg | | | 4°C | | 122 | | 3244 |
| Meropenem | 2,5 mg/ml | | | 21°C-26°C | | 24 | | 10 |
| Meropenem | 2,5 & 50 mg/ml | | | 4°C | | 48 | | 10 |
| Meropenem | 40 mg/ml | | | 25°C | | 12 | | 3112 |
| Meropenem | 50 mg/ml | | | 21-26°C | | 8 | | 10 |
| Meropenem | 50 mg/ml | | | 23-27°C | | 7 | | 4403 |
| Meropenem | 10 mg/ml | | | 2-8°C | | 48 | | 1639 |
| Meropenem | 10 mg/ml | | | 24°C | | 6 | | 1639 |
| Meropenem | 2,5 mg/ml | | | 21-26°C | | 24 | | 10 |
| Meropenem | 2,5 & 50 mg/ml | | | 4°C | | 48 | | 10 |
| Meropenem | 5 mg/ml | | | 2-8°C | | 96 | | 1639 |
| Meropenem | 5 mg/ml | | | 24°C | | 24 | | 1639 |
| Meropenem | 50 mg/ml | | | 21-26°C | | 8 | | 10 |
| Meropenem | 2,5 & 50 mg/ml | | | 21-26°C | | 3 | | 10 |
| Meropenem | 2,5 & 50 mg/ml | | | 4°C | | 24 | | 10 |
| Methacholine chloride | mg/ml | | | -20°C | | 365 | | 646 |
| Methacholine chloride | mg/ml | | | -20°C | | 365 | | 646 |
| Methacholine chloride | mg/ml | | | 2-8°C | | 40 | | 107 |
| Methacholine chloride | mg/ml | | | 2-8°C | | 40 | | 107 |
| Methacholine chloride | mg/ml | | | 2-8°C | | 270 | | 3033 |
| Methacholine chloride | mg/ml | | | 25°C | | 35 | | 646 |
| Methacholine chloride | mg/ml | | | 25°C | | 270 | | 3033 |

| | | | | | | | | |
|-------------------------------------|-------------------|--|------|---------|--|-----|--|------|
| Methacholine chloride | mg/ml | | | 4°C | | 365 | | 646 |
| Methadone hydrochloride | 5 mg/ml | | | 23-27°C | | 180 | | 4406 |
| Methadone hydrochloride | 5 mg/ml | | | 5°C | | 180 | | 4406 |
| Methotrexate | mg/ml | | | 25°C | | 120 | | 2884 |
| Methotrexate | mg/ml | | | 4°C | | 120 | | 2884 |
| Methotrexate sodium | 0,36 mg/ml | | | 23°C | | 72 | | 1501 |
| Methotrexate sodium | 0,36 mg/ml | | | 4°C | | 72 | | 1501 |
| Methotrexate sodium | 1,25 & 12,5 mg/ml | | | 2-8°C | | 105 | | 110 |
| Methotrexate sodium | 2,5 mg/ml | | | 25°C | | 7 | | 739 |
| Methotrexate sodium | 2,5 mg/ml | | RL | 25°C | | 7 | | 739 |
| Methotrexate sodium | 2 mg/ml | | EI B | 23°C | | 48 | | 31 |
| Methotrexate sodium | 2 mg/ml | | EI B | 4°C | | 48 | | 31 |
| Methotrexate sodium | 2,5 mg/ml | | EI B | 25°C | | 7 | | 739 |
| Methylprednisolone sodium succinate | 4 mg/ml | | | 22°C | | 24 | | 212 |
| Methylprednisolone sodium succinate | 4 mg/ml | | | 4°C | | 7 | | 212 |
| Metolazone | mg/ml | | | 25°C | | 7 | | 2634 |
| Metolazone | mg/ml | | | 4°C | | 90 | | 2634 |
| Metoprolol tartrate | 1 mg/ml | | | 25°C | | 230 | | 3538 |
| Metoprolol tartrate | mg/ml | | | 21-25°C | | 90 | | 2556 |
| Metoprolol tartrate | mg/ml | | | 25°C | | 16 | | 653 |
| Metoprolol tartrate | mg/ml | | | 5-7°C | | 90 | | 2556 |
| Metronidazole | mg/ml | | | 25°C | | 90 | | 2702 |
| Metronidazole | mg/ml | | | 25°C | | 90 | | 2702 |
| Micafungin | 20 mg/ml | | | 25°C | | 48 | | 3573 |
| Micafungin | 20 mg/ml | | | 25°C | | 48 | | 3573 |
| Midazolam hydrochloride | 0,03 mg/ml | | | 4°C | | 72 | | 896 |
| Midazolam hydrochloride | 0,5 mg/ml | | | 24-26°C | | 36 | | 41 |
| Midazolam hydrochloride | 0,5 mg/ml | | | 39-41°C | | 36 | | 41 |
| Midazolam hydrochloride | 0,5 mg/ml | | | 4-6°C | | 36 | | 41 |
| Midazolam hydrochloride | 0,036 mg/ml | | | 21°C | | 24 | | 350 |
| Midazolam hydrochloride | 0,5 mg/ml | | | -20°C | | 14 | | 2376 |
| Midazolam hydrochloride | 0,5 mg/ml | | | 21-25°C | | 14 | | 2376 |
| Midazolam hydrochloride | 0,5 mg/ml | | | 7-9°C | | 14 | | 2376 |

| | | | | | | | | |
|------------------------------|--------------------|--|--|-----------|--|-----|--|------|
| Midazolam hydrochloride | | | | -15°C | | 60 | | 3488 |
| Midazolam hydrochloride | | | | 2-8°C | | 60 | | 3488 |
| Midazolam hydrochloride | | | | 20°C | | 56 | | 2499 |
| Midazolam hydrochloride | | | | 25°C | | 60 | | 3488 |
| Midazolam hydrochloride | | | | 25°C | | 14 | | 2772 |
| Midazolam hydrochloride | | | | 25°C | | 14 | | 2772 |
| Midazolam hydrochloride | | | | 40°C | | 56 | | 2499 |
| Midazolam hydrochloride | | | | 4°C | | 56 | | 2499 |
| Milrinone lactate | 0,2 mg/ml | | | 25°C | | 72 | | 366 |
| Milrinone lactate | 0,2 mg/ml | | | 25°C | | 72 | | 366 |
| Minoxidil | mg/ml | | | 2-6°C | | 168 | | 4075 |
| Minoxidil | mg/ml | | | 23-25°C | | 21 | | 4075 |
| Mitomycin | 1 mg/ml | | | 2-8°C | | 2 | | 4763 |
| Mitomycin | 1 mg/ml | | | 20-25°C | | 6 | | 4763 |
| Mitomycin | 1 mg/ml | | | 25°C | | 24 | | 1827 |
| Mitomycin | 1 mg/ml | | | 25°C | | 8 | | 3897 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,12 mg/ml | | | 2-8°C | | 28 | | 2344 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,12 mg/ml | | | 20-25°C | | 7 | | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml | | | 2-8°C | | 28 | | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml | | | 20-25°C | | 28 | | 2344 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,5 mg/ml | | | 2-8°C | | 7 | | 2344 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,5 mg/ml | | | 20-25°C | | 7 | | 2344 |
| Morphine hydrochloride | 30 mg/ml | | | 22°C | | 90 | | 1062 |
| Morphine hydrochloride | 30 mg/ml | | | 22°C | | 90 | | 1062 |
| Morphine hydrochloride | 2 mg/ml | | | 25°C | | 6 | | 515 |
| Morphine hydrochloride | 2 mg/ml | | | 40°C | | 6 | | 515 |
| Morphine sulfate | 2 & 15 mg/ml | | | 23°C-25°C | | 12 | | 65 |
| Morphine sulfate | 2 & 15 mg/ml | | | 4°C | | 12 | | 65 |
| Morphine sulfate | 0,04 & 0,4 mg/ml | | | 23°C | | 7 | | 117 |
| Morphine sulfate | 0,04 & 0,4 mg/ml | | | 4°C | | 7 | | 117 |
| Morphine sulfate | 0,2 mg/ml | | | 14-22°C | | 336 | | 1341 |
| Morphine sulfate | 1 mg/ml | | | 22°C | | 91 | | 115 |
| Morphine sulfate | 1 mg/ml | | | 4°C | | 91 | | 115 |

| | | | | | | | | |
|------------------|----------------|--|----|-------|--|-----|--|------|
| Morphine sulfate | 50 mg/ml | | | 37°C | | 90 | | 2305 |
| Moxalactam | 20 & 333 mg/ml | | | 25°C | | 24 | | 626 |
| Moxalactam | 20 & 333 mg/ml | | | 5°C | | 96 | | 626 |
| Moxalactam | 2 mg/ml | | | 25°C | | 24 | | 626 |
| Moxalactam | 2 mg/ml | | | 5°C | | 96 | | 626 |
| Moxalactam | 20 mg/ml | | | 25°C | | 24 | | 626 |
| Moxalactam | 20 mg/ml | | | 5°C | | 96 | | 626 |
| Moxalactam | 20 mg/ml | | | 25°C | | 24 | | 626 |
| Moxalactam | 20 mg/ml | | | 5°C | | 96 | | 626 |
| Moxalactam | 20 mg/ml | | RL | 25°C | | 24 | | 626 |
| Moxalactam | 20 mg/ml | | RL | 5°C | | 96 | | 626 |
| Moxalactam | 333 mg/ml | | | 25°C | | 24 | | 626 |
| Moxalactam | 333 mg/ml | | | 5°C | | 24 | | 626 |
| Moxalactam | 333 mg/ml | | | 25°C | | 24 | | 626 |
| Moxalactam | 333 mg/ml | | | 5°C | | 96 | | 626 |
| Moxalactam | 20 mg/ml | | | 25°C | | 24 | | 626 |
| Moxalactam | 20 mg/ml | | | 5°C | | 96 | | 626 |
| Nadolol | mg/mL | | | 25°C | | 91 | | 4576 |
| Nadolol | mg/mL | | | 4°C | | 91 | | 4576 |
| Nadroparin | 950 UI/ml | | | 2-8°C | | 28 | | 2310 |
| Nadroparin | 950 UI/ml | | | 22°C | | 28 | | 2310 |
| Nalmefene | 10 µg/ml | | | 21°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | | 40°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | | 4°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | RL | 21°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | RL | 40°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | RL | 4°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | | 21°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | | 40°C | | 72 | | 1477 |
| Nalmefene | 10 µg/ml | | | 4°C | | 72 | | 1477 |
| Naltrexone | mg | | | 25°C | | 360 | | 4121 |
| Naproxen | mg/ml | | | 25°C | | 91 | | 3826 |
| Naproxen | mg/ml | | | 25°C | | 91 | | 3826 |

| | | | | | | | | |
|---------------------------|------------------|--|----|-----------|--|----|--|------|
| Naproxen | mg/ml | | | 4°C | | 91 | | 3826 |
| Naproxen | mg/ml | | | 4°C | | 91 | | 3826 |
| Nefopam | 0,19 mg/ml | | | 20-24°C | | 24 | | 3075 |
| Netilmicin sulfate | 3 mg/ml | | | 25°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | | 4°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | | 24°C | | 24 | | 421 |
| Netilmicin sulfate | 3 mg/ml | | | 25°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | | 4°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | RL | 25°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | RL | 4°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | | 25°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | | 4°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | | 25°C | | 7 | | 1200 |
| Netilmicin sulfate | 3 mg/ml | | | 4°C | | 7 | | 1200 |
| Nicardipine hydrochloride | 0,05 & 0,5 mg/ml | | | 18°C-28°C | | 7 | | 44 |
| Nicardipine hydrochloride | 0,1 mg/ml | | | 25°C | | 24 | | 3614 |
| Nicardipine hydrochloride | 0,1 mg/ml | | | 25°C | | 24 | | 3614 |
| Nicardipine hydrochloride | 0,05 & 0,5 mg/ml | | RL | 18°C-28°C | | 7 | | 44 |
| Nicardipine hydrochloride | 0,1 mg/ml | | | 25°C | | 24 | | 3614 |
| Nicardipine hydrochloride | mg/mL | | | 15-25°C | | 90 | | 4563 |
| Nicardipine hydrochloride | mg/mL | | | 2-8°C | | 90 | | 4563 |
| Nifedipine | mg/ml | | | 22-25°C | | 35 | | 2408 |
| Nifedipine | mg/g | | | 23°C | | 60 | | 4593 |
| Nifedipine | mg/g | | | 40°C | | 7 | | 4593 |
| Nifedipine | mg/g | | | 4°C | | 14 | | 4593 |
| Nimodipine | 0,01 mg/ml | | | 22°C | | 24 | | 1067 |
| Nimodipine | 0,01 mg/ml | | | 4°C | | 24 | | 1067 |
| Nimustine | 2 mg/ml | | | 25°C | | 7 | | 525 |
| Nimustine | 2 mg/ml | | | 4°C | | 6 | | 525 |
| Nimustine | 2 mg/ml | | | 25°C | | 5 | | 525 |
| Nimustine | 2 mg/ml | | | 25°C | | 7 | | 525 |
| Nitrendipine | mg/ml | | | 23-25°C | | 90 | | 4087 |
| Nitroglycerin | 0,05 mg/ml | | | 25°C | | 48 | | 708 |

| | | | | | | | | |
|----------------------|----------------------|--|----|---------|--|----|--|------|
| Nitroglycerin | 0,05 mg/ml | | | 25°C | | 48 | | 1223 |
| Nitroglycerin | 0,05 mg/ml | | | 35-37°C | | 48 | | 708 |
| Nitroglycerin | 0,05 mg/ml | | | 4°C | | 48 | | 708 |
| Nitroglycerin | 0,05 mg/ml | | | 4°C | | 48 | | 1223 |
| Nitroglycerin | 0,09 mg/ml | | | 25°C | | 24 | | 621 |
| Nitroglycerin | 0,2 & 0,4 mg/ml | | | 18-27°C | | 28 | | 1027 |
| Nitroglycerin | 0,2 & 0,4 mg/ml | | | 5°C | | 28 | | 1027 |
| Nitroglycerin | 0,1 mg/ml | | | 21°C | | 24 | | 350 |
| Nitroglycerin | 0,656 mg/ml | | | 25°C | | 24 | | 1270 |
| Nitroglycerin | 1 mg/ml | | | 23°C | | 24 | | 192 |
| Nitroglycerin | 0,2 & 0,4 mg/ml | | RL | 18-27°C | | 28 | | 1027 |
| Nitroglycerin | 0,2 & 0,4 mg/ml | | RL | 5°C | | 28 | | 1027 |
| Nitroglycerin | 0,2 & 0,4 mg/ml | | | 18-27°C | | 28 | | 1027 |
| Nitroglycerin | 0,2 & 0,4 mg/ml | | | 5°C | | 28 | | 1027 |
| Nitroglycerin | 5 mg/ml | | ∅ | 25°C | | 23 | | 90 |
| Nitroprusside sodium | 0,05 & 0,1 mg/ml | | | 25°C | | 48 | | 1037 |
| Nitroprusside sodium | 0,05 & 0,1 mg/ml | | RL | 25°C | | 48 | | 1037 |
| Nivolumab | 1 >> 10 mg/ml | | | 2-8°C | | 30 | | 4652 |
| Nivolumab | 1 >> 10 mg/ml | | | 25°C | | 24 | | 4652 |
| Nivolumab | 1 >> 10 mg/ml | | | 2-8°C | | 7 | | 4652 |
| Nivolumab | 1 >> 10 mg/ml | | | 25°C | | 8 | | 4652 |
| Nivolumab | 10 mg/ml | | ∅ | 2-8°C | | 7 | | 4025 |
| Nivolumab | 10 mg/ml | | ∅ | 25°C | | 48 | | 4652 |
| Nivolumab | 10 mg/ml | | ∅ | 40°C | | 7 | | 4505 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | | 25°C | | 7 | | 388 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | | 4°C | | 7 | | 388 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | | 25°C | | 7 | | 388 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | | 4°C | | 7 | | 388 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | RL | 25°C | | 7 | | 388 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | RL | 4°C | | 7 | | 388 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | | 25°C | | 7 | | 388 |
| Nizatidine | 0,75 & 1,5 & 3 mg/ml | | | 4°C | | 7 | | 388 |
| Nystatin | mg | | | 19-23°C | | 4 | | 2820 |

| | | | | | | | | |
|---------------------------|-----------------|--|----|---------|--|-----|--|------|
| Omacetaxine mepesuccinate | 3,5 mg/ml | | | 2-8°C | | 24 | | 3776 |
| Omacetaxine mepesuccinate | 3,5 mg/ml | | | 2-8°C | | 14 | | 4123 |
| Omacetaxine mepesuccinate | 3,5 mg/ml | | | 25°C | | 12 | | 3776 |
| Omacetaxine mepesuccinate | 3,5 mg/ml | | | 25°C | | 24 | | 4123 |
| Omeprazole sodium | 8 mg/ml | | | ? | | 12 | | 3658 |
| Omeprazole sodium | 8 mg/ml | | | ? | | 6 | | 3658 |
| Omeprazole sodium | mg/ml | | | -20°C | | 30 | | 2430 |
| Omeprazole sodium | mg/ml | | | 24°C | | 14 | | 2430 |
| Omeprazole sodium | mg/ml | | | 25°C | | 14 | | 4360 |
| Omeprazole sodium | mg/ml | | | 2°C | | 56 | | 2886 |
| Omeprazole sodium | mg/ml | | | 4°C | | 90 | | 4360 |
| Omeprazole sodium | mg/ml | | | 4°C | | 150 | | 4360 |
| Omeprazole sodium | mg/ml | | | 5°C | | 30 | | 2430 |
| Ondansetron hydrochloride | mg/ml | | | 2-8°C | | 72 | | 2445 |
| Ondansetron hydrochloride | mg/ml | | | 2-8°C | | 72 | | 2445 |
| Ondansetron hydrochloride | mg/ml | | | 22-28°C | | 72 | | 2445 |
| Ondansetron hydrochloride | mg/ml | | | 22-28°C | | 72 | | 2445 |
| Oseltamivir | mg/ml | | | 23-27°C | | 5 | | 2692 |
| Oseltamivir | mg/ml | | | 28-32°C | | 13 | | 2692 |
| Oseltamivir | mg/ml | | | 3-7°C | | 35 | | 2692 |
| Oseltamivir | mg/ml | | | 3-7°C | | 35 | | 2692 |
| Oxaliplatin | 5 mg/ml | | | 2-8°C | | 28 | | 2258 |
| Oxaliplatin | 0,1 mg/ml | | | 42°C | | 2 | | 2791 |
| Oxaliplatin | 5 mg/ml | | | 25°C | | 28 | | 2258 |
| Oxaliplatin | 0,1 mg/ml | | RL | 42°C | | 0.5 | | 2791 |
| Oxaliplatin | 0,1 mg/ml | | | 42°C | | 0.5 | | 2791 |
| Paclitaxel | 0,3 & 1,2 mg/ml | | | 2-8°C | | 14 | | 2344 |
| Paclitaxel | 0,3 & 1,2 mg/ml | | | 20-25°C | | 51 | | 2344 |
| Paclitaxel | 1,2 mg/ml | | | 30°C | | 4 | | 173 |
| Paclitaxel | 0.3 mg/ml | | | 2-8°C | | 13 | | 2172 |
| Paclitaxel | 0.3 mg/ml | | | 25°C | | 3 | | 2172 |
| Paclitaxel | 1.2 mg/ml | | | 2-8°C | | 8 | | 2172 |
| Paclitaxel | 1.2 mg/ml | | | 25°C | | 5 | | 2172 |

| | | | | | | | | |
|----------------------------|---------------------|--|----|-----------|--|-----|--|------|
| Paclitaxel | 0,4 & 1,2 mg/ml | | | 20°C-25°C | | 5 | | 1865 |
| Paclitaxel | 0.3 mg/ml | | | 2-8°C | | 20 | | 2172 |
| Paclitaxel | 0.3 & 1.2 mg/ml | | | 25°C | | 7 | | 2172 |
| Paclitaxel | 1.2 mg/ml | | | 2-8°C | | 8 | | 2172 |
| Paclitaxel albumin | 5 mg/ml | | | 2-8°C | | 24 | | 3157 |
| Palonosetron hydrochloride | 25 µg/ml | | RL | 25°C | | 4 | | 2281 |
| Pancuronium bromide | 2 mg/ml | | | 2-8°C | | 912 | | 4773 |
| Panitumumab | 20 mg/ml | | | 4°C | | 14 | | 3135 |
| Pantoprazole sodium | 4 mg/ml | | | 20-25°C | | 3 | | 3220 |
| Parecoxib sodium | 16 & 20 mg/ml | | | 25°C | | 48 | | 1824 |
| Parecoxib sodium | 16 & 20 mg/ml | | | 5°C | | 48 | | 1824 |
| Parecoxib sodium | 16 & 20 mg/ml | | | 25°C | | 48 | | 1824 |
| Parecoxib sodium | 16 & 20 mg/ml | | | 5°C | | 48 | | 1824 |
| Parecoxib sodium | 16 & 20 mg/ml | | | 25°C | | 48 | | 1824 |
| Parecoxib sodium | 16 & 20 mg/ml | | | 5°C | | 48 | | 1824 |
| Pefloxacin | mg/ml | | | -20°C | | 90 | | 2733 |
| Pegaspargase | 750 UI | | | < 25°C | | 24 | | 4173 |
| Pembrolizumab | 25 mg/ml | | | 25°C | | 24 | | 3771 |
| Pemetrexed diarginine | 25 mg/ml | | | 2-8°C | | 14 | | 4546 |
| Pemetrexed diarginine | 25 mg/ml | | | 2-8°C | | 7 | | 4702 |
| Pemetrexed diarginine | 25 mg/ml | | | 22-25°C | | 1 | | 4546 |
| Pemetrexed disodium | 25 mg/ml | | | 2-8°C | | 28 | | 2183 |
| Pemetrexed disodium | 25 mg/ml | | | 2-8°C | | 24 | | 1914 |
| Pemetrexed disodium | 25 mg/ml | | | 2-8°C | | 14 | | 4578 |
| Pemetrexed disodium | 25 mg/ml | | | 22°C | | 14 | | 4578 |
| Pentobarbital sodium | 50 mg/ml | | | 25°C | | 31 | | 1628 |
| Pentostatin | 0.002 >> 0.02 mg/ml | | | 22°C-23°C | | 48 | | 154 |
| Pentostatin | 2 mg/ml | | | 22°C-23°C | | 72 | | 154 |
| Pentoxifyllin | mg/ml | | | 25°C | | 91 | | 2453 |
| Pentoxifyllin | mg/ml | | | 4°C | | 91 | | 2453 |
| Perphenazine | mg/ml | | | 25 °C | | 180 | | 1631 |
| Perphenazine | mg/ml | | | 25°C | | 30 | | 2849 |
| Perphenazine | mg/ml | | | 25°C | | 30 | | 2849 |

| | | | | | | | | |
|-----------------------------|-------------|--|--|---------|--|-----|--|------|
| Phenobarbital sodium | 10 mg/ml | | | 4°C | | 28 | | 349 |
| Phenoxybenzamine | mg/ml | | | 4°C | | 7 | | 2431 |
| Phenylephrine hydrochloride | mg/ml | | | 20-25°C | | 60 | | 3669 |
| Phenytoin | | | | 18-26°C | | 60 | | 4256 |
| Phenytoin | | | | 2-8°C | | 60 | | 4256 |
| Phytomenadione | mg | | | 4°C | | 105 | | 4140 |
| Piperacillin sodium | 40 mg/ml | | | 25°C | | 48 | | 432 |
| Pixantrone dimaleate | 5,8 mg/ml | | | 15-25°C | | 24 | | 3320 |
| Povidone iodine | mg | | | 25°C | | 365 | | 3800 |
| Prednisolone | mg/ml | | | 22-24°C | | 365 | | 2557 |
| Prednisone | mg/ml | | | 23-25°C | | 60 | | 4077 |
| Prednisone | mg/ml | | | 25°C | | 90 | | 2054 |
| Prednisone | mg/ml | | | 25°C | | 90 | | 2054 |
| Prednisone | mg/ml | | | 5°C | | 90 | | 2054 |
| Prednisone | mg/ml | | | 5°C | | 90 | | 2054 |
| Procainamide hydrochloride | 4 mg/ml | | | 25°C | | 48 | | 1115 |
| Procainamide hydrochloride | 4 mg/ml | | | 4°C | | 7 | | 1115 |
| Procainamide hydrochloride | mg/ml | | | 4-6°C | | 180 | | 2501 |
| Procainamide hydrochloride | mg/ml | | | 4-6°C | | 180 | | 2501 |
| Procainamide hydrochloride | mg/ml | | | 4-6°C | | 180 | | 2501 |
| Proflavine | mg/ml | | | 2-8°C | | 365 | | 3691 |
| Promethazine hydrochloride | 0,095 mg/ml | | | 21°C | | 24 | | 350 |
| Propofol | < 2 mg/ml | | | 25°C | | 6 | | 3659 |
| Propofol | 2,5 mg/ml | | | 25°C | | 30 | | 1860 |
| Propofol | 2,5 mg/ml | | | 4°C | | 30 | | 1860 |
| Propranolol hydrochloride | mg/ml | | | 24-26°C | | 238 | | 2513 |
| Propranolol hydrochloride | mg/ml | | | 24-26°C | | 238 | | 2513 |
| Propranolol hydrochloride | mg/ml | | | 25°C | | 120 | | 2477 |
| Propranolol hydrochloride | mg/ml | | | 2°C | | 120 | | 2477 |
| Propylthiouracil | mg/ml | | | 30°C | | 91 | | 2851 |
| Propylthiouracil | mg/ml | | | 4°C | | 91 | | 2851 |
| Pyrazinamide | mg/ml | | | 25°C | | 60 | | 2454 |
| Pyrazinamide | mg/ml | | | 4°C | | 60 | | 2454 |

| | | | | | | | | |
|----------------------------|----------------|--|--|---------|--|-----|--|------|
| Pyridoxine hydrochloride | mg | | | 25°C | | 91 | | 3763 |
| Pyridoxine hydrochloride | mg | | | 25°C | | 91 | | 3763 |
| Pyridoxine hydrochloride | mg | | | 4°C | | 91 | | 3763 |
| Pyridoxine hydrochloride | mg | | | 4°C | | 91 | | 3763 |
| Pyrimethamine | mg/ml | | | 25°C | | 91 | | 2447 |
| Pyrimethamine | mg/ml | | | 4°C | | 91 | | 2447 |
| Quinine dihydrochloride | 1,2 mg/ml | | | 27°C | | 24 | | 916 |
| Raltitrexed | 0,5 mg/ml | | | 2-8°C | | 24 | | 1518 |
| Raltitrexed | 0,5 mg/ml | | | 25°C | | 24 | | 1518 |
| Ranitidine hydrochloride | 2,5 mg/ml | | | 4°C | | 91 | | 46 |
| Ranitidine hydrochloride | mg/ml | | | 15-25°C | | 153 | | 1927 |
| Ranitidine hydrochloride | mg/ml | | | 15-25°C | | 139 | | 1927 |
| Ranitidine hydrochloride | mg/ml | | | 2-6°C | | 27 | | 3336 |
| Ranitidine hydrochloride | mg/ml | | | 23-27°C | | 5 | | 3336 |
| Ranitidine hydrochloride | mg/ml | | | 4°C | | 139 | | 1927 |
| Rasburicase | 1,5 mg/ml | | | 2-8°C | | 24 | | 1517 |
| Rasburicase | ? mg/ml | | | 2-8°C | | 24 | | 1517 |
| Remifentanil hydrochloride | 10 >> 50 µg/ml | | | 20-22°C | | 24 | | 4501 |
| Remifentanil hydrochloride | 10 >> 50 µg/ml | | | 20-22°C | | 24 | | 4501 |
| Reteplase | 1 UI/ml | | | 2-30°C | | 8 | | 2212 |
| Retinol | mg | | | 25°C | | 60 | | 2988 |
| Retinol | mg | | | 8°C | | 60 | | 2988 |
| Ribavirine | mg | | | - 20°C | | 45 | | 3917 |
| Ribavirine | mg | | | 25°C | | 45 | | 3917 |
| Ribavirine | mg | | | 4°C | | 45 | | 3917 |
| Rifampicin | mg | | | 2-8°C | | 28 | | 2494 |
| Rifampicin | mg | | | 2-8°C | | 28 | | 2494 |
| Rifampicin | mg | | | 2-8°C | | 28 | | 2494 |
| Rifampicin | mg | | | 22-28°C | | 28 | | 2494 |
| Rifampicin | mg | | | 22-28°C | | 28 | | 2494 |
| Rifampicin | mg | | | 22-28°C | | 28 | | 2494 |
| Rituximab | 10 mg/ml | | | 23-25°C | | 21 | | 4676 |
| Rituximab | 10 mg/ml | | | 23-32°C | | 21 | | 4708 |

| | | | | | | | | |
|--------------------------|--------------|--|--|----------|--|-----|--|------|
| Romidepsin | 0.05 mg/ml | | | 25°C | | 24 | | 3432 |
| Romidepsin | 5 mg/ml | | | 25°C | | 8 | | 3432 |
| Salbutamol sulfate | mg/ml | | | 22-26 °C | | 7 | | 2670 |
| Salbutamol sulfate | mg/ml | | | 4°C | | 7 | | 2670 |
| Saquinavir | mg/ml | | | 25°C | | 30 | | 2824 |
| Saquinavir | mg/ml | | | 5°C | | 30 | | 2824 |
| Scopolamine hydrobromide | mg | | | 25°C | | 42 | | 2876 |
| Sildenafil citrate | 0,4 mg/ml | | | 20°C | | 30 | | 3923 |
| Sildenafil citrate | 0,4 mg/ml | | | 5°C | | 30 | | 3923 |
| Siltuximab | 20 mg/ml | | | 25°C | | 2 | | 3772 |
| Sotalol hydrochloride | mg/ml | | | 2-8°C | | 180 | | 3682 |
| Sotalol hydrochloride | mg/ml | | | 2-8°C | | 180 | | 3682 |
| Sotalol hydrochloride | mg/ml | | | 2-8°C | | 180 | | 3682 |
| Sotalol hydrochloride | mg/ml | | | 23-27°C | | 180 | | 3682 |
| Sotalol hydrochloride | mg/ml | | | 23-27°C | | 180 | | 3682 |
| Sotalol hydrochloride | mg/ml | | | 23-27°C | | 180 | | 3682 |
| Sotalol hydrochloride | mg/ml | | | 4°C | | 28 | | 2591 |
| Spiramycine adipate | 0.375 MUI/ml | | | ? | | 12 | | 3563 |
| Spironolactone | mg/ml | | | 18-26°C | | 60 | | 4256 |
| Spironolactone | mg/ml | | | 19-25°C | | 3 | | 2928 |
| Spironolactone | mg/ml | | | 19-25°C | | 60 | | 2928 |
| Spironolactone | mg/ml | | | 2-8°C | | 3 | | 2928 |
| Spironolactone | mg/ml | | | 2-8°C | | 60 | | 2928 |
| Spironolactone | mg/ml | | | 2-8°C | | 60 | | 4256 |
| Spironolactone | mg/ml | | | 20-24°C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 20-24°C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 20-24°C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 21-23°C | | 90 | | 2534 |
| Spironolactone | mg/ml | | | 21-25°C | | 28 | | 2556 |
| Spironolactone | mg/ml | | | 30°C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 30°C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 30°C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 4 °C | | 28 | | 2489 |

| | | | | | | | | |
|------------------------|-----------------|--|----|---------|--|-----|--|------|
| Spironolactone | mg/ml | | | 4 °C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 4 °C | | 28 | | 2489 |
| Spironolactone | mg/ml | | | 4°C | | 90 | | 2534 |
| Spironolactone | mg/ml | | | 5-7°C | | 62 | | 2556 |
| Streptokinase | 360000 UI/ml | | | 2-8°C | | 24 | | 3625 |
| Sufentanil citrate | 0,005 mg/ml | | | -20°C | | 5 | | 675 |
| Sufentanil citrate | 0,005 mg/ml | | | 32°C | | 5 | | 675 |
| Sufentanil citrate | 0,005 mg/ml | | | 4°C | | 5 | | 675 |
| Sulfadiazine | mg/ml | | | 2-8°C | | 30 | | 4789 |
| Sulfadiazine | mg/ml | | | 2-8°C | | 30 | | 4789 |
| Sulfadiazine | mg/ml | | | 4°C | | 3 | | 2795 |
| Sulfasalazine | mg | | | 21-25°C | | 91 | | 2593 |
| Sulfasalazine | mg | | | 4°C | | 91 | | 2593 |
| Sumatriptan succinate | mg/ml | | | 4°C | | 21 | | 2428 |
| Sumatriptan succinate | mg/ml | | | 4°C | | 21 | | 2428 |
| Sumatriptan succinate | mg/ml | | | 4°C | | 21 | | 2428 |
| Suramin | 1 mg/ml | | | 22°C | | 7 | | 684 |
| Suramin | 1 mg/ml | | | 4°C | | 7 | | 684 |
| Suramin | 1 mg/ml | | RL | 22°C | | 7 | | 684 |
| Suramin | 1 mg/ml | | RL | 4°C | | 7 | | 684 |
| Suxamethonium chloride | 20 mg/ml | | ∅ | 25°C | | 139 | | 2360 |
| Suxamethonium chloride | 50 mg/ml | | ∅ | 22-26°C | | 17 | | 4274 |
| Tacrolimus | 4 >>> 100 µg/ml | | | 2-8°C | | 24 | | 3626 |
| Tacrolimus | 4 >>> 100 µg/ml | | | 25°C | | 24 | | 3626 |
| Tacrolimus | mg/ml | | | 24-26°C | | 56 | | 2436 |
| Tacrolimus | mg/ml | | | 25°C | | 90 | | 3946 |
| Tacrolimus | mg/ml | | | 25°C | | 90 | | 3946 |
| Tacrolimus | mg/ml | | | 5°C | | 90 | | 3946 |
| Tacrolimus | mg/ml | | | 5°C | | 90 | | 3946 |
| Tedizolid phosphate | 50 mg/ml | | | 2-8°C | | 24 | | 3753 |
| Tedizolid phosphate | 50 mg/ml | | | 25°C | | 24 | | 3753 |
| Teduglutide | 10 mg/ml | | | 4-8°C | | 7 | | 4725 |
| Teicoplanine | 133 mg/ml | | | 2-8°C | | 24 | | 3656 |

| | | | | | | | | |
|--------------------------|-----------|--|----|-----------|--|----|--|------|
| Telavancin hydrochloride | 15 mg/ml | | | 2-8°C | | 7 | | 3839 |
| Telavancin hydrochloride | 15 mg/ml | | | 20-25°C | | 12 | | 3839 |
| Telavancin hydrochloride | 15 mg/ml | | | 2-8°C | | 7 | | 3839 |
| Telavancin hydrochloride | 15 mg/ml | | | 20-25°C | | 12 | | 3839 |
| Temozolomide | 2,5 mg/ml | | | 2-8°C | | 24 | | 3117 |
| Temozolomide | 2,5 mg/ml | | | 25°C | | 14 | | 3117 |
| Temozolomide | mg/ml | | | 2-8°C | | 56 | | 4397 |
| Temsirolimus | 0,1 mg/ml | | | 25°C | | 6 | | 2226 |
| Tenecteplase | 1 mg/ml | | | 37°C | | 3 | | 3205 |
| Tenecteplase | 1 mg/ml | | | 37°C | | 48 | | 3953 |
| Tenecteplase | 1 mg/ml | | | 37°C | | 3 | | 3205 |
| Tenecteplase | 1 mg/ml | | | 37°C | | 48 | | 3953 |
| Teniposide | 0,1 mg/ml | | | ? | | 5 | | 504 |
| Teniposide | 0,4 mg/ml | | | 20°C-22°C | | 4 | | 482 |
| Teniposide | 0,4 mg/ml | | RL | 20°C-22°C | | 4 | | 482 |
| Terbutaline sulfate | mg | | | 4°C | | 55 | | 2503 |
| Thiamine hydrochloride | 100 mg/ml | | ∅ | 22-24°C | | 84 | | 1116 |
| Thioguanine | mg | | | 19-23°C | | 63 | | 3202 |
| Thioguanine | mg | | | 19-23°C | | 63 | | 3202 |
| Thioguanine | mg | | | 19-23°C | | 63 | | 3202 |
| Thiopental sodium | 1,8 mg/ml | | | 21°C | | 24 | | 350 |
| Thiotepa | 10 mg/ml | | | 2-8°C | | 8 | | 3603 |
| Thiotepa | 10 mg/ml | | | 2-8°C | | 14 | | 4748 |
| Thiotepa | 10 mg/ml | | | 25°C | | 1 | | 4748 |
| Tiagabine | mg/ml | | | 25°C | | 30 | | 4198 |
| Tiagabine | mg/ml | | | 4°C | | 90 | | 4198 |
| Tiapride | 1 mg/ml | | | 23-27°C | | 48 | | 3384 |
| Tiapride | 2 mg/ml | | | 23-27°C | | 48 | | 3384 |
| Ticarcillin sodium | mg/ml | | | -20°C | | 63 | | 2020 |
| Ticarcillin sodium | mg/ml | | | 25°C | | 3 | | 2020 |
| Ticarcillin sodium | mg/ml | | | 4°C | | 7 | | 2020 |
| Ticarcillin sodium | mg/ml | | | 21°C | | 3 | | 2760 |
| Ticarcillin sodium | mg/ml | | | 4°C | | 16 | | 2760 |

| | | | | | | | | |
|-------------------------------|------------|--|--|---------|--|------|--|------|
| Tirofiban | 50 µg/ml | | | 20-25°C | | 30 | | 1600 |
| Tizanidine hydrochloride | mg/mL | | | 15-30°C | | 7 | | 4637 |
| Tizanidine hydrochloride | mg/mL | | | 2-8°C | | 7 | | 4637 |
| Tizanidine hydrochloride | mg/mL | | | 40°C | | 7 | | 4637 |
| Tobramycin sulfate | | | | 25°C | | 195 | | 3431 |
| Tobramycin sulfate | | | | 4°C | | 195 | | 3431 |
| Topotecan | 1 mg/ml | | | 2-8°C | | 48 | | 753 |
| Topotecan | 1 mg/ml | | | 2-8°C | | 28 | | 1425 |
| Topotecan | 1 mg/ml | | | 25°C | | 48 | | 753 |
| Topotecan | 1 mg/ml | | | 25°C | | 28 | | 1274 |
| Topotecan | 1 mg/ml | | | 25°C | | 28 | | 1425 |
| Topotecan | 1 mg/ml | | | 4°C | | 28 | | 1274 |
| Topotecan | 1 mg/ml | | | 5°C | | 28 | | 823 |
| Topotecan | 0,05 mg/ml | | | 23-24°C | | 24 | | 1075 |
| Topotecan | 0,05 mg/ml | | | 5°C | | 7 | | 1075 |
| Trabectedine | 0,05 mg/ml | | | 25°C | | 30 | | 2276 |
| Trabectedine | 0.05 mg/ml | | | 2-8°C | | 21 | | 4018 |
| Tramadol hydrochloride | 0,89 mg/ml | | | 20-24°C | | 24 | | 3075 |
| Tranexamic acid | 20 mg/ml | | | 20-25°C | | 180 | | 3756 |
| Trastuzumab | 21 mg/ml | | | 2-8°C | | 48 | | 3077 |
| Trastuzumab | 21 mg/ml | | | 23-27°C | | 3 | | 4271 |
| Trastuzumab | 21 mg/ml | | | 4°C | | 30 | | 4493 |
| Trastuzumab | 21 mg/ml | | | 2-8°C | | 28 | | 3113 |
| Trastuzumab deruxtecan | 20 mg/ml | | | 2-8°C | | 24 | | 4717 |
| Trastuzumab emtansine | 20 mg/ml | | | 2-8°C | | 24 | | 2990 |
| Treosulfan | 50 mg/ml | | | 25°C | | 46 | | 1990 |
| Treosulfan | 50 mg/ml | | | 25°C | | 4 | | 2197 |
| Treosulfan | 20 mg/ml | | | 25°C | | 4 | | 2197 |
| Treosulfan | 50 mg/ml | | | 25°C | | 46 | | 1990 |
| Treosulfan | 50 mg/ml | | | 25°C | | 46 | | 1990 |
| Triamcinolone | mg/ml | | | 30°C | | 1054 | | 2786 |
| Triflupromazine hydrochloride | 0,02 mg/ml | | | 22°C | | 24 | | 1067 |
| Triflupromazine hydrochloride | 0,02 mg/ml | | | 4°C | | 24 | | 1067 |

| | | | | | | | | |
|---------------------------|--------------|--|--|---------|--|----|--|------|
| Trimethoprim | mg | | | 25°C | | 42 | | 3002 |
| Trimethoprim | mg | | | 25°C | | 63 | | 3860 |
| Trimethoprim | mg | | | 25°C | | 92 | | 3854 |
| Trimethoprim | mg | | | 25°C | | 92 | | 3854 |
| Trimethoprim | mg | | | 4°C | | 91 | | 3002 |
| Trimethoprim | mg | | | 4°C | | 63 | | 3860 |
| Trimethoprim | mg | | | 4°C | | 92 | | 3854 |
| Trimethoprim | mg | | | 4°C | | 92 | | 3854 |
| Tropisetron hydrochloride | 0,05 mg/ml | | | 20-25°C | | 14 | | 924 |
| Tropisetron hydrochloride | 0,05 mg/ml | | | 4°C | | 14 | | 924 |
| Urokinase | 0,005 MUI/ml | | | 22-25°C | | 24 | | 375 |
| Ursodesoxycholique acid | mg | | | 2-6°C | | 90 | | 4498 |
| Ursodesoxycholique acid | mg | | | 20-24°C | | 60 | | 4498 |
| Ursodesoxycholique acid | mg | | | 4°C | | 35 | | 2449 |
| Valacyclovir chlorhydrate | mg/ml | | | 4°C | | 21 | | 2413 |
| Valacyclovir chlorhydrate | mg/ml | | | 4°C | | 21 | | 2413 |
| Valacyclovir chlorhydrate | mg/ml | | | 4°C | | 28 | | 2413 |
| Valganciclovir | mg/ml | | | 4°C | | 35 | | 2386 |
| Valganciclovir | mg/ml | | | 4°C | | 35 | | 2386 |
| Valganciclovir | mg/ml | | | 4°C | | 35 | | 2386 |
| Valganciclovir | mg/ml | | | 4°C | | 35 | | 2386 |
| Vancomycin hydrochloride | 2 mg/ml | | | 2-8°C | | 7 | | 702 |
| Vancomycin hydrochloride | 2 mg/ml | | | 25°C | | 48 | | 702 |
| Vancomycin hydrochloride | 5 mg/ml | | | -10°C | | 63 | | 430 |
| Vancomycin hydrochloride | 5 mg/ml | | | 24°C | | 17 | | 430 |
| Vancomycin hydrochloride | 5 mg/ml | | | 5°C | | 63 | | 430 |
| Vancomycin hydrochloride | 0,025 mg/ml | | | 4°C | | 63 | | 1414 |
| Vancomycin hydrochloride | 10 mg/ml | | | -20°C | | 90 | | 3120 |
| Vancomycin hydrochloride | 10 mg/ml | | | 25°C | | 48 | | 3120 |
| Vancomycin hydrochloride | 10 mg/ml | | | 4°C | | 8 | | 3120 |
| Vancomycin hydrochloride | 25 mg/ml | | | -20°C | | 90 | | 1871 |
| Vancomycin hydrochloride | mg/ml | | | -20°C | | 90 | | 2649 |
| Vancomycin hydrochloride | mg/ml | | | 24-26°C | | 15 | | 2732 |

| | | | | | | | | |
|------------------------------|---------------|--|--|---------|--|----|--|------|
| Vancomycin hydrochloride | mg/ml | | | 4°C | | 20 | | 2732 |
| Vecuronium bromide | 0,04 mg/ml | | | 15-25°C | | 24 | | 3630 |
| Venlafaxine | mg/ml | | | 4°C | | 13 | | 2815 |
| Verapamil hydrochloride | 0,16 mg/ml | | | 5°C | | 7 | | 1045 |
| Verteporfine | 2 mg/ml | | | 25°C | | 4 | | 1514 |
| Vinblastine sulfate | 1 mg/ml | | | 4°C | | 21 | | 481 |
| Vinblastine sulfate | 0,05 mg/ml | | | 2-8°C | | 21 | | 1727 |
| Vinblastine sulfate | 0,05 mg/ml | | | 21-25°C | | 21 | | 1727 |
| Vincristine sulfate | 1 mg/ml | | | 4°C | | 21 | | 481 |
| Vincristine sulfate liposome | 0,16 mg/ml | | | 15-30°C | | 12 | | 3775 |
| Vindesine sulfate | 1 mg/ml | | | 4°C | | 21 | | 481 |
| Vinorelbine | mg/ml | | | 2-8°C | | 56 | | 4712 |
| Vinorelbine | mg/ml | | | 2-8°C | | 56 | | 4712 |
| Vinorelbine tartrate | 0.5 & 3 mg/ml | | | 2-8°C | | 28 | | 2260 |
| Vinorelbine tartrate | 0.5 & 3 mg/ml | | | 25°C | | 28 | | 2260 |
| Vinorelbine tartrate | 0.5 & 3 mg/ml | | | 25°C | | 4 | | 2260 |
| Vinorelbine tartrate | 0,385 mg/ml | | | 23°C | | 7 | | 1501 |
| Voriconazole | mg/ml | | | -20°C | | 85 | | 3974 |
| Voriconazole | mg/ml | | | 2-6°C | | 30 | | 2810 |
| Voriconazole | mg/ml | | | 21-27°C | | 30 | | 2810 |
| Voriconazole | mg/ml | | | 4°C | | 28 | | 4799 |
| Warfarin sodium | 0,010 mg/ml | | | 21°C | | 24 | | 350 |
| Warfarin sodium | 0,025 mg/ml | | | 21°C | | 5 | | 1472 |
| Warfarin sodium | mg/ml | | | 20-24°C | | 28 | | 3052 |
| Warfarin sodium | mg/ml | | | 20-24°C | | 28 | | 3052 |
| Warfarin sodium | mg/ml | | | 4°C | | 45 | | 4013 |
| Warfarin sodium | mg/ml | | | 4°C | | 30 | | 4013 |
| Warfarin sodium clathrate | mg | | | 20-24°C | | 28 | | 3052 |
| Zidovudine | mg | | | 21-25°C | | 90 | | 3798 |



Dictionnaire

| | | | |
|-------------|---------------------------------|-----------|-------------------------------------|
| | Listes récapitulatives | | Stabilité des solutions |
| | Contenant | | Verre |
| | Molécule | | Concentration |
| | Solvant | | Température |
| | Conservation | | Durée de stabilité |
| | Bibliographie | | A l'abri de la lumière |
| | Jour | | Aucun |
| | Eau pour préparation injectable | | Heure |
| | Non précisée | | Chlorure de sodium 0,9% |
| | NaCl 0,9% ou glucose 5% | RL | Ringer lactate |
| | Chlorure de sodium 0,45% | | Lumière |
| | Glucose 5% | | Avec ou sans lumière |
| | Eau ppi réfrigérée (4°C) | | Non précisé |
| | NaCl 0,9% + bactériostatique | | Solvant spécifique |
| | Glucose 10% | | Eau ppi + bactériostatique |
| EI B | Solution d'Elliott B | | Physionéal® 1.36 (Baxter) |
| | NaCl 0,45% Glucose 5% | | DC Beads® |
| | Chlorure de sodium 3% | | Dianéal® PD4 1.36% glucose (Baxter) |
| | Non précisé | | Dictionnaire |