


Stabilis



Ceftaroline fosamil



Tradename

Zinforo

Argentina, Australia, Belgium, Brazil, Croatia, Finland, France, Germany, Great Britain, Hungary, Iceland, Ireland, Italy, Luxembourg, Malaysia, Mexico, Norway, Romania, Slovenia, Spain, Sweden, Switzerland, Tunisia



Stability in solutions

| PVC | ▲ | 4>>12 mg/ml | 2-8°C | ? | 24 | ✓ | | 3812 |
|-----|----|-------------|-------|---|----|---|--|------|
| PVC | ▲ | 4>>12 mg/ml | 25°C | ? | 6 | ✓ | | 3812 |
| PI | ▲◆ | 12 mg/ml | 2-8°C | ? | 24 | ✓ | | 3812 |
| PI | ▲◆ | 12 mg/ml | 25°C | ? | 6 | ✓ | | 3812 |
| PI | ▲ | 6 mg/ml | 25°C | | 24 | ✓ | | 4059 |
| PI | ▲ | 6 mg/ml | 30°C | | 12 | ✓ | | 4059 |
| PI | ▲ | 6 mg/ml | 35°C | | 12 | ✓ | | 4059 |
| PI | ▲ | 6 mg/ml | 4°C | | 6 | ◐ | | 4059 |
| PI | ◆ | 6 mg/ml | 25°C | | 24 | ✓ | | 4059 |
| PI | ◆ | 6 mg/ml | 30°C | | 12 | ✓ | | 4059 |
| PI | ◆ | 6 mg/ml | 35°C | | 6 | ✓ | | 4059 |
| PI | ◆ | 6 mg/ml | 4°C | | 6 | ◐ | | 4059 |



Compatibility

| | |
|----|--|
| | |
| | Ceftaroline fosamil : 2,22 mg/ml Aciclovir sodium : 7 mg/ml |
| | |
| ▲◆ | 3249 |

| | | | | |
|--|--|---|----|------|
| | | Ceftaroline fosamil : 2,22 mg/ml Aciclovir sodium : 7 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil Amikacin sulfate | | 3549 |
| | | Ceftaroline fosamil : 2,22 mg/ml Amikacin sulfate : 5 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Amikacin sulfate : 5 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Aminophylline : 2,5 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Aminophylline : 2,5 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Amiodarone hydrochloride : 4 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Amiodarone hydrochloride : 4 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Amphotericin B : 0,6 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Amphotericin B : 0,6 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Azithromycine : 2 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Azithromycine : 2 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Bumetanide : 0,04 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Bumetanide : 0,04 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Calcium chloride : 40 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Calcium chloride : 40 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Calcium gluconate : 40 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Calcium gluconate : 40 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Caspofungin acetate : 0,5 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Caspofungin acetate : 0,5 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 12 mg/ml Cefiderocol sulfate tosylate : 20 mg/mL | | 4528 |
| | | Ceftaroline fosamil : 12 mg/ml Ceftolozane / tazobactam : 10/5 mg/ml | | 3828 |
| | | Ceftaroline fosamil : 2,22 mg/ml Ciclosporin : 5 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Ciclosporin : 5 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Ciprofloxacin lactate : 2 mg/ml | | 3249 |

| | | | |
|--|--|----|------|
| | Ceftaroline fosamil : 2,22 mg/ml Ciprofloxacin lactate : 2 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Cisatracurium besylate : 0,5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Cisatracurium besylate : 0,5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Clindamycin phosphate : 10 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Clindamycin phosphate : 10 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Co-trimoxazole : 4/0,8 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Co-trimoxazole : 4/0,8 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Dexamethasone sodium phosphate : 1 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Dexamethasone sodium phosphate : 1 mg/ml | RL | 3249 |
| | | | 3249 |
| | | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Digoxin : 250 µg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Digoxin : 250 µg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Diltiazem hydrochloride : 5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Diltiazem hydrochloride : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Diphenhydramine hydrochloride : 2 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Diphenhydramine hydrochloride : 2 mg/ml | | 3249 |
| | | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Dobutamine hydrochloride : 4 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Dobutamine hydrochloride : 4 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Dopamine hydrochloride : 3,2 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Dopamine hydrochloride : 3,2 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Doripenem : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Doripenem : 5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Enalaprilate : 0,1 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Enalaprilate : 0,1 mg/ml | RL | 3249 |

| | | | | |
|--|--|---|----|------|
| | | Ceftaroline fosamil : 12 mg/ml Eravacycline : 0,6 mg/ml | | 4434 |
| | | Ceftaroline fosamil Erythromycin lactobionate | | 3674 |
| | | Ceftaroline fosamil : 2,22 mg/ml Esomeprazole sodium : 0,4 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Esomeprazole sodium : 0,4 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Famotidine : 2 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Famotidine : 2 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Fentanyl citrate : 50 µg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Fentanyl citrate : 50 µg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Filgrastim : 30 µg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Filgrastim : 30 µg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Fluconazole : 2 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Fluconazole : 2 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 12 mg/ml Fosfomycin : 30 mg/ml | | 4055 |
| | | Ceftaroline fosamil : 2,22 mg/ml Furosemide : 3 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Furosemide : 3 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Gentamicin sulfate : 5 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Gentamicin sulfate : 5 mg/ml | | 3249 |
| | | Ceftaroline fosamil Gentamicin sulfate | | 3643 |
| | | Ceftaroline fosamil Gentamicin sulfate | | 3520 |
| | | Ceftaroline fosamil : 2,22 mg/ml Granisetron hydrochloride : 0,05 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Granisetron hydrochloride : 0,05 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Haloperidol lactate : 0,2 mg/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Haloperidol lactate : 0,2 mg/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Heparin sodium : 100 UI/ml | RL | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Heparin sodium : 100 UI/ml | | 3249 |
| | | Ceftaroline fosamil : 2,22 mg/ml Hydrocortisone sodium succinate : 1 mg/ml | | 3249 |

| | | | |
|--|---|----|------|
| | Ceftaroline fosamil : 2,22 mg/ml Hydrocortisone sodium succinate : 1 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Hydromorphone hydrochloride : 0,5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Hydromorphone hydrochloride : 0,5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Hydroxyzine dihydrochloride : 2 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Hydroxyzine dihydrochloride : 2 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Insulin : 1 UI/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Insulin : 1 UI/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Insulin lyspro : 10 UI/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Insulin lyspro : 10 UI/ml | RL | 3249 |
| | Ceftaroline fosamil : 12 mg/ml Isavuconazonium sulfate : 1.5 mg/ml | | 3829 |
| | Ceftaroline fosamil : 2,22 mg/ml Labetalol hydrochloride : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Labetalol hydrochloride : 5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Levofloxacin : 5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Levofloxacin : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Lidocaine hydrochloride : 10 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Lidocaine hydrochloride : 10 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Lorazepam : 0,5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Lorazepam : 0,5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Magnesium sulfate : 100 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Magnesium sulfate : 100 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Mannitol : 150 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Mannitol : 150 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Methylprednisolone sodium succinate : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Methylprednisolone sodium succinate : 5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Metoclopramide hydrochloride : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Metoclopramide hydrochloride : 5 mg/ml | RL | 3249 |

| | | | |
|--|---|----|------|
| | Ceftaroline fosamil : 2,22 mg/ml Metoprolol tartrate : 1 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Metoprolol tartrate : 1 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Metronidazole : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Metronidazole : 5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Midazolam hydrochloride : 2 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Midazolam hydrochloride : 2 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Milrinone lactate : 0,2 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Milrinone lactate : 0,2 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Morphine sulfate : 15 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Morphine sulfate : 15 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Moxifloxacin : 1,6 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Moxifloxacin : 1,6 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Norepinephrine bitartrate : 0,128 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Norepinephrine bitartrate : 0,128 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Ondansetron hydrochloride : 1 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Ondansetron hydrochloride : 1 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Pantoprazole sodium : 0,4 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Pantoprazole sodium : 0,4 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Pethidine hydrochloride : 10 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Pethidine hydrochloride : 10 mg/ml | | 3249 |
| | Ceftaroline fosamil : 12 mg/ml Plazomicin sulfate : 24 mg/ml | | 4145 |
| | Ceftaroline fosamil : 2,22 mg/ml Potassium chloride : 0,1 mEq/l | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Potassium chloride : 0,1 mEq/l | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Potassium phosphate : 0,5 mmol/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Potassium phosphate : 0,5 mmol/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Promethazine hydrochloride : 2 mg/ml | RL | 3249 |

| | | | |
|--|---|----|------|
| | Ceftaroline fosamil : 2,22 mg/ml Promethazine hydrochloride : 2 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Propofol : 10 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Propofol : 10 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Ranitidine hydrochloride : 2 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Ranitidine hydrochloride : 2 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Remifentaniil hydrochloride : 250 µg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Remifentaniil hydrochloride : 250 µg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Sodium bicarbonate : 8,4 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Sodium bicarbonate : 8,4 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Sodium Phosphate : 0,5 mmol/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Sodium Phosphate : 0,5 mmol/ml | | 3249 |
| | Ceftaroline fosamil : 12 mg/ml Sulbactam/durlobactam : 15/15 mg/ml | | 4801 |
| | Ceftaroline fosamil : 12 mg/ml Tedizolid phosphate : 0.8 mg/ml | | 3827 |
| | Ceftaroline fosamil : 2,22 mg/ml Tobramycin sulfate : 5 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Tobramycin sulfate : 5 mg/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Vasopressin : 1 UI/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Vasopressin : 1 UI/ml | RL | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Voriconazole : 4 mg/ml | | 3249 |
| | Ceftaroline fosamil : 2,22 mg/ml Voriconazole : 4 mg/ml | RL | 3249 |








































References

| | Type | Publication |
|------|--------------|--|
| 3249 | Journal | Singh BM, Dedhiya MG, Dinunzio J, Chan P, Kupiec TC, Trissel LA, Laudano JB. Compatibility of ceftaroline fosamil for injection with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2011 ; 68: 2163-2169. |
| 3520 | Manufacturer | Cidomycin - Summary of product Characteristics. Sanofi 2011 |
| 3549 | Manufacturer | Amikacine B Braun - Résumé des caractéristiques du produit. B Braun 2012 |
| 3643 | Manufacturer | Gentamicin sulphate (Cidomycin®) - Summary of Product Characteristics Sanofi 2015 |

| | | |
|------|--------------|--|
| 3674 | Manufacturer | Erythromycin lactobionate - Summary of Product Characteristics PanPharma 2016 |
| 3812 | Journal | Bhattacharya S, Parekh S, Dedhiya M. In-use Stability of Ceftaroline Fosamil in Elastomeric Home Infusion Systems and MINI-BAG Plus Containers. Int J Pharm Compound 2015 ; 19, 5 : 432-436. |
| 3827 | Poster | Ghazi I.M, Hamada Y, Nicolau D.P. Compatibility of tedizolid phosphate with selected intravenous drugs via simulated Y-site conditions. ASHP Midyear 2015 |
| 3828 | Poster | Thabit A.K, Hamada Y, Nicolau D.P. Ceftozolane/tazobactam physical compatibility during simulated Y-site administration. ASHP Midyear 2015 |
| 3829 | Poster | So W, Kim L, Thabit A.K, Nicolau D.P, Kuti J.L. Compatibility of isavunazonium sulfate during simulated Y-site administration. ASHP Midyear 2015 |
| 4055 | Journal | Monogue M, Almarzoky Abuhussain S, Kuti J, Nicolau D. Physical compatibility of fosfomicin for injection with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 , 75, 1:36-44 |
| 4059 | Journal | Madfai F, Zaidi S, Ming L, Wanandy T, Patel R. Physical and chemical stability of ceftaroline in an elastomeric infusion device. EJHP 2017 ; 25, e2 |
| 4145 | Journal | Asempe T.E, Avery L.M, Kidd J.M, Kuti J.L, Nicolau D.P. Physical compatibility of plazomicin with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 ;75,14:1048-1056 |
| 4434 | Journal | Avery L.M, Chen, I.H, Reyes, S, Nicolau, D.P, Kuti J.L. Assessment of the Physical Compatibility of Eravacycline and Common Parenteral Drugs During Simulated Y-site Administration. Clin Ther 2019 ; 41, 10: 2162-2170. |
| 4528 | Journal | Lu J, Liu Q, Kupiec T, Vail H, Lunch L, Fam D, Vu N. Physical Compatibility of Cefiderocol with Selected Intravenous Drugs During Simulated Y-site Administration. Int J Pharm Compound 2021 ;25,1:52-61 |
| 4801 | Journal | Ruiz V, Yuwei Shen Y, Abouelhassan Y, Fouad A, Nicolau D, Kuti J. Physical compatibility of sulbactam/durlobactam with select intravenous drugs during simulated Y-site administration. Am J Health-Syst Pharm 2024 ;51,1: |



Dictionary

| | |
|---|---|
|  Antibiotic |  injection |
|  Tradename |  Stability in solutions |
|  Container |  Molecule |
|  Concentration |  Temperature |
|  Storage |  Duration of stability |
|  Biosimilar |  conflicting data |
|  References |  Polyvinyl chloride |
|  Sodium chloride 0,9% |  Not specified |
|  Hour |  Polyisoprene elastomer |
|  NaCl 0,9% or Glucose 5% |  Protect from light |
|  Day |  Glucose 5% |
|  Compatibility |  Compound |
|  Solvent |  Compatible |
| RL Ringer's lactate solution |  Chemical instability |
|  Incompatible |  Immediate turbidity |
|  Immediate precipitation |  Turbidity in 2 hours |
|  Unspecified incompatibility |  Subvisual incompatibility |
|  Turbidity in 15 minutes |  Turbidity in one hour |
|  References |  Dictionary |