


# Stabilis












## Clarithromycin



### Stabilité des préparations



	1 g Zeclar®	Transcutol® 10 g Acide ascorbique 100 mg NaOH >> pH 7,2 +/-0,2 Pentrvan® >> 100 g	2-8°C		90			4849
	1 g Zeclar®	Transcutol® 10 g Acide ascorbique 100 mg NaOH >> pH 7,2 +/-0,2 Pentrvan® >> 100 g	22-25°C		90			4849
	1 g Zeclar®	Transcutol® 10 g Acide ascorbique 100 mg NaOH >> pH 7,2 +/-0,2 Pentrvan® >> 100 g	38-40°C		60			4849

















## Bibliographie

Type		Source
4849	Revue	Sebti M, Schweitzer-Chaput A, Cisternino S, Hinterlang M, Ancedy D, Lam S, Auvity S, Cotteret C, Lortholary O, Schlatter J. Formulation and Stability of a 1% Clarithromycin-Based Topical Skin Cream: A New Option to Treat Buruli Ulcers? Pharmaceuticals 2024 , 17, 691.



## Dictionnaire

 Antibiotique	 Forme dermique
 Stabilité des préparations	 Contenant
 Origine	 Excipient
 Température	 Conservation
 Durée de stabilité	 Biosimilaire
 Données conflictuelles	 Bibliographie
 Flacon plastique	 Poudre
 A l'abri de la lumière	 Jour
 Bibliographie	 Dictionnaire