


Stabilis



Clopidogrel bisulfate



Stabilité des préparations

		150 mg Plavix®	OraPlus® / OraSweet® (1:1) >> 150 mg	2-8°C		14			3326
		150 mg Plavix®	OraPlus® / OraSweet® (1:1) >> 150 mg	4°C		30			3326
		150 mg Plavix®	OraPlus® / OraSweet® (1:1) >> 30 mg	2-8°C		60			4412
		750 mg ® = ?	SyrSpend SF PH4® >> 150 mL	2-8°C		30			4408
		150 mg Plavix®	OraPlus® / OraSweet® (1:1) >> 30 mg	20-25°C		60			4412



Facteur influençant la stabilité

	> 25°C			4408
	25°C			3326

























Bibliographie

	Type	Source
3326	Revue	Mihaila B, Ellis D, Rozek T, Milne R. Chiral stability study of oral liquid clopidogrel formulations for infants. J Pharm Pract and Res 2012 ; 42, 2: 106-110.
4408	Revue	Polonini H, Loures da Silva S, Neves Cunha C, de Oliveira Ferreira A, Anagnostou K, Dijkers E. Stability of Azathioprine, Clonidine Hydrochloride, Clopidogrel Bisulfate, Ethambutol Hydrochloride, Griseofulvin, Hydralazine Hydrochloride, Nitrofurantoin, and Thioguanine Oral Suspensions Compounded with SyrSpend SF PH4. Int J Pharm Compound 2020 ;24,3:252-262
4412	Revue	Tynes C.R, Livingston B, Patel H, Arnold J.J. Chiral Stability of an Extemporaneously Prepared Clopidogrel Bisulfate Oral Suspension. J Pediatr Pharmacol Ther 2014 ;19,1:25-29.



Dictionnaire

 Divers	 Solution buvable
 Stabilité des préparations	 Contenant
 Origine	 Excipient
 Température	 Conservation
 Durée de stabilité	 Biosimilaire
 Données conflictuelles	 Bibliographie
 Verre	 Comprimés
 A l'abri de la lumière	 Jour
 Flacon plastique	 Facteur influençant la stabilité
 Provoque	 Dégradation
 Diminution de la stabilité	 Bibliographie
 Dictionnaire	