



Stabilis



Ephedrine hydrochloride



Noms commerciaux

Efedrin	Brésil, Danemark, Finlande, Islande, Norvège, Suède, Suisse, Turquie
Efedrina	Argentine, Chili, Equateur, Roumanie
Ephedrin	Allemagne, Suisse
Ephedrine	Belgique, Egypte, France, Grande Bretagne, Irlande, Malaisie, Suisse, Tunisie
Ephedrine sulfate	Nouvelle Zélande
Ephedrinum hydrochloricum	Pologne
Hidrocloruro de efedrina	Espagne
Muchan	Argentine
Spinefe	Portugal
Tendrin	Mexique






Stabilité des solutions

		10 mg/ml	25°C	?	365			2035
		10 mg/ml	40°C	?	365			2035



Compatibilités

Ephedrine hydrochloride : 5 mg/ml Bivalirudin : 5 mg/ml		1713
Ephedrine hydrochloride : 5 mg/ml Dexmedetomidine : 4 µg/ml		1712
Ephedrine hydrochloride : 50 mg/ml Etomidate : 2 mg/ml		319
Ephedrine hydrochloride : 5 mg/ml Fenoldopam mesylate : 80 µg/ml		1803
Ephedrine hydrochloride : 5 mg/ml Hetastarch : 60 mg/ml		1721

	Ephedrine hydrochloride : 5 mg/ml Propofol : 10 mg/ml	Ø	300
	Ephedrine hydrochloride : 50 mg/ml Propofol : 2 mg/ml	Ø	319
	Ephedrine hydrochloride : 50 mg/ml Sugammadex : 100 mg/ml	Ø	3372






























Bibliographie

	Type	Source
300	Revue	Trissel LA, Gilbert DL, Martinez JF. Compatibility of propofol injectable emulsion with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 1997 ; 54: 1287-1292.
319	Revue	Hadzija BW, Lubarsky DA. Compatibility of etomidate, thiopental sodium, and propofol injections with drugs commonly administered during induction of anesthesia. Am J Health-Syst Pharm 1995 ; 52: 997-999.
1712	Revue	Trissel LA, Saenz CA. Compatibility screening of Precedex during simulated Y-site administration with other drugs. Int J Pharm Compound 2002 ; 6: 230-233.
1713	Revue	Trissel LA, Saenz CA. Compatibility screening of bivalirudin during simulated Y-site administration with other drugs. Int J Pharm Compound 2002 ; 6: 311-315.
1721	Revue	Trissel LA, Williams KY, Baker MB. Compatibility screening of Hextend during simulated Y-site administration with other drugs. Int J Pharm Compound 2001 ; 5: 69-72.
1803	Revue	Trissel, LA, Saenz CA, Ogundele OB, Ingram D, Baker MB. Compatibility of fenoldopam mesylate with other drugs during simulated Y-site administration. Am J Health-Syst Pharm 2003 ; 60: 80-85.
2035	Revue	Griffiths W, Ing H, Fleury-Souverain S, Kern C, Sadeghipour F, Bonnabry P. The stability of ready-to-use (RTU) ephedrine hydrochloride in polypropylene syringes for use in maternal hypotension. EJHP Science 2005 ; 11: 107-110.
3372	Revue	Hanci V, Ali Kiraz H, Ömür D, Ekin S, Uyan B, Yurtlu B.S. Precipitation in Gallipoli: Sugammadex / Amiodarone & Sugammadex / Dobutamine & Sugammadex / Protamine. Rev Bras Anesthesiol 2013 ; 63, 1: 163-166.



Dictionnaire

 Sympathomimétique	 Injectable
 Noms commerciaux	 Stabilité des solutions
 Contenant	 Molécule
 Concentration	 Température
 Conservation	 Durée de stabilité
 Biosimilaire	 Données conflictuelles
 Bibliographie	 Seringue polypropylène
 NaCl 0.6%	 Non précisée
 Jour	 Compatibilités
 Molécule	 Solvant
 Compatible	 Glucose 5%
 Chlorure de sodium 0,9%	 Aucun
 Solvant spécifique	 Bibliographie
 Dictionnaire	