


Stabilis






Lisinopril



Stabilité des préparations

		150 mg ® = ?	SyrSpend SF PH4® >> 150 ml	2-8°C		90			3902
		150 mg ® = ?	SyrSpend SF PH4® >> 150 ml	20-25°C		90			3902
		600mg Zestril®	Eau distillée 50ml Sirop simple >>300ml	23°C		30			2680
		160mg Lisinopril	Eau distillée 5ml Sirop simple >>80ml	23°C		30			2665
		200 mg Prinivil®	Eau purifiée 10 ml Bicitra® 30 ml Orasweet SF® 160 ml	25°C		28			2389
		60 mg ® = ?	OraPlus® / OraSweet® (1:1) >> 60 mL	25°C		90			2549
		60 mg ® = ?	Methylcellulose 77 mg POH benzoate de methyle 1,54 mg POH benzoate de propyle 0,77 mg Eau purifiée >> 7,7 mL Sirop simple >> 60 mL	25°C		56			2549
		160mg Lisinopril	Eau distillée 5ml Sirop simple >>80ml	4°C		30			2665
		60 mg ® = ?	OraPlus® / OraSweet® (1:1) >> 60 mL	25°C		90			2549
		60 mg ® = ?	Methylcellulose 77 mg POH benzoate de methyle 1,54 mg POH benzoate de propyle 0,77 mg Eau purifiée >> 7,7 mL Sirop simple >> 60 mL	4°C		56			2549

		600mg Zestril®	Eau distillée 50ml Sirop simple >>300ml	5°C	?	30				2680
--	--	----------------	--	-----	---	----	--	--	--	------











Bibliographie

	Type	Source
2389	Revue	Thompson KC, Zhao Z, Mazakas JM, Beasley CA, Reed RA, Moser CL. Characterization of an extemporaneous liquid formulation of lisinopril Am J Health-Syst Pharm 2003 ; 60: 69-74.
2549	Revue	Nahata MC, Morosco RS. Stability of Lisinopril in Two Liquid Dosage Forms Ann Pharmacotherapy 2004 ;38:396-399.
2665	Revue	Webster AA, English BA, Rose DJ. The stability of lisinopril as an extemporaneous syrup. Int J Pharm Compound 1997 ; 1: 352-353.
2680	Revue	Rose DJ, Webster AA, English BA. Stability of lisinopril syrup (2 mg/ml) extemporaneously compounded from tablets. Int J Pharm Compound 2000 : 398-399.
3902	Revue	Polonini Hudson C, Loures Sharlene, de Araujo Edson Peter, Brand?o Marcos Ant?nio F, Ferreira Anderson O. Stability of Allopurinol, Amitriptyline Hydrochloride, Carbamazepine, Domperidone, Isoniazid, Ketoconazole, Lisinopril, Naproxen, Paracetamol (Acetaminophen), and Sertraline Hydrochloride in SyrSpend SF PH4 Oral Suspensions. Int J Pharm Compound 2016 ; 20, 5 : 426-434.



Dictionnaire

 Antihypertenseur	 Solution buvable
 Stabilité des préparations	 Contenant
 Origine	 Excipient
 Température	 Conservation
 Durée de stabilité	 Biosimilaire
 Données conflictuelles	 Bibliographie
 Flacon plastique	 Poudre
 A l'abri de la lumière	 Jour
 Comprimés	 Non précisée
 Lumière	 Bibliographie
 Dictionnaire	