


Stabilis



Oxybutynin



Stabilité des préparations

		1 mg/ml Ditropan®	Aucun	25°C		560			2511



Bibliographie

	Type	Source
2511	Revue	Van Gansbeke B. Stability of oxybutynin chloride syrup after repackaging in unit doses Am J Hosp Pharm 1991 ; 48: 1265-1266.

Stabilis



Oxybutynin



Stabilité des préparations

		250 mg ® = ? (Sanofi)	NaCl 0.9% >> 1000 ml	4°C		112		2904
		500 mg ® = ? (Sanofi)	NaCl 0.9% >> 1000 ml	4°C		112		2904



Bibliographie

	Type	Source
2904	Revue	Fratta A, Bordenave J, Boissinot C, Le Grand J, Esquirol C, Radideau E, Benoit G. Development of an oxybutynin chloride solution: from formulation to quality control. Ann Pharm Fr 2005 ; 63: 162-166.



Dictionnaire

	Antimuscarinique		Solution buvable
	Stabilité des préparations		Contenant
	Origine		Excipient
	Température		Conservation
	Durée de stabilité		Biosimilaire
	Données conflictuelles		Bibliographie
	Polypropylène		Liquide
	A l'abri de la lumière		Jour
	Bibliographie		Solution intravésicale
	Seringue PP orale		Poudre
	Dictionnaire		