



Stabilis



Phentolamine mesylate



Noms commerciaux

Ora Verse	Canada, Etats Unis d'Amérique
Phentolamine mesylate	France
Regitine	Pays bas









Stabilité en mélange

		0,5 mg/ml	25°C		Papaverine hydrochloride : 30 mg/ml	30	456
		0,5 mg/ml	5°C		Papaverine hydrochloride : 30 mg/ml	30	456
		0,125 mg/ml	-20°C		Alprostadil : 12,5 µg/ml Papaverine hydrochloride : 4,5 mg/ml	180	1899
		0,125 mg/ml	4°C		Alprostadil : 12,5 µg/ml Papaverine hydrochloride : 4,5 mg/ml	30	1899
		0,037 mg/ml	20-25°C		Doxofylline : 0,74 mg/ml	24	3172



Compatibilités

Phentolamine mesylate Alprostadil		2150
Phentolamine mesylate : 0.04 mg/ml Amiodarone hydrochloride : 4 mg/ml		1036
Phentolamine mesylate : 5 mg/ml Dexmedetomidine : 100 µg/ml		4389
Phentolamine mesylate : 0.04 mg/ml Dobutamine hydrochloride : 2 mg/ml		1041

	Phentolamine mesylate : 0,04 mg/ml Doxofylline : 0,8 mg/ml		3172
	Phentolamine mesylate : 0.5 mg/ml Papaverine hydrochloride : 30 mg/ml		456
	Phentolamine mesylate : 0.01 mg/ml Verapamil hydrochloride : 0.08 mg/ml		1057



Voie d'administration


































Bibliographie

	Type	Source
456	Revue	Tu YH, Allen LV, Wang DP. Stability of papaverine hydrochloride and phentolamine mesylate in injectable mixtures. Am J Hosp Pharm 1987 ; 44: 2524-2527.
1036	Revue	Hasegawa GR, Eder JF. Visual compatibility of amiodarone hydrochloride injection with other injectable drugs. Am J Hosp Pharm 1984 ; 41: 1379-1380.
1041	Revue	Hasegawa GR, Eder JF. Visual compatibility of dobutamine hydrochloride with other injectable drugs. Am J Hosp Pharm 1984 ; 41: 949-951.
1057	Revue	Cutie MR. Compatibility of verapamil hydrochloride injection with commonly used additives. Am J Hosp Pharm 1983 ; 40: 1205-1207.
1899	Revue	Trissel LA, Zhang Y. Long-term stability of Trimix : a three drug injection used to treat rectile dysfunction. Int J Pharm Compound 2004 ; 8, 3: 231-235.
2150	Revue	Soli M, Bertaccini A, carparelli F, Gotti R, Cavrini V, Andrisano V, Martorana G. Vasoactive cocktails for erectile dysfunction: chemical stability of PGE1, papaverine and phentolamine. J Urology 1998 ; 160; 2: 551-555.
3172	Revue	Xu F, Xu G, LSu L, Feng E. Stability and compatibility of doxofylline with phentolamine mesilate in 0.9% sodium chloride or 5% dextrose injection for intravenous infusion. J Clin Pharm Ther 2011 ; 36, 1: 99-102.
4389	Revue	Côté K, Correal F, Metras M.E, Friciu M, Forest J.M, Leclair G. Compatibilité physique des médicaments administrés en Y aux soins intensifs, en particulier la dexmédétomidine, le lévosimendan et la kétamine. Pharmactuel 2019 ;52,4:206-213



Dictionnaire

 Vasodilatateur	 Injectable
 Noms commerciaux	 Stabilité en mélange
 Contenant	 Solvant
 Concentration	 Température
 Conservation	 Molécule
 Durée de stabilité	 Bibliographie
 Verre	 Aucun
 Non précisée	 Jour
 A l'abri de la lumière	 NaCl 0,9% + bactériostatique
 Polypropylène	 NaCl 0,9% ou glucose 5%
 Lumière	 Heure
 Compatibilités	 Incompatible
 Compatible	 Glucose 5%
 Voie d'administration	 Intraveineuse
 Intramusculaire	 Bibliographie
 Dictionnaire	