


Stabilis



Propofol



Tradename

Abbofol	Poland
Anesia	Hungary, Slovenia
Diprivan	Argentina, Austria, Belgium, Brazil, Canada, Chile, Colombia, Denmark, Ecuador, Egypt, France, Great Britain, Greece, India, Iran, Ireland, Italy, Luxembourg, Malaysia, Mexico, Morocco, Netherlands, New Zealand, Peru, Poland, Portugal, Saudi Arabia, Spain, Sweden, United Arab Emirates, United States of America, Venezuela
Disoprivan	Germany, Switzerland
Fresofol	Argentina, Brazil, Colombia, India, Malaysia, Mexico, New Zealand, Peru
Gobbifol	Argentina, Chile
Indufol	Colombia
Plofed	Poland
Pofol	Egypt, Iran, Peru
Propolipid	Belgium, Finland, Iceland, Norway, Sweden
Propovan	Argentina, Brazil, Chile, Ecuador, Malaysia, Peru
Recofol	Egypt, Iran, Mexico, Netherlands, Saudi Arabia, Spain, Switzerland, Tunisia, United Arab Emirates
Troypofol	Colombia, Ecuador, Peru



Stability in solutions

		< 2 mg/ml	25°C		6			3659
		2,5 mg/ml	25°C		30			1860
		2,5 mg/ml	4°C		30			1860
		< 2 mg/ml	25°C		6			3659
		2,5 mg/ml	25°C		30			1860
		2,5 mg/ml	4°C		30			1860

		< 2 mg/ml	25°C		6				3659
		10 mg/ml	5°C		14				4888
		20 mg/ml	25°C		14				4888
		20 mg/ml	5°C		14				4888



Stability of mixtures

		5,3 mg/ml	22°C-23°C		Milrinone lactate : 0,2 mg/ml	4		813
		5 mg/ml	25°C		Thiopental sodium : 12,5 mg/ml	6		126
		1 & 5 mg/ml	23°C		Ondansetron hydrochloride : 1 mg/ml	24		815
		6,7 mg/ml	25°C		Sufentanil citrate : 0,0033 mg/ml Midazolam hydrochloride : 1,2 mg/ml	24		4011
		6,7 mg/ml	25°C		Sufentanil citrate : 0,0033 mg/ml Piritramide : 0,33 mg/ml	24		4011
		5 mg/ml	25°C		Sufentanil citrate : 0,0075 mg/ml Midazolam hydrochloride : 0,9 mg/ml Lormetazepam : 0,03 mg/ml	24		4011
		6,7 mg/ml	25°C		Dexmedetomidine : 6,6 µg/ml Sufentanil citrate : 0,01 mg/ml	24		4011
		6,7 mg/ml	25°C		Sufentanil citrate : 0,01 mg/ml Clonidine hydrochloride : 0,005 mg/ml	24		4011
		6,7 mg/ml	25°C		Midazolam hydrochloride : 1,2 mg/ml Remifentanyl hydrochloride : 1,7 µg/ml	24		4011
		10 mg/ml	25°C		Clonidine hydrochloride : 0,0075 mg/ml	24		4011
		1,8 mg/ml	25°C		Clonidine hydrochloride : 0,0136 mg/ml	24		4011
		18 mg/ml	25°C		Clonidine hydrochloride : 0,00136 mg/ml	24		4011
		18 mg/ml	25°C		Dexmedetomidine : 1,81 µg/ml	24		4011
		1,8 mg/ml	25°C		Dexmedetomidine : 18,1 µg/ml	24		4011
		10 mg/ml	25°C		Dexmedetomidine : 10 µg/ml	24		4011
		10 mg/ml	25°C		Ketamine hydrochloride : 12,5 mg/ml	24		4011
		1,8 mg/ml	25°C		Ketamine hydrochloride : 22,7 mg/ml	24		4011
		18 mg/ml	25°C		Ketamine hydrochloride : 2,27 mg/ml	24		4011
		18 mg/ml	25°C		Lormetazepam : 0,009 mg/ml	24		4011
		1,8 mg/ml	25°C		Lormetazepam : 0,09 mg/ml	24		4011
		10 mg/ml	25°C		Lormetazepam : 0,06 mg/ml	24		4011
		10 mg/ml	25°C		Sufentanil citrate : 0,015 mg/ml	24		4011
		1,8 mg/ml	25°C		Sufentanil citrate : 0,027 mg/ml	24		4011

		18 mg/ml	25°C		Sufentanil citrate : 0,0027 mg/ml	24		4011
		5 mg/ml	23°C		Thiopental sodium : 12,5 mg/ml	5		125
		5 mg/ml	23°C		Thiopental sodium : 12,5 mg/ml	7		919
		5 mg/ml	25°C		Palonosetron hydrochloride : 25 µg/ml	4		2312
		5 mg/ml	4°C		Thiopental sodium : 12,5 mg/ml	7		919
		5 mg/ml	4°C		Thiopental sodium : 12,5 mg/ml	13		125
		0,0095 mg/ml	22°C		Vecuronium bromide : 0,127 mg/ml Fentanyl citrate : 0,0024 µg/ml	1		1863
		4,9 mg/ml	23°C		Ketamine hydrochloride : 5,2 mg/ml	3		2329
		6,8 mg/ml	23°C		Ketamine hydrochloride : 3,3 mg/ml	3		2329



Factors which affect stability

				660
				660
				347
				2078
	-20°C			3659



Compatibility









































	Propofol : 10 mg/ml Aciclovir sodium : 7 mg/ml		300	
		Propofol Alfentanil hydrochloride : 500 µg/ml	660	
	Propofol : 10 mg/ml Alfentanil hydrochloride : 10 & 25 µg/ml		3502	
	Propofol : 2 mg/ml Alfentanil hydrochloride : 500 µg/ml		319	
	Propofol : 10 mg/ml Alfentanil hydrochloride : 500 µg/ml		300	
		Propofol Alfentanil hydrochloride	1861	
		Propofol Amikacin sulfate : 50 mg/ml	4524	
		Propofol : 10 mg/ml Amikacin sulfate : 5 mg/ml		300
	Propofol : 10 mg/ml Aminophylline : 2.5 mg/ml		300	

		Propofol Amoxicillin sodium / clavulanic acid : 60 mg/ml		4524
		Propofol : 10 mg/ml Amphotericin B : 0.6 mg/ml	∅	300
		Propofol : 10 mg/ml Ampicillin sodium : 20 mg/ml	∅	300
		Propofol : 2 mg/ml Ascorbic acid : 500 mg/ml	∅	319
		Propofol Atracurium besylate		3659
		Propofol Atracurium besylate : 10 mg/ml		660
		Propofol Atracurium besylate		3502
		Propofol : 2 mg/ml Atracurium besylate : 10 mg/ml	∅	319
		Propofol : 10 mg/ml Atracurium besylate : 10 mg/ml	∅	300
		Propofol : 10 mg/ml Atropine sulfate : 0.1 mg/ml	∅	300
		Propofol : 2 mg/ml Atropine sulfate : 0.4 mg/ml	∅	319
		Propofol : 10 mg/ml Aztreonam : 40 mg/ml	∅	300
		Propofol : 10 mg/ml Bretylium tosilate : 50 mg/ml	∅	300
		Propofol Bretylium tosilate : 50 mg/ml		660
		Propofol : 10 mg/ml Bumetanide : 0.04 mg/ml	∅	300
		Propofol : 10 mg/ml Buprenorphine hydrochloride : 0.04 mg/ml	∅	300
		Propofol : 10 mg/ml Butorphanol tartrate : 0.04 mg/ml	∅	300
		Propofol Calcium chloride : 75 mg/ml		4524
		Propofol : 10 mg/ml Calcium chloride : 40 mg/ml	∅	300
		Propofol Calcium chloride : 100 mg/ml		660
		Propofol : 10 mg/ml Calcium gluconate : 40 mg/ml	∅	300
		Propofol : 10 mg/ml Carboplatin : 5 mg/ml	∅	300
		Propofol : 10 mg/ml Cefazolin sodium : 20 mg/ml	∅	300
		Propofol : 1 mg/ml Cefepime dihydrochloride : 125 mg/ml		2141
		Propofol : 10 mg/ml Cefiderocol sulfate tosylate : 20 mg/mL		4528
		Propofol : 10 mg/ml Cefonicid sodium : 20 mg/ml	∅	300





































		Propofol : 10 mg/ml Cefoperazone sodium : 40 mg/ml	∅	300
		Propofol : 10 mg/ml Cefotaxime sodium : 20 mg/ml	∅	300
		Propofol : 10 mg/ml Cefoxitin sodium : 20 mg/ml	∅	300
		Propofol : 10 mg/ml Ceftaroline fosamil : 2,22 mg/ml		3249
		Propofol : 10 mg/ml Ceftaroline fosamil : 2,22 mg/ml	RL	3249
		Propofol : 10 mg/ml Ceftazidime : 40 mg/ml	∅	300
		Propofol : 1 mg/ml Ceftazidime : 125 mg/ml		2141
		Propofol : 1 mg/ml Ceftazidime : 83.3 mg/ml		1759
		Propofol Ceftizoxime sodium : 20 mg/ml		660
		Propofol : 10 mg/ml Ceftizoxime sodium : 20 mg/ml	∅	300
		Propofol : 10 mg/ml Ceftobiprole medocaril sodium : 2 mg/ml		2269
		Propofol : 10 mg/ml Ceftobiprole medocaril sodium : 2 mg/ml	RL	2269
		Propofol : 10 mg/ml Ceftolozane / tazobactam : 10/5 mg/ml		3828
		Propofol : 10 mg/ml Ceftriaxone disodium : 20 mg/ml	∅	300
		Propofol : 10 mg/ml Cefuroxime sodium : 30 mg/ml	∅	300
		Propofol : 10 mg/ml Chlorpromazine hydrochloride : 2 mg/ml	∅	300
		Propofol : 10 mg/ml Ciclosporin : 5 mg/ml	∅	300
		Propofol : 10 mg/ml Cimetidine hydrochloride : 12 mg/ml	∅	300
		Propofol Cimetidine hydrochloride : 150 mg/ml		660
		Propofol : 10 mg/ml Ciprofloxacin lactate : 1 mg/ml	∅	300
		Propofol Cisatracurium besylate		3601
		Propofol Cisplatin : 0.3 mg/ml		660
		Propofol : 10 mg/ml Cisplatin : 1 mg/ml	∅	300
		Propofol : 10 mg/ml Clindamycin phosphate : 10 mg/ml	∅	300
		Propofol : 1.8 >> 18.2 mg/ml Clonidine hydrochloride : 0.001 >> 0.015 mg/ml	∅	4011
		Propofol Cyclophosphamide : 4 mg/ml		660

		Propofol : 10 mg/ml Cyclophosphamide : 10 mg/ml	∅	300
		Propofol : 10 mg/ml Cytarabine : 50 mg/ml	∅	300
		Propofol Dexamethasone sodium phosphate : 4 mg/ml		660
		Propofol : 10 mg/ml Dexamethasone sodium phosphate : 1 mg/ml	∅	300
		Propofol : 1.8 >> 18.2 mg/ml Dexmedetomidine : 0.4 >> 18.2 µg/ml	∅	4011
		Propofol : 10 mg/ml Dexmedetomidine : 4 µg/ml	▲	1712
		Propofol Diazepam : 5 mg/ml		660
		Propofol : 10 mg/ml Diazepam : 5 mg/ml	∅	300
		Propofol : 10 mg/ml Digoxin : 250 µg/ml	∅	300
		Propofol Digoxin : 250 µg/ml		660
		Propofol : 10 mg/ml Diphenhydramine hydrochloride : 2 mg/ml	∅	300
		Propofol Dobutamine hydrochloride : 1 mg/ml		660
		Propofol : 10 mg/ml Dobutamine hydrochloride : 4 mg/ml	∅	300
		Propofol Dopamine hydrochloride : 1.6 mg/ml		660
		Propofol Dopamine hydrochloride : 25 mg/ml		4524
		Propofol : 10 mg/ml Dopamine hydrochloride : 3.2 mg/ml	∅	300
		Propofol : 10 mg/ml Doripenem : 5 mg/ml	▲◆	2262
		Propofol Doxorubicin hydrochloride : 2 mg/ml		660
		Propofol : 10 mg/ml Doxorubicin hydrochloride : 2 mg/ml	∅	300
		Propofol : 10 mg/ml Doxycycline hyclate : 1 mg/ml	∅	300
		Propofol : 10 mg/ml Droperidol : 0.4 mg/ml	∅	300
		Propofol : 10 mg/ml Enalaprilate : 0.1 mg/ml	∅	300
		Propofol : 2 mg/ml Ephedrine hydrochloride : 50 mg/ml	∅	319
		Propofol : 10 mg/ml Ephedrine hydrochloride : 5 mg/ml	∅	300
		Propofol Ephedrine sulfate : 5 mg/ml		660
		Propofol Epinephrine hydrochloride : 0.1 µg/ml		660

		Propofol : 10 mg/ml Epinephrine hydrochloride : 100 µg/ml	∅	300
		Propofol : 10 mg/ml Eravacycline : 0,6 mg/ml	▲	4434
		Propofol : 10 mg/ml Esmolol hydrochloride : 10 mg/ml	∅	300
		Propofol : 10 mg/ml Famotidine : 2 mg/ml	∅	300
		Propofol Famotidine : 0.04 mg/ml		660
		Propofol : 10 mg/ml Fenoldopam mesylate : 80 µg/ml	▲	1803
		Propofol : 10 mg/ml Fentanyl citrate : 50 µg/ml	∅	300
		Propofol : 2 mg/ml Fentanyl citrate : 50 µg/ml	∅	319
		Propofol : 10 & 20 mg/ml Fentanyl citrate : 10 & 50 µg/ml	∅	2325
		Propofol Fentanyl citrate : 50 µg/ml		4524
		Propofol : 10 mg/ml Fluconazole : 2 mg/ml	∅	300
		Propofol Fluconazole : 2 mg/ml		660
		Propofol : 10 mg/ml Fluorouracil : 16 mg/ml	∅	300
		Propofol : 10 mg/ml Fosfomycin : 30 mg/ml	▲	4055
		Propofol : 10 mg/ml Furosemide : 3 mg/ml	∅	300
		Propofol Furosemide : 10 mg/ml		4524
		Propofol : 10 mg/ml Ganciclovir sodium : 20 mg/ml	∅	300
		Propofol Gentamicin sulfate : 2 mg/ml		660
		Propofol : 10 mg/ml Gentamicin sulfate : 5 mg/ml	∅	300
		Propofol Gentamicin sulfate : 40 mg/ml		4524
		Propofol : 10 mg/ml Glycopyrronium bromide : 0.2 mg/ml	∅	300
		Propofol Glycopyrronium bromide : 0.2 mg/ml		660
		Propofol : 10 mg/ml Granisetron hydrochloride : 0.05 mg/ml	∅	300
		Propofol : 10 mg/ml Haloperidol lactate : 0.2 mg/ml	∅	300
		Propofol Heparin sodium : 1000 UI/ml		660
		Propofol : 10 mg/ml Heparin sodium : 100 UI/ml	∅	300

		Propofol Hydralazine hydrochloride : 20 mg/ml		660
		Propofol : 10 mg/ml Hydrocortisone sodium succinate : 1 mg/ml	∅	300
		Propofol : 10 mg/ml Hydromorphone hydrochloride : 0.5 mg/ml	∅	300
		Propofol Hydroxocobalamin		3932
		Propofol : 10 mg/ml Hydroxyzine dihydrochloride : 2 mg/ml	∅	300
		Propofol : 10 mg/ml Ifosfamide : 25 mg/ml	∅	300
		Propofol : 10 mg/ml Imipenem - cilastatin sodium : 10 mg/ml	∅	300
		Propofol Imipenem - cilastatin sodium : 5 mg/ml		660
		Propofol : 10 mg/ml Imipenem-Cilastatin / Relebactam : 5 mg/ml		4433
		Propofol Imipenem-Cilastatin / Relebactam		4809
		Propofol : 10 mg/ml Insulin : 1 UI/ml	∅	300
		Propofol : 10 & 20 mg/ml Insulin aspart : 1 UI/ml		1508
		Propofol : 10 mg/ml Isavuconazonium sulfate : 1.5 mg/ml		3829
		Propofol : 10 mg/ml Isoprenaline hydrochloride : 0.004 mg/ml	∅	300
		Propofol : 10 mg/ml Ketamine hydrochloride : 10 mg/ml	∅	300
		Propofol : 9.26 >> 9.6 mg/ml Ketamine hydrochloride : 1.45 >> 3.7 mg/ml	∅	4157
		Propofol Ketamine hydrochloride : 10 mg/ml		660
		Propofol : 10 mg/ml Ketamine hydrochloride : 10 mg/ml	∅	2329
		Propofol : 6.7 mg/ml Ketamine hydrochloride : 3.3 mg/ml	∅	2329
		Propofol : 1.8 >> 18.2 mg/ml Ketamine hydrochloride : 2.3 >> 22.7 mg/ml	∅	4011
		Propofol : 10 mg/ml Labetalol hydrochloride : 5 mg/ml	∅	300
		Propofol : 10 mg/ml Levetiracetam : 5 mg/ml		4569
		Propofol : 2 mg/ml Lidocaine hydrochloride : 20 mg/ml	∅	319
		Propofol		660
		Propofol : 10 mg/ml Lidocaine hydrochloride : 10 mg/ml	∅	300
		Propofol Lidocaine hydrochloride : 10 mg/ml		660

		Propofol : 9 mg/ml Lidocaine hydrochloride : 1.8 mg/ml	∅	794
		Propofol : 10 mg/ml Lidocaine hydrochloride : 1 & 2 mg/ml	∅	2053
		Propofol : 8 mg/ml Lidocaine hydrochloride : 2 mg/ml	∅	794
		Propofol : 8.7 mg/ml Lidocaine hydrochloride : 1.3 mg/ml	∅	794
		Propofol : 9.5 mg/ml Lidocaine hydrochloride : 0.23 >> 0.95 mg/ml	∅	794
		Propofol : 10 mg/ml Lidocaine hydrochloride : 0,25 & 0,5 mg/ml	∅	2053
		Propofol : 10 mg/ml Lidocaine hydrochloride : 0,25 & 0,5 mg/ml	∅	3502
		Propofol : 2 mg/ml Lorazepam : 2 mg/ml	∅	319
		Propofol : 10 mg/ml Lorazepam : 0.1 mg/ml	∅	300
		Propofol : 1.8 >> 18.2 mg/ml Lormetazepam : 0.004 >> 0.11 mg/ml	∅	4011
		Propofol : 10 mg/ml Magnesium sulfate : 100 mg/ml	∅	300
		Propofol Magnesium sulfate : 500 mg/ml		4524
		Propofol Magnesium sulfate : 100 mg/ml		4524
		Propofol : 10 mg/ml Mannitol : 150 mg/ml	∅	300
		Propofol : 10 mg/ml Methotrexate sodium : 15 mg/ml	∅	300
		Propofol : 10 mg/ml Methylprednisolone sodium succinate : 5 mg/ml	∅	300
		Propofol Methylprednisolone sodium succinate : 63 mg/ml		660
		Propofol Metoclopramide hydrochloride : 5 mg/ml		660
		Propofol : 10 mg/ml Metoclopramide hydrochloride : 5 mg/ml	∅	300
		Propofol : 2 mg/ml Midazolam hydrochloride : 5 mg/ml	∅	319
		Propofol : 18.2 mg/ml Midazolam hydrochloride : 0.3 mg/ml	∅	4011
		Propofol Midazolam hydrochloride : 1 mg/ml		660
		Propofol : 10 mg/ml Midazolam hydrochloride : 2 mg/ml	∅	300
		Propofol : 1.8 & 10 mg/ml Midazolam hydrochloride : 1.8 & 3.3 mg/ml	∅	4011
		Propofol : 20 mg/ml Milrinone lactate : 0.8 mg/ml	◆	813
		Propofol : 10 mg/ml Minocycline hydrochloride : 0.2 mg/ml	∅	300

		Propofol : 10 mg/ml Mitoxantrone dihydrochloride : 0.5 mg/ml	∅	300
		Propofol : 2 mg/ml Mivacurium : 2 mg/ml	∅	319
		Propofol Mivacurium		3502
		Propofol Mivacurium		3659
		Propofol : 10 mg/ml Morphine sulfate : 1 mg/ml	∅	300
		Propofol Morphine sulfate : 10 mg/ml		660
		Propofol : 2 mg/ml Morphine sulfate : 10 mg/ml	∅	319
		Propofol : 10 mg/ml Nafcillin sodium : 20 mg/ml	∅	300
		Propofol : 10 mg/ml Nalbuphine hydrochloride : 10 mg/ml	∅	300
		Propofol : 10 mg/ml Naloxone hydrochloride : 0.4 mg/ml	∅	300
		Propofol Naloxone hydrochloride : 0.4 mg/ml		660
		Propofol : 10 mg/ml Netilmicin sulfate : 5 mg/ml	∅	300
		Propofol : 10 et 20 mg/ml Nimodipine : 0.2 mg/ml	∅	2325
		Propofol : 10 mg/ml Nitroglycerin : 0.4 mg/ml	∅	300
		Propofol : 10 mg/ml Nitroprusside sodium : 0.4 mg/ml	∅	300
		Propofol : 10 mg/ml Norepinephrine bitartrate : 0.016 mg/ml	∅	300
		Propofol Norepinephrine bitartrate : 1 mg/ml		4524
		Propofol : 10 mg/ml Ofloxacin : 4 mg/ml	∅	300
		Propofol : 1 & 5 mg/ml Ondansetron hydrochloride : 1 mg/ml	▲	815
		Propofol : 10 mg/ml Paclitaxel : 1.2 mg/ml	∅	300
		Propofol : 10 mg/ml Palonosetron hydrochloride : 50 µg/ml	∅	2312
		Propofol : 2 mg/ml Pancuronium bromide : 2 mg/ml	∅	319
		Propofol Pancuronium bromide : 1 mg/ml		660
		Propofol : 10 mg/ml Pancuronium bromide : 1 mg/ml	∅	300
		Propofol : 2 mg/ml Paracetamol : 10 mg/ml	◆	4435
		Propofol Pentobarbital sodium : 50 mg/ml		660

		Propofol : 10 mg/ml Pentobarbital sodium : 5 mg/ml	∅	300
		Propofol : 10 mg/ml Pethidine hydrochloride : 4 mg/ml	∅	300
		Propofol : 10 mg/ml Phenobarbital sodium : 5 mg/ml	∅	300
		Propofol Phenobarbital sodium : 65 mg/ml		660
		Propofol : 2 mg/ml Phenylephrine hydrochloride : 10 mg/ml	∅	319
		Propofol : 10 mg/ml Phenylephrine hydrochloride : 0.1 mg/ml	∅	300
		Propofol Phenylephrine hydrochloride : 0.1 mg/ml		660
		Propofol Phenytoin sodium : 50 mg/ml		660
		Propofol : 10 mg/ml Phenytoin sodium : 50 mg/ml	∅	300
		Propofol : 10 mg/ml Piperacillin sodium : 40 mg/ml	∅	300
		Propofol : 18.2 mg/ml Piritramide : 0.09 mg/ml	∅	4011
		Propofol : 1.8 & 10 mg/ml Piritramide : 0.5 & 0.9 mg/ml	∅	4011
		Propofol Potassium chloride : 200 mEq/l		660
		Propofol : 10 mg/ml Potassium chloride : 100 mEq/l	∅	300
		Propofol Potassium phosphate		3781
		Propofol : 10 mg/ml Prochlorperazine edysilate : 0.5 mg/ml	∅	300
		Propofol : 10 mg/ml Propranolol hydrochloride : 1 mg/ml	∅	300
		Propofol Propranolol hydrochloride : 1 mg/ml		660
		Propofol : 10 mg/ml Ranitidine hydrochloride : 2 mg/ml	∅	300
		Propofol : 0.5 mg/ml		309
		Propofol : 2 & 3 mg/ml		309
		Propofol : 10 mg/ml Plazomicin sulfate : 24 mg/ml		4145
		Propofol Protamine sulfate		1672
		Propofol Ranitidine hydrochloride : 25 mg/ml		660
		Propofol : 9.5 mg/ml Remifentanil hydrochloride : 10 >> 50 µg/ml		4501
		Propofol Remifentanil hydrochloride		3519
		Propofol : 10 et 20 mg/ml Remifentanil hydrochloride : 50 et 100 µg/ml	∅	2325

		Propofol : 20 mg/ml Remifentanil hydrochloride : 120 µg/ml		3294
		Propofol : 0.47 >> 18 mg/ml Remifentanil hydrochloride : 25 >> 47.6 µg/ml		4331
		Propofol : 9.52 & 19.05 mg/ml Remifentanil hydrochloride : 2.38 µg/ml		4331
		Propofol : 20 mg/ml Remifentanil hydrochloride : 120 µg/ml		3176
		Propofol : 1.8 >> 18.2 mg/ml Remifentanil hydrochloride : 4.5 >> 45.5 µg/ml		4011
		Propofol : 10 mg/ml Scopolamine hydrobromide : 0.4 mg/ml		300
		Propofol Scopolamine hydrobromide : 0.4 mg/ml		660
		Propofol : 10 mg/ml Sodium bicarbonate : 84 mg/ml		300
		Propofol Sodium bicarbonate : 84 mg/ml		660
		Propofol : 1.8 & 10 mg/ml Sodium oxybate : 100 & 181.8 mg/ml		4011
		Propofol : 18.2 mg/ml Sodium oxybate : 18.2 mg/ml		4011
		Propofol : 20 mg/ml Sufentanil citrate : 0.005 mg/ml		3294
		Propofol : 2 mg/ml Sufentanil citrate : 0.05 mg/ml		319
		Propofol : 9.09 mg/ml Sufentanil citrate : 0.00682 mg/ml		4080
		Propofol : 9.8 mg/ml Sufentanil citrate : 0.00147 mg/ml		4080
		Propofol : 9.6 mg/ml Sufentanil citrate : 0.00288 mg/ml		4080
		Propofol : 1.8 >> 18.2 mg/ml Sufentanil citrate : 0.0009 >> 0.03 mg/ml		4011
		Propofol : 10 mg/ml Sufentanil citrate : 0.05 mg/ml		300
		Propofol : 10 mg/ml Sulbactam/durlobactam : 15/15 mg/ml		4801
		Propofol : 10 mg/ml Suxamethonium chloride : 20 mg/ml		300
		Propofol : 2 mg/ml Suxamethonium chloride : 20 mg/ml		319
		Propofol : 10 mg/ml Telavancin hydrochloride : 7,5 mg/ml		3254
		Propofol : 10 mg/ml Telavancin hydrochloride : 7.5 mg/ml		3254
		Propofol		660
		Propofol : 10 mg/ml Telavancin hydrochloride : 7,5 mg/ml	RL	3254
		Propofol : 1 mg/ml Temocilline : 83.33 mg/ml		2231

		Propofol Temocilline		4470
		Propofol : 2.5 >> 7.5 mg/ml Thiopental sodium : 6.25 >> 18.75 mg/ml	∅	126
		Propofol : 5 mg/ml Thiopental sodium : 12,5 mg/ml	∅	125
		Propofol Tigecycline		3332
		Propofol : 10 mg/ml	RL	4603
		Propofol Ticarcillin / clavulanic acid : 31 mg/ml		660
		Propofol : 10 mg/ml Ticarcillin / clavulanic acid : 31 mg/ml	∅	300
		Propofol : 10 mg/ml Tobramycin sulfate : 5 mg/ml	∅	300
		Propofol Tobramycin sulfate : 2 mg/ml		660
		Propofol : 1 mg/ml Vancomycin hydrochloride : 10 mg/ml		3385
		Propofol Vancomycin hydrochloride : 50 mg/ml		4524
		Propofol : 10 mg/ml Vancomycin hydrochloride : 10 mg/ml	∅	300
		Propofol Vancomycin hydrochloride : 4 mg/ml		660
		Propofol : 2 mg/ml Vecuronium bromide : 1 mg/ml	∅	319
		Propofol : 10 mg/ml Vecuronium bromide : 1 mg/ml	∅	300
		Propofol Vecuronium bromide : 1 mg/ml		660
		Propofol Verapamil hydrochloride : 2.5 mg/ml		660
		Propofol : 10 mg/ml Verapamil hydrochloride : 2.5 mg/ml	∅	300



Route of administration



References

	Type	Publication
125	Journal	Chernin EL, Stewart JT, Smiler B. Stability of thiopental sodium and propofol in polypropylene syringes at 23 and 4°C. Am J Health-Syst Pharm 1996 ; 53: 1576-1579.

126	Journal	Prankerd RJ, Jones RD. Physicochemical compatibility of propofol with thiopental sodium. Am J Health-Syst Pharm 1996 ; 53: 2606-2610.
300	Journal	Trissel LA, Gilbert DL, Martinez JF. Compatibility of propofol injectable emulsion with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 1997 ; 54: 1287-1292.
309	Journal	Bhatt-Mehta V, Paglia RE, Rosen DA. Stability of propofol with parenteral nutrient solutions during simulated Y-site injection. Am J Health-Syst Pharm 1995 ; 52: 192-196.
319	Journal	Hadzija BW, Lubarsky DA. Compatibility of etomidate, thiopental sodium, and propofol injections with drugs commonly administered during induction of anesthesia. Am J Health-Syst Pharm 1995 ; 52: 997-999.
347	Journal	Bailey LC, Tang KT, Rogozinski BA. Effect of syringe filter and IV administration set on delivery of propofol emulsion. Am J Hosp Pharm 1991 ; 48: 2627-2630.
660	Journal	Michaels MR, Stauffer GL, Haas DP. Propofol compatibility with other intravenous drug products - Two new methods of evaluating IV emulsion compatibility. Ann Pharmacotherapy 1996 ; 30: 228-232.
794	Journal	Lilley EMM, Isert PR, Carasso ML, Kennedy RA. The effect of the addition of lignocaine on propofol emulsion stability. Anaesthesia 1996 ; 51: 815-818.
813	Journal	Akkermann SR, Zhang H, Mullins RE, Yaughn K. Stability of milrinone lactate in the presence of 29 critical care drugs and 4 IV solutions. Am J Health-Syst Pharm 1999 ; 56: 63-68.
815	Journal	Stewart JT, Warren FW, King DT, Venkateshwaran TG, Fox JL. Stability of ondansetron hydrochloride and 12 medications in plastic syringes. Am J Health-Syst Pharm 1998 ; 55: 2630-2634.
919	Journal	Lazar ER, Jolly DT, Tam YK, Hrazdil J, Tawfik SR, Clanachan AS. Propofol and thiopental in a 1:1 volume mixture is chemically stable. Anesth Analg 1998 ; 86: 422-426.
1508	Journal	Voirol P, Berger-Gryllaki M, Pannatier A, Eggimann P, Sadeghipour F. Visual compatibility of insulin aspart with intravenous drugs frequently used in ICU. EJHP 2015 ;22:123-124.
1672	Journal	Lamontagne C, Brouillette D, Hardy JF. Incompatibility of propofol emulsion with anesthetic drugs. Anesthesiology 1998 ; 89: 1609.
1712	Journal	Trissel LA, Saenz CA. Compatibility screening of Precedex during simulated Y-site administration with other drugs. Int J Pharm Compound 2002 ; 6: 230-233.
1759	Journal	Servais H, Tulkens PM. Stability and compatibility of ceftazidime administered by continuous infusion to intensive care patients. Antimicrob Agents Chemother 2001 ; 45: 2643-2647.
1803	Journal	Trissel, LA, Saenz CA, Ogundele OB, Ingram D, Baker MB. Compatibility of fenoldopam mesylate with other drugs during simulated Y-site administration. Am J Health-Syst Pharm 2003 ; 60: 80-85.
1860	Journal	Sautou-Miranda V, Levadoux E, Groueix MT, Chopineau J. Compatibility of propofol diluted in 5% glucose with glass and plastics (polypropylene, molyvinylchloride) containers. Int J Pharm 1996 ; 130: 251-255.

1861	Journal	Levadoux E, Sautou V, Bazin JE, Schoeffler P, Chopineau J. Medical plastics: compatibility of alfentanil and propofol alone or mixed. Stability of the alfentanil-propofol mixture. Int J Pharm 1996 ; 127: 255-259.
1863	Journal	Isert PR, Lee D, Naidoo D, Carasso ML, Kennedy RA. Compatibility of propofol, fentanyl, and vecuronium mixtures designed for potential use in anesthesia and patient transport. Journal of clinical anesthesia 1996 ; 8: 329-336.
2053	Journal	Masaki Y, Tanaka M, Nishikawa T. Physicochemical compatibility of propofol-lidocaine mixture. Anesth Analg 2003 ; 97: 1646-1651.
2078	Journal	Loff S, Kabs F, Witt K, Sartoris J, Mandl B, Niessen KH, Waag KL. Polyvinylchloride infusion lines expose infants to large amounts of toxic plasticizers. J Ped Surg 2000 ; 35: 1775-1781.
2141	Journal	Barinian N, Chanteux H, Viaene E, Servais H, Tulkens PM. Stability and compatibility study of cefepime in comparison with ceftazidime for potential administration by continuous infusion under conditions pertinent to ambulatory treatment of cystic fibrosis patients and to administration in intensive care units. J Antimicrob Chemother 2003 ; 51: 651-658.
2231	Journal	de Jongh R, Hens R, Basma V, mouton JW, Tulkens PM, Carryn S. Continuous versus intermittent infusion of temocillin, a directed spectrum penicillin for intensive care patients with nosocomial pneumonia: stability, compatibility, population pharmacokinetic studies and breakpoint selection. J Antimicrob Chemother 2008 ; 61, 2: 382-388.
2262	Journal	Brammer MK, Chan P, Heatherly K, Trusley C, Kupiec TC, Trissel LA, Psathas PA, Gilmor T, Schaufelberger D. Compatibility of doripenem with other drugs during simulated Y-site administration Am J Health-Syst Pharm 2008 ; 65: 1261-1265.
2269	Journal	Chan P, Bishop A, Kupiec TC, Trissel LA, Gole D, Jimidar IM, Vermeersch H. Compatibility of ceftobiprole medocaril with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2008 ; 65, 16: 1545-1551.
2312	Journal	Trissel L.A, Trusley C, Kupiec T.C, Ben M. Compatibility and stability of palonosetron hydrochloride and propofol during simulated Y-site administration. Int J Pharm Compound 2009 ; 13, 1: 78-80.
2325	Journal	Nemec K, Germ E, Schulz-Siegmund M, Ortner A. The effect of nimodipine, fentanyl and remifentanil intravenous products on the stability of propofol emulsions. Pharmazie 2009 ; 64, 2: 94-97.
2329	Journal	Donnelly R.F, Willman E, Andolfatto G. Stability of Ketamine-Propofol mixtures for procedural sedation and analgesia in the emergency department. Can J Hosp Pharm 2008 ; 61, 6: 426-430.
3176	Poster	Humbert Delaloye V, Berger M, Voirol P, Pannatier A. Compatibilité du Remifentanil avec d'autres médicaments injectables : influence du soluté. 16èmes JFSPH, Sion, 18-19 novembre 2010
3249	Journal	Singh BM, Dedhiya MG, Dinunzio J, Chan P, Kupiec TC, Trissel LA, Laudano JB. Compatibility of ceftaroline fosamil for injection with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2011 ; 68: 2163-2169.
3254	Journal	Housman S.T, Tessier P.R, Nicolau D.P, Kuti J.L. Physical compatibility of telavancin hydrochloride with select i.v. drugs during simulated Y-site administration Am J Health-Syst Pharm 2011 ; 68: 2265-2270.
3294	Journal	Humbert-Delaloye V, Berger M, Voirol P, Pannatier A. In vitro compatibility of remifentanil hydrochloride and sufentanil citrate with selected drugs EJHP 2012 ; 19: 57-64.
3332	Manufacturer	Tigecycline (Tigacyl®) - Summary of Product characteristics Pfizer 2012

3385	Journal	Raverdi V, Ampe E, Hecq JD, Tulkens PM. Stability and compatibility of vancomycin for administration by continuous infusion. J Antimicrob Chemother 2013 ; 68: 1179-1182.
3502	Manufacturer	Propofol (Diprivan®) - Summary of Products Characteristics Astra Zeneca 2012
3519	Manufacturer	Remifentanyl hydrochloride(Ultiva®) - Summary of Product Characteristics Glaxo Smith Kline 2011
3601	Manufacturer	Cisatracurium Actavis - Résumé des Caractéristiques du Produit Actavis 2012
3659	Manufacturer	Propofol (Diprivan®) - Résumé des caractéristiques du produit AstraZeneca 2016
3781	Journal	Humbert-Delaloye V, Berger-Gryllaki M, Voirol P, Testa B, Pannatier A Screening for physicochemical incompatibilities of intravenous drugs in intensive care units: the case of monobasic potassium phosphate and furosemide. EJHP 2015 ;22:1 56-58
3828	Poster	Thabit A.K, Hamada Y, Nicolau D.P. Ceftazolidime/tazobactam physical compatibility during simulated Y-site administration. ASHP Midyear 2015
3829	Poster	So W, Kim L, Thabit A.K, Nicolau D.P, Kuti J.L. Compatibility of isavuquinolone sulfate during simulated Y-site administration. ASHP Midyear 2015
3932	Manufacturer	Hydroxocobalamin (Cyanokit®) - Résumé des caractéristiques du produit Serb Laboratoire 2015
4011	Journal	Gersonde F, Eisend S, Haake N, Kunze T. Physicochemical compatibility and emulsion stability of propofol with commonly used analgesics and sedatives in an intensive care unit. EJHP 2016 2016;0:1-11
4055	Journal	Monogue M, Almarzoky Abuhussain S, Kuti J, Nicolau D. Physical compatibility of fosfomycin for injection with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 , 75, 1:36-44
4080	Journal	Zbytovska J, Gallusova J, Vidlarova L, Prochazkova K, Simek J, Stepanek F. Physical Compatibility of Propofol-Sufentanyl Mixtures. Anaesthesia 2017 ;124,3:776-781
4145	Journal	Asempa T.E, Avery L.M, Kidd J.M, Kuti J.L, Nicolau D.P. Physical compatibility of plazomicin with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 ;75,14:1048-1056
4157	Journal	Izgi M, Basara B, Muderrisoglu A, Yilbas A.A, Uluer M.S, Celebioglu B. Evaluation of the stability and stratification of propofol and ketamine mixtures for pediatric anesthesia. Pediatric Anesthesia 2018
4331	Journal	Nilsson N, Nezvalova-Henriksen K, Tho I. Emulsion Stability of Different Intravenous Propofol Formulations in Simulated Co-Administration with Remifentanyl Hydrochloride. Pharmaceutical Technology in Hospital Pharmacy 2019
4433	Journal	Ghazi I.M, El Nekidy W.S, Sood A, Dulku A, Patel R, Patel K. Y-site Administration of Imipenem/Cilastatin/ Relebactam With Common Intravenous Medications Clin Ther 2020 ; 42, 3: 475-485.
4434	Journal	Avery L.M, Chen, I.H, Reyes, S, Nicolau, D.P, Kuti J.L. Assessment of the Physical Compatibility of Eravacycline and Common Parenteral Drugs During Simulated Y-site Administration. Clin Ther 2019 ; 41, 10: 2162-2170.
4435	Journal	Hanifah S, Nugroho B.H, Chabib L. Compatibility of acetaminophen with central nervous system medications during simulated Y-site injection. Anaesthesiol Intensive Ther 2020 ; 52, 1: 23-27.

4470	Journal	Claeysoone K, Basma V, Hens R, Van Bambeke F, de Jongh R, Tulkens P. Continuous versus intermittent infusion of temocillin in intensive care unit patient. Critical care 2005 ; 9(Suppl 1) P37
4501	Journal	Henkel E, Vella R, Behan K, Austin D, Kruger P, Fenning A. The effect of concentration, reconstitution solution and pH on the stability of a remifentanyl hydrochloride and propofol admixture for simultaneous co-infusion. BMC Anesthesiology 2020 ;20:283.
4524	Poster	Stucki C, Sautter A-M, Bonnabry P. Physical compatibility of the propofol emulsion with 33 drugs used in anaesthesiology. ESCP Symposium, Geneva, Switzerland 2009
4528	Journal	Lu J, Liu Q, Kupiec T, Vail H, Lunch L, Fam D, Vu N. Physical Compatibility of Cefiderocol with Selected Intravenous Drugs During Simulated Y-site Administration. Int J Pharm Compound 2021 ;25,1:52-61
4569	Journal	Lee T.M , Villareal C.L, Meyer L.M. Y-Site Compatibility of Intravenous Levetiracetam With Commonly Used Critical Care Medications. Hosp Pharm 2021 ; 56, 4: 282-286.
4603	Journal	Vallée M, Barthélémy I, Friciu M, Pelletier E, Forest J.M, Benoit F, Leclair G. Compatibility of Lactated Ringer's Injection With 94 Selected Intravenous Drugs During Simulated Y-site Administration. Hosp Pharm 2021 ; 56, 4: 228-234.
4801	Journal	Ruiz V, Yuwei Shen Y, Abouelhassan Y, Fouad A, Nicolau D, Kuti J. Physical compatibility of sulbactam/durlobactam with select intravenous drugs during simulated Y-site administration. Am J Health-Syst Pharm 2024 ;51,1:
4809	Manufacturer	Recarbrio® - Résumé des caractéristiques du produit 2024
4888	Journal	Vo D, Robillard J, Lamoureux S, St-Jean I, Friciu M, Forest J.M, Leclair G. Stabilité du propofol, du rocuronium, du phénobarbital et du magnésium injectables reconditionnés en seringue pour les trousse d'aide médicale à mourir. Pharmactuel 2024 ; 57, 4: 127-133.



Dictionary

	General anesthetic		injection
	Tradename		Stability in solutions
	Container		Molecule
	Concentration		Temperature
	Storage		Duration of stability
	Biosimilar		conflicting data
	References		Glass
	Glucose 5%		Not specified
	Hour		With or without light
	Day		Protect from light
	Polyvinyl chloride		Polypropylene
	Polypropylen Syringe		None
	Stability of mixtures		Solvent
	Compound		Light
	Sodium chloride 0,9%		Factors which affect stability
	Induces		Degradation
	NaHCO ₃		Adsorption
	Leaching		Compatibility
	Compatible		Instability of the emulsion after 24 hours
	Incompatible		Unspecified incompatibility
	Immediate precipitation		Instability of the emulsion after 1 hour
	Immediate instability of the emulsion		Precipitation after 1 hour
	Instability of the emulsion after 4 hours		Water for Injection
	NaCl 0,9% or Glucose 5%		RL Ringer's lactate solution
	Instability of the emulsion after 12 hours		Instability of the emulsion after 6 hours
	Color change		Immediate turbidity
	Subvisual incompatibility		Chemical instability
	Parenteral nutrition (binary mixture)		Route of administration
	Intravenous		Intravenous infusion
	Continuous infusion		References

