


Stabilis



Remifentanil hydrochloride



Noms commerciaux

Fenburol	Afrique du sud, Chili
Proximicil	Mexique
Redormin	Argentine
Remicit	Argentine
Remifas	Equateur
Remifentanil	Allemagne, Belgique, Canada, Islande, Norvège, Nouvelle Zélande, Roumanie
Remifentanilo	Argentine, Espagne, Portugal
Remiflo	Argentine
Remimed	Allemagne
Restinil	Argentine, Equateur
Sagal	Argentine
Ultiva	Allemagne, Arabie Saoudite, Australie, Autriche, Belgique, Chili, Colombie, Danemark, Egypte, Equateur, Espagne, Etats Unis d'Amérique, Finlande, France, Grande Bretagne, Grèce, Hongrie, Iran, Irlande, Italie, Luxembourg, Malaisie, Norvège, Nouvelle Zélande, Pays bas, Pérou, Pologne, Portugal, Roumanie, Suède, Suisse, Tunisie, Turquie, Vénézuela



Stabilité des solutions

		10 >> 50 µg/ml	20-22°C	?	24			4501
		10 >> 50 µg/ml	20-22°C	?	24			4501
		10 µg/ml	2-8°C	?	21			4192
		10 µg/ml	23-27°C	?	90			4183
		20 µg/ml	2-8°C	?	21			4192
		4 µg/ml	23-27°C	?	90			4183
		4 & 10 µg/ml	23°C	?	90			4231
		50 µg/ml	2-8°C	?	21			4192

		20 >> 250 µg/ml	25°C		24			3519
		20 >> 250 µg/ml	25°C		24			3519
		20 >> 250 µg/ml	25°C		24			3519



Stabilité en mélange

PP		1,7 µg/ml	25°C		Midazolam hydrochloride : 1,2 mg/ml Propofol : 6,7 mg/ml	24		4011



Facteur influençant la stabilité

	RL			3519
	NaH CO ₃			4501
	PH >7			4011 4501



Compatibilités

	Remifentanyl hydrochloride : 25 & 250 µg/ml Aciclovir sodium : 7 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Alfentanyl hydrochloride : 125 µg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Amikacin sulfate : 5 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Aminophylline : 2.5 mg/ml		59
	Remifentanyl hydrochloride : 25 µg/ml Amphotericin B : 0.6 mg/ml		59
			59
			921
	Remifentanyl hydrochloride : 25 & 250 µg/ml Ampicillin sodium : 20 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Ampicillin sodium - sulbactam sodium : 20/10 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Aztreonam : 40 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Bretylium tosilate : 4 mg/ml		59

		Remifentanil hydrochloride : 25 & 250 µg/ml Bumetanide : 0.04 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Buprenorphine hydrochloride : 0.04 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Butorphanol tartrate : 0.04 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Calcium gluconate : 40 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Cefazolin sodium : 20 mg/ml		59
		Remifentanil hydrochloride : 200 µg/ml Cefepime dihydrochloride : 125 mg/ml		2141
		Remifentanil hydrochloride : 250 µg/ml Cefoperazone sodium : 40 mg/ml		59
		Remifentanil hydrochloride : 25 µg/ml Cefoperazone sodium : 40 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Cefotaxime sodium : 20 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Cefoxitin sodium : 20 mg/ml		59
		Remifentanil hydrochloride : 250 µg/ml Ceftaroline fosamil : 2,22 mg/ml		3249
		Remifentanil hydrochloride : 250 µg/ml Ceftaroline fosamil : 2,22 mg/ml	RL	3249
		Remifentanil hydrochloride : 25 & 250 µg/ml Ceftazidime : 40 mg/ml		59
		Remifentanil hydrochloride : 200 µg/ml Ceftazidime : 125 mg/ml		2141
		Remifentanil hydrochloride : 25 & 250 µg/ml Ceftizoxime sodium : 20 mg/ml		59
		Remifentanil hydrochloride : 250 µg/ml Ceftobiprole medocaril sodium : 2 mg/ml		2269
		Remifentanil hydrochloride : 250 µg/ml Ceftobiprole medocaril sodium : 2 mg/ml	RL	2269
		Remifentanil hydrochloride Ceftobiprole medocaril sodium		4650
		Remifentanil hydrochloride : 25 & 250 µg/ml Ceftriaxone disodium : 20 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Cefuroxime sodium : 30 mg/ml		59
		Remifentanil hydrochloride : 25 µg/ml Chlorpromazine hydrochloride : 2 mg/ml		59
		Remifentanil hydrochloride : 250 µg/ml Chlorpromazine hydrochloride : 2 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Cimetidine hydrochloride : 12 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Ciprofloxacin lactate : 1 mg/ml		59
		Remifentanil hydrochloride : 25 & 250 µg/ml Cisatracurium besylate : 2 mg/ml		59
		Remifentanil hydrochloride : 100 µg/ml Cisatracurium besylate : 5 mg/ml		3823

		Remifentanyl hydrochloride : 25 & 250 µg/ml Clindamycin phosphate : 10 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Co-trimoxazole : 0.8/4 mg/ml		59
		Remifentanyl hydrochloride : 250 µg/ml Dexmedetomidine : 4 µg/ml		1712
		Remifentanyl hydrochloride : 25 & 250 µg/ml Diazepam : 5 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Diazepam : 0.25 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Digoxin : 250 µg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Diphenhydramine hydrochloride : 2 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Dobutamine hydrochloride : 4 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Dopamine hydrochloride : 3.2 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Doxycycline hyclate : 1 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Droperidol : 2.5 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Enalaprilate : 0.1 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Epinephrine hydrochloride : 50 µg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Esmolol hydrochloride : 10 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Famotidine : 2 mg/ml		59
		Remifentanyl hydrochloride : 200 µg/ml Fenoldopam mesylate : 80 µg/ml		1803
		Remifentanyl hydrochloride : 25 & 250 µg/ml Fentanyl citrate : 12.5 µg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Fluconazole : 2 mg/ml		59
		Remifentanyl hydrochloride : 120 µg/ml Furosemide : 1 mg/ml		3294
		Remifentanyl hydrochloride : 120 µg/ml Furosemide : 1 mg/ml		3176
		Remifentanyl hydrochloride : 25 & 250 µg/ml Furosemide : 3 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Ganciclovir sodium : 20 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Gentamicin sulfate : 5 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Haloperidol lactate : 0.2 mg/ml		59
		Remifentanyl hydrochloride : 100 µg/ml Haloperidol lactate : 0.5 mg/ml		3823
		Remifentanyl hydrochloride : 120 µg/ml Heparin sodium : 416.7 UI/ml		3294

	Remifentanyl hydrochloride : 25 & 250 µg/ml Heparin sodium : 100 UI/ml		59
	Remifentanyl hydrochloride : 100 µg/ml Heparin sodium : 500 UI/ml		3823
	Remifentanyl hydrochloride : 120 µg/ml Heparin sodium : 416.7 UI/ml		3176
	Remifentanyl hydrochloride : 25 & 250 µg/ml Hydrocortisone sodium succinate : 1 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Hydroxyzine dihydrochloride : 2 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Imipenem - cilastatin sodium : 10 mg/ml		59
	Remifentanyl hydrochloride : 120 µg/ml Insulin : 1 UI/ml		3176
	Remifentanyl hydrochloride : 100 µg/ml Insulin : 1 UI/ml		4698
	Remifentanyl hydrochloride : 500 µg/ml Linezolid : 2 mg/ml		1925
	Remifentanyl hydrochloride : 25 & 250 µg/ml Mannitol : 150 mg/ml		59
	Remifentanyl hydrochloride : 100 µg/ml Midazolam hydrochloride : 2.1 mg/ml		3823
	Remifentanyl hydrochloride		4501
	Remifentanyl hydrochloride : 100 µg/ml Insulin aspart : 1 UI/ml		1508
	Remifentanyl hydrochloride : 25 & 250 µg/ml Isoprenaline hydrochloride : 0.02 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Ketorolac tromethamine : 15 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Lidocaine hydrochloride : 8 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Lorazepam : 0.5 mg/ml		59
	Remifentanyl hydrochloride : 120 µg/ml Magnesium sulfate : 8 mg/ml		3176
	Remifentanyl hydrochloride : 25 & 250 µg/ml Magnesium sulfate : 100 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Methylprednisolone sodium succinate : 5 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Metoclopramide hydrochloride : 5 mg/ml		59
	Remifentanyl hydrochloride : 25 & 250 µg/ml Metronidazole : 5 mg/ml		59
	Remifentanyl hydrochloride : 20 µg/ml Midazolam hydrochloride : 4 mg/ml		1506
	Remifentanyl hydrochloride : 120 µg/ml Midazolam hydrochloride : 1 mg/ml		3294
	Remifentanyl hydrochloride		3519
	Remifentanyl hydrochloride : 120 µg/ml Midazolam hydrochloride : 1 mg/ml		3176
	Remifentanyl hydrochloride : 25 & 250 µg/ml Midazolam hydrochloride : 1 mg/ml		59

	Remifentanil hydrochloride : 25 & 250 µg/ml Minocycline hydrochloride : 0.2 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Morphine sulfate : 1 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Nalbuphine hydrochloride : 10 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Netilmicin sulfate : 5 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Nitroglycerin : 0.4 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Norepinephrine bitartrate : 0.12 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Ofloxacin : 4 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Ondansetron hydrochloride : 1 mg/ml		59
	Remifentanil hydrochloride : 1000 µg/ml Oxytocin : 10 UI/ml		4389
	Remifentanil hydrochloride : 20 µg/ml Pantoprazole sodium : 0.32 mg/ml		1506
	Remifentanil hydrochloride : 1000 µg/ml Paracetamol : 10 mg/ml		4742
	Remifentanil hydrochloride Parecoxib sodium		3504
	Remifentanil hydrochloride : 25 & 250 µg/ml Pethidine hydrochloride : 4 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Phenylephrine hydrochloride : 1 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Piperacillin sodium : 40 mg/ml		59
	Remifentanil hydrochloride : 25 & 250 µg/ml Piperacillin sodium / tazobactam : 40/5 mg/ml		59
	Remifentanil hydrochloride : 120 µg/ml Potassium chloride : 1000 mEq/l		3176
	Remifentanil hydrochloride : 25 & 250 µg/ml Potassium chloride : 100 mEq/l		59
	Remifentanil hydrochloride Potassium phosphate		3781
	Remifentanil hydrochloride : 120 µg/ml Potassium phosphate : 1 mmol/ml		3176
	Remifentanil hydrochloride : 120 µg/ml Potassium phosphate : 1 mmol/ml		3294
	Remifentanil hydrochloride : 25 >> 47.6 µg/ml Propofol : 0.47 >> 18 mg/ml		4331
	Remifentanil hydrochloride : 2.38 µg/ml Propofol : 9.52 & 19.05 mg/ml		4331
	Remifentanil hydrochloride : 120 µg/ml Propofol : 20 mg/ml		3176
	Remifentanil hydrochloride Propofol		3519
	Remifentanil hydrochloride : 120 µg/ml Propofol : 20 mg/ml		3294

		Remifentanyl hydrochloride : 4.5 >> 45.5 µg/ml Propofol : 1.8 >> 18.2 mg/ml	∅	4011
		Remifentanyl hydrochloride : 50 et 100 µg/ml Propofol : 10 et 20 mg/ml	∅	2325
		Remifentanyl hydrochloride : 10 >> 50 µg/ml Propofol : 9.5 mg/ml		4501
		Remifentanyl hydrochloride : 100 µg/ml Remimazolam : 5 mg/ml		4723
		Remifentanyl hydrochloride : 100 µg/ml Rocuronium bromide : 10 mg/ml		3823
		Remifentanyl hydrochloride : 25 & 250 µg/ml Sufentanyl citrate : 0.0125 mg/ml		59
		Remifentanyl hydrochloride : 5000 µg/ml Sugammadex : 100 mg/ml	∅	3372
		Remifentanyl hydrochloride : 25 & 250 µg/ml Theophylline : 3.2 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Thiopental sodium : 50 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Ticarcillin / clavulanic acid : 31 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Tobramycin sulfate : 5 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Vancomycin hydrochloride : 10 mg/ml		59
		Remifentanyl hydrochloride : 25 & 250 µg/ml Zidovudine : 4 mg/ml		59



Voie d'administration



Bibliographie

















































	Type	Source
59	Revue	Trissel LA, Gilbert DL, Martinez JF, Kim MC. Compatibility of remifentanyl hydrochloride with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 1997 ; 54: 2192-2196.
921	Revue	Trissel LA, Gilbert DL, Martinez JF. Incompatibility and compatibility of amphotericin B cholesteryl sulfate complex with selected other drugs during simulated Y-site administration. Hosp Pharm 1998 ; 33: 284-292.
1506	Revue	Lopez-Cabezas C, Guerrero L, Molas G, Anglada H, Soy D. Physicochemical compatibility of high concentration drugs usually Y-site administered in intensive care units. EJHP 2015 ;22:107-112.
1508	Revue	Voirol P, Berger-Gryllaki M, Pannatier A, Eggimann P, Sadeghipour F. Visual compatibility of insulin aspart with intravenous drugs frequently used in ICU. EJHP 2015 ;22:123-124.

1712	Revue	Trissel LA, Saenz CA. Compatibility screening of Precedex during simulated Y-site administration with other drugs. Int J Pharm Compound 2002 ; 6: 230-233.
1803	Revue	Trissel, LA, Saenz CA, Ogundele OB, Ingram D, Baker MB. Compatibility of fenoldopam mesylate with other drugs during simulated Y-site administration. Am J Health-Syst Pharm 2003 ; 60: 80-85.
1925	Revue	Trissel LA , Williams KY, Gilbert DL. Compatibility screening of linezolid injection during simulated Y-site administration with other drugs and infusion solutions. J Am Pharm Assoc 2000 ; 40: 515-519.
2141	Revue	Barinian N, Chanteux H, Viaene E, Servais H, Tulkens PM. Stability and compatibility study of cefepime in comparaisson with ceftazidime for potential administration by continuous infusion under conditions pertinent to ambulatory treatment of cystic fibrosis patients and to administration in intensive care units. J Antimicrob Chemother 2003 ; 51: 651-658.
2269	Revue	Chan P, Bishop A, Kupiec TC, Trissel LA, Gole D, Jimidar IM, Vermeersch H. Compatibility of ceftobiprole medocaril with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2008 ; 65, 16: 1545-1551.
2325	Revue	Nemec K, Germ E, Schulz-Siegmund M, Ortner A. The effect of nimodipine, fentanyl and remifentanil intravenous products on the stability of propofol emulsions. Pharmazie 2009 ; 64, 2: 94-97.
3176	Poster	Humbert Delaloye V, Berger M, Voirol P, Pannatier A. Compatibilité du Remifentanil avec d'autres médicaments injectables : influence du soluté. 16èmes JFSPH, Sion, 18-19 novembre 2010
3249	Revue	Singh BM, Dedhiya MG, Dinunzio J, Chan P, Kupiec TC, Trissel LA, Laudano JB. Compatibility of ceftaroline fosamil for injection with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2011 ; 68: 2163-2169.
3294	Revue	Humbert-Delaloye V, Berger M, Voirol P, Pannatier A. In vitro compatibility of remifentanil hydrochloride and sufentanil citrate with selected drugs EJHP 2012 ; 19: 57-64.
3372	Revue	Hanci V, Ali Kiraz H, Ömür D, Ekin S, Uyan B, Yurtlu B.S. Precipitation in Gallipoli: Sugammadex / Amiodarone & Sugammadex / Dobutamine & Sugammadex / Protamine. Rev Bras Anesthesiol 2013 ; 63, 1: 163-166.
3504	Laboratoire	Parecoxib (Dynastat®) - Summary of Product Characteristics Pfizer 2012
3519	Laboratoire	Remifentanil hydrochloride(Ultiva®) - Summary of Product Characteristics Glaxo Smith Kline 2011
3781	Revue	Humbert-Delaloye V, Berger-Gryllaki M, Voirol P, Testa B, Pannatier A Screening for physicochemical incompatibilities of intravenous drugs in intensive care units: the case of monobasic potassium phosphate and furosemide. EJHP 2015 ;22:1 56-58
3823	Revue	Juan E.P, Palau M.M, Cerdá S.A, Rubert M.A, Nicolau B.R. Compatibilité physique de médicaments administrés dans l'unité de soins intensifs Pharmactuel 2015 ; 48, 3 : 146-152.
4011	Revue	Gersonde F, Eisend S, Haake N, Kunze T. Physicochemical compatibility and emulsion stability of propofol with commonly used analgesics and sedatives in an intensive care unit. EJHP 2016 2016;0:1-11
4183	Poster	Hook R, Riss V, Scharrer E, Law S, Walker S.E. Stability of 4 and 10 mcg/mL Remifentanil Solutions Stored in Syringes at Room Temperature (23°C). Professional Practice Conference - the Canadian Society 2018

4192	Revue	Bourdon F, Simon N, Lannoy D, Berneron C, D'caudin B, Reumaux L, Duhamel A, Richart P, Odou P. Quality control and stability of ketamine, remifentanil and sufentanil syringes in a pediatric operating theater. Pediatric Anesthesia 2018
4231	Poster	Roxanne Hook, Vera Riss, Erica Scharrer, Shirley Law and Scott E. Walker Stability of 4 and 10 mcg/mL Remifentanil Solutions Stored in Syringes at Room Temperature (23°C) Professional Practice Conference - Canadian Societ 2018
4331	Revue	Nilsson N, Nezvalova-Henriksen K, Tho I. Emulsion Stability of Different Intravenous Propofol Formulations in Simulated Co-Administration with Remifentanil Hydrochloride. Pharmaceutical Technology in Hospital Pharmacy 2019
4389	Revue	Côté K, Correal F, Metras M.E, Friciu M, Forest J.M, Leclair G. Compatibilité physique des médicaments administrés en Y aux soins intensifs, en particulier la dexmédétomidine, le lévosimendan et la kétamine. Pharmactuel 2019 ;52,4:206-213
4501	Revue	Henkel E, Vella R, Behan K, Austin D, Kruger P, Fenning A. The effect of concentration, reconstitution solution and pH on the stability of a remifentanil hydrochloride and propofol admixture for simultaneous co-infusion. BMC Anesthesiology 2020 ;20:283.
4650	Laboratoire	Ceftibiprole (Zevtera 500 mg powder for concentrate for solution for infusion.) Summary of Product Characteristics, Advanz Pharma updated 4 aug 2021. Advanz Pharma 2021
4698	Revue	Ayari G, D'caudin B, Huart E, Vigneron J, Demoré B. Y-site compatibility of intravenous medications commonly used in intensive care units : laboratory tests on 75 mixtures involving nine main drugs. Pharmaceutical Technology in Hospital Pharmacy 2022
4723	Revue	Kondo M, Yoshida N, Yoshida M, Tanaka C, Tagami T, Horik K, Sugaya K, Takase H Physical compatibility of remimazolam with opioid analgesics, sedatives, and muscle relaxants during simulated Y-site administration. Am J Health-Syst Pharm 2022 https://doi.org/10.1093/a
4742	Revue	Macoviciuc M, Nguyen C, Forest J-M, Leclair G. Compatibilité physique de l'acétaminophène injectable avec 102 autres médicaments lors d'une administration en Y. Pharmactuel 2022 ; 55, 4: 247-255.



Dictionnaire

 Antalgique	 Injectable
 Noms commerciaux	 Stabilité des solutions
 Contenant	 Molécule
 Concentration	 Température
 Conservation	 Durée de stabilité
 Biosimilaire	 Données conflictuelles
 Bibliographie	 Verre
 Eau pour préparation injectable	 Non précisée
 Heure	 Chlorure de sodium 0,9%
 Seringue polypropylène	 Jour
 Non précisé	 NaCl 0,9% ou glucose 5%
 Chlorure de sodium 0,45%	 Stabilité en mélange
 Solvant	 Molécule
 Polypropylène	 Lumière
 Facteur influençant la stabilité	RL Ringer lactate
 Provoque	 Dégradation
 NaHCO ₃	 Compatibilités
 Compatible	 Glucose 5%
 Précipitation immédiate	 Incompatible
 Turbidité immédiate	 Incompatibilité non précisée
 Précipitation en 15 minutes	 Aucun
 Instabilité de l'émulsion immédiate	 Incompatibilité subvisuelle
 Voie d'administration	 Intraveineuse
 Perfusion continue	 Bibliographie
 Dictionnaire	